A1701-TAB CORNER TRACKS / CURVES / BENDS TAB


TAB



TAB type corner tracks are a more economical solution compared to magnetic curves.

In those applications where cleaning and product support are less important, they can perfectly be used.











G1400A V26-1





Rm = 500mm - MULTI TRACK - 50mm LEAD IN / LEAD OUT						
α 15°		α 30°		α 45°		
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION	
G000014-a1-T1-B1-Rm1-P0-L1	15°-1T-100w-500CL-50L-TAB	G000014-α2-T1-B1-Rm1-P0-L1	30°-1T-100w-500CL-50L-TAB	G000014-α3-T1-B1-Rm1-P0-L1	45°-1T-100w-500CL-50L-TAB	
α 60°		α 75°		α 90°		
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION	
G000014-α4-T1-B1-Rm1-P0-L1	60°-1T-100w-500CL-50L-TAB	G000014-α5-T1-B1-Rm1-P0-L1	75°-1T-100w-500CL-50L-TAB	G000014-α6-T1-B1-Rm1-P0-L1	90°-1T-100w-500CL-50L-TAB	

















Rm = 500mm - MULTI TRACK - 100mm LEAD IN / LEAD OUT						
α 15°		α 30°		α 45°		
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION	
G000014-a1-T1-B1-Rm1-P0-L2	15°-1T-100w-500CL-100L-TAB	G000014-α2-T1-B1-Rm1-P0-L2	30°-1T-100w-500CL-100L-TAB	G000014-α3-T1-B1-Rm1-P0-L2	45°-1T-100w-500CL-100L-TAB	
α 60°		α 75°		α 90°		
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION	
G000014-a4-T1-B1-Rm1-P0-L2	60°-1T-100w-500CL-100L-TAB	G000014-α5-T1-B1-Rm1-P0-L2	75°-1T-100w-500CL-100L-TAB	G000014-α6-T1-B1-Rm1-P0-L2	90°-1T-100w-500CL-100L-TAB	













111111





Rm = 500mm - MULTI TRACK - 125mm LEAD IN / LEAD OUT						
α 15°		α 30°		α 45°		
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION	
G000014-α1-T1-B1-Rm1-P0-L3	15°-1T-100w-500CL-125L-TAB	G000014-α2-T1-B1-Rm1-P0-L3	30°-1T-100w-500CL-125L-TAB	G000014-α3-T1-B1-Rm1-P0-L3	45°-1T-100w-500CL-125L-TAB	
α 60°		α 75°		α 90°		
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION	
G000014-a4-T1-B1-Rm1-P0-L3	60°-1T-100w-500CL-125L-TAB	G000014-α5-T1-B1-Rm1-P0-L3	75°-1T-100w-500CL-125L-TAB	G000014-α6-T1-B1-Rm1-P0-L3	90°-1T-100w-500CL-125L-TAB	

















Rm = 500mm - MULTI TRACK - NO LEAD IN / LEAD OUT						
α 15°		α 30°		α 45°		
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION	
G000014-a1-T1-B1-Rm1-P0-L0	15°-1T-100w-500CL-0L-TAB	G000014-α2-T1-B1-Rm1-P0-L0	30°-1T-100w-500CL-0L-TAB	G000014-α3-T1-B1-Rm1-P0-L0	45°-1T-100w-500CL-0L-TAB	
α 60°		α 75°		α 90°		
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION	
G000014-α4-T1-B1-Rm1-P0-L0	60°-1T-100w-500CL-0L-TAB	G000014-α5-T1-B1-Rm1-P0-L0	75°-1T-100w-500CL-0L-TAB	G000014-α6-T1-B1-Rm1-P0-L0	90°-1T-100w-500CL-0L-TAB	





