


G00003


K750 CORNER TRACKS / CURVES / BENDS MAGNETIC

MAGNETIC






The magnetic corner track is the most effective and reliable system for the table top conveyor design.




The magnets are carefully selected and positioned to provide the correct magnetic field to hold the chain on the corner track and this provides a flat carrying surface for the chain; thus, improving product stability and support for the product.



PG: A400A



PG: B700A



MATERIALS





TABLE OF
CONTENTS





BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)

WWW.IRP.CO.ZA



SINGLE TRACK - G00003-a6-T1-B5-Rm2-P0-L1

TRACKS	W
1	200
2	395
3	590



MULTI TRACK - G00003-a6-T2-B5-Rm2-P6-L1

Rm = 610mm - MULTI TRACK - 50mm LEAD IN / LEAD OUT

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a1-T1-B5-Rm2-P0-L1	15°-1T-200w-610CL-50L-MAG	G00003-a2-T1-B5-Rm2-P0-L1	30°-1T-200w-610CL-50L-MAG	G00003-a3-T1-B5-Rm2-P0-L1	45°-1T-200w-610CL-50L-MAG
G00003-a1-T2-B5-Rm2-P6-L1	15°-2T-200w-610CL-P195-50L-MAG	G00003-a2-T2-B5-Rm2-P6-L1	30°-2T-200w-610CL-P195-50L-MAG	G00003-a3-T2-B5-Rm2-P6-L1	45°-2T-200w-610CL-P195-50L-MAG
G00003-a1-T3-B5-Rm2-P6-L1	15°-3T-200w-610CL-P195-50L-MAG	G00003-a2-T3-B5-Rm2-P6-L1	30°-3T-200w-610CL-P195-50L-MAG	G00003-a3-T3-B5-Rm2-P6-L1	45°-3T-200w-610CL-P195-50L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a4-T1-B5-Rm2-P0-L1	60°-1T-200w-610CL-50L-MAG	G00003-a5-T1-B5-Rm2-P0-L1	75°-1T-200w-610CL-50L-MAG	G00003-a6-T1-B5-Rm2-P0-L1	90°-1T-200w-610CL-50L-MAG
G00003-a4-T2-B5-Rm2-P6-L1	60°-2T-200w-610CL-P195-50L-MAG	G00003-a5-T2-B5-Rm2-P6-L1	75°-2T-200w-610CL-P195-50L-MAG	G00003-a6-T2-B5-Rm2-P6-L1	90°-2T-200w-610CL-P195-50L-MAG
G00003-a4-T3-B5-Rm2-P6-L1	60°-3T-200w-610CL-P195-50L-MAG	G00003-a5-T3-B5-Rm2-P6-L1	75°-3T-200w-610CL-P195-50L-MAG	G00003-a6-T3-B5-Rm2-P6-L1	90°-3T-200w-610CL-P195-50L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



CHAINS/BELTS
PG. A400A & B700A




MATERIALS




TABLE OF
CONTENTS



BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)





TRACKS	W
1	200
2	395
3	590



MULTI TRACK - G00003-a6-T2-B5-Rm2-P6-L2



Rm = 610mm - MULTI TRACK - 100mm LEAD IN / LEAD OUT					
α 15°		α 30°		α 45°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a1-T1-B5-Rm2-P0-L2	15°-1T-200w-610CL-100L-MAG	G00003-a2-T1-B5-Rm2-P0-L2	30°-1T-200w-610CL-100L-MAG	G00003-a3-T1-B5-Rm2-P0-L2	45°-1T-200w-610CL-100L-MAG
G00003-a1-T2-B5-Rm2-P6-L2	15°-2T-200w-610CL-P195-100L-MAG	G00003-a2-T2-B5-Rm2-P6-L2	30°-2T-200w-610CL-P195-100L-MAG	G00003-a3-T2-B5-Rm2-P6-L2	45°-2T-200w-610CL-P195-100L-MAG
G00003-a1-T3-B5-Rm2-P6-L2	15°-3T-200w-610CL-P195-100L-MAG	G00003-a2-T3-B5-Rm2-P6-L2	30°-3T-200w-610CL-P195-100L-MAG	G00003-a3-T3-B5-Rm2-P6-L2	45°-3T-200w-610CL-P195-100L-MAG
α 60°		α 75°		α 90°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a4-T1-B5-Rm2-P0-L2	60°-1T-200w-610CL-100L-MAG	G00003-a5-T1-B5-Rm2-P0-L2	75°-1T-200w-610CL-100L-MAG	G00003-a6-T1-B5-Rm2-P0-L2	90°-1T-200w-610CL-100L-MAG
G00003-a4-T2-B5-Rm2-P6-L2	60°-2T-200w-610CL-P195-100L-MAG	G00003-a5-T2-B5-Rm2-P6-L2	75°-2T-200w-610CL-P195-100L-MAG	G00003-a6-T2-B5-Rm2-P6-L2	90°-2T-200w-610CL-P195-100L-MAG
G00003-a4-T3-B5-Rm2-P6-L2	60°-3T-200w-610CL-P195-100L-MAG	G00003-a5-T3-B5-Rm2-P6-L2	75°-3T-200w-610CL-P195-100L-MAG	G00003-a6-T3-B5-Rm2-P6-L2	90°-3T-200w-610CL-P195-100L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



SINGLE TRACK - G00003-a6-T1-BK5-Rm2-P0-L3

TRACKS	W
1	200
2	395
3	590




MULTI TRACK - G00003-a6-T2-B5-Rm2-P6-L3


Rm = 610mm - MULTI TRACK - 125mm LEAD IN / LEAD OUT

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a1-T1-B5-Rm2-P0-L3	15°-1T-200w-610CL-125L-MAG	G00003-a2-T1-B5-Rm2-P0-L3	30°-1T-200w-610CL-125L-MAG	G00003-a3-T1-B5-Rm2-P0-L3	45°-1T-200w-610CL-125L-MAG
G00003-a1-T2-B5-Rm2-P6-L3	15°-2T-200w-610CL-P195-125L-MAG	G00003-a2-T2-B5-Rm2-P6-L3	30°-2T-200w-610CL-P195-125L-MAG	G00003-a3-T2-B5-Rm2-P6-L3	45°-2T-200w-610CL-P195-125L-MAG
G00003-a1-T3-B5-Rm2-P6-L3	15°-3T-200w-610CL-P195-125L-MAG	G00003-a2-T3-B5-Rm2-P6-L3	30°-3T-200w-610CL-P195-125L-MAG	G00003-a3-T3-B5-Rm2-P6-L3	45°-3T-200w-610CL-P195-125L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a4-T1-B5-Rm2-P0-L3	60°-1T-200w-610CL-125L-MAG	G00003-a5-T1-B5-Rm2-P0-L3	75°-1T-200w-610CL-125L-MAG	G00003-a6-T1-B5-Rm2-P0-L3	90°-1T-200w-610CL-125L-MAG
G00003-a4-T2-B5-Rm2-P6-L3	60°-2T-200w-610CL-P195-125L-MAG	G00003-a5-T2-B5-Rm2-P6-L3	75°-2T-200w-610CL-P195-125L-MAG	G00003-a6-T2-B5-Rm2-P6-L3	90°-2T-200w-610CL-P195-125L-MAG
G00003-a4-T3-B5-Rm2-P6-L3	60°-3T-200w-610CL-P195-125L-MAG	G00003-a5-T3-B5-Rm2-P6-L3	75°-3T-200w-610CL-P195-125L-MAG	G00003-a6-T3-B5-Rm2-P6-L3	90°-3T-200w-610CL-P195-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET




TRACKS	W
1	200
2	395
3	590





MULTI TRACK - G00003-a6-T2-B5-Rm2-P6-L0

Rm = 610mm - MULTI TRACK - 125mm LEAD IN / LEAD OUT					
α 15°		α 30°		α 45°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a1-T1-B5-Rm2-P0-L0	15°-1T-200w-610CL-0L-MAG	G00003-a2-T1-B5-Rm2-P0-L0	30°-1T-200w-610CL-0L-MAG	G00003-a3-T1-B5-Rm2-P0-L0	45°-1T-200w-610CL-0L-MAG
G00003-a1-T2-B5-Rm2-P6-L0	15°-2T-200w-610CL-P195-0L-MAG	G00003-a2-T2-B5-Rm2-P6-L0	30°-2T-200w-610CL-P195-0L-MAG	G00003-a3-T2-B5-Rm2-P6-L0	45°-2T-200w-610CL-P195-0L-MAG
G00003-a1-T3-B5-Rm2-P6-L0	15°-3T-200w-610CL-P195-0L-MAG	G00003-a2-T3-B5-Rm2-P6-L0	30°-3T-200w-610CL-P195-0L-MAG	G00003-a3-T3-B5-Rm2-P6-L0	45°-3T-200w-610CL-P195-0L-MAG
α 60°		α 75°		α 90°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a4-T1-B5-Rm2-P0-L0	60°-1T-200w-610CL-0L-MAG	G00003-a5-T1-B5-Rm2-P0-L0	75°-1T-200w-610CL-0L-MAG	G00003- a6- T1-B5- Rm2- P0-L0	90°-1T-200w-610CL-0L-MAG
G00003-a4-T2-B5-Rm2-P6-L0	60°-2T-200w-610CL-P195-0L-MAG	G00003-a5-T2-B5-Rm2-P6-L0	75°-2T-200w-610CL-P195-0L-MAG	G00003- a6- T2-B5-Rm2- P6-L0	90°-2T-200w-610CL-P195-0L- MAG
G00003-a4-T3-B5-Rm2-P6-L0	60°-3T-200w-610CL-P195-0L-MAG	G00003-a5-T3-B5-Rm2-P6-L0	75°-3T-200w-610CL-P195-0L-MAG	G00003- a6- T3-B5-Rm2- P6-L0	90°-3T-200w-610CL-P195-0L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



LEAD IN & OUT AVAILABLE IN
125mm - 100mm - 50mm AND WITHOUT





Rm = 610mm - SINGLE TRACK

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a1-T1-B5-Rm2-P0-L0	15°-1T-200w-610CL-0L-MAG	G00003-a2-T1-B5-Rm2-P0-L0	30°-1T-200w-610CL-0L-MAG	G00003-a3-T1-B5-Rm2-P0-L0	45°-1T-200w-610CL-0L-MAG
G00003-a1-T1-B5-Rm2-P0-L1	15°-1T-200w-610CL-50L-MAG	G00003-a2-T1-B5-Rm2-P0-L1	30°-1T-200w-610CL-50L-MAG	G00003-a3-T1-B5-Rm2-P0-L1	45°-1T-200w-610CL-50L-MAG
G00003-a1-T1-B5-Rm2-P0-L2	15°-1T-200w-610CL-100L-MAG	G00003-a2-T1-B5-Rm2-P0-L2	30°-1T-200w-610CL-100L-MAG	G00003-a3-T1-B5-Rm2-P0-L2	45°-1T-200w-610CL-100L-MAG
G00003-a1-T1-B5-Rm2-P0-L3	15°-1T-200w-610CL-125L-MAG	G00003-a2-T1-B5-Rm2-P0-L3	30°-1T-200w-610CL-125L-MAG	G00003-a3-T1-B5-Rm2-P0-L3	45°-1T-200w-610CL-125L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a4-T1-B5-Rm2-P0-L0	60°-1T-200w-610CL-0L-MAG	G00003-a5-T1-B5-Rm2-P0-L0	75°-1T-200w-610CL-0L-MAG	G00003-a6-T1-B5-Rm2-P0-L0	90°-1T-200w-610CL-0L-MAG
G00003-a4-T1-B5-Rm2-P0-L1	60°-1T-200w-610CL-50L-MAG	G00003-a5-T1-B5-Rm2-P0-L1	75°-1T-200w-610CL-50L-MAG	G00003-a6-T1-B5-Rm2-P0-L1	90°-1T-200w-610CL-50L-MAG
G00003-a4-T1-B5-Rm2-P0-L2	60°-1T-200w-610CL-100L-MAG	G00003-a5-T1-B5-Rm2-P0-L2	75°-1T-200w-610CL-100L-MAG	G00003-a6-T1-B5-Rm2-P0-L2	90°-1T-200w-610CL-100L-MAG
G00003-a4-T1-B5-Rm2-P0-L3	60°-1T-200w-610CL-125L-MAG	G00003-a5-T1-B5-Rm2-P0-L3	75°-1T-200w-610CL-125L-MAG	G00003-a6-T1-B5-Rm2-P0-L3	90°-1T-200w-610CL-125L-MAG



NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET





SINGLE TRACK - G00003-a6-T1-B5-Rm4-P0-L1

TRACKS	W
1	200
2	395
3	590



MULTI TRACK - G00003-a6-T2-B5-Rm4-P6-L1

Rm = 750mm - MULTI TRACK - 50mm LEAD IN / LEAD OUT

α 15°		α 30°		α 45°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a1-T1-B5-Rm4-P0-L1	15°-1T-200w-750CL-50L-MAG	G00003-a2-T1-B5-Rm4-P0-L1	30°-1T-200w-750CL-50L-MAG	G00003-a3-T1-B5-Rm4-P0-L1	45°-1T-200w-750CL-50L-MAG
G00003-a1-T2-B5-Rm4-P6-L1	15°-2T-200w-750CL-P195-50L-MAG	G00003-a2-T2-B5-Rm4-P6-L1	30°-2T-200w-750CL-P195-50L-MAG	G00003-a3-T2-B5-Rm4-P6-L1	45°-2T-200w-750CL-P195-50L-MAG
G00003-a1-T3-B5-Rm4-P6-L1	15°-3T-200w-750CL-P195-50L-MAG	G00003-a2-T3-B5-Rm4-P6-L1	30°-3T-200w-750CL-P195-50L-MAG	G00003-a3-T3-B5-Rm4-P6-L1	45°-3T-200w-750CL-P195-50L-MAG
α 60°		α 75°		α 90°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a4-T1-B5-Rm4-P0-L1	60°-1T-200w-750CL-50L-MAG	G00003-a5-T1-B5-Rm4-P0-L1	75°-1T-200w-750CL-50L-MAG	G00003-a6-T1-B5-Rm4-P0-L1	90°-1T-200w-750CL-50L-MAG
G00003-a4-T2-B5-Rm4-P6-L1	60°-2T-200w-750CL-P195-50L-MAG	G00003-a5-T2-B5-Rm4-P6-L1	75°-2T-200w-750CL-P195-50L-MAG	G00003-a6-T2-B5-Rm4-P6-L1	90°-2T-200w-750CL-P195-50L-MAG
G00003-a4-T3-B5-Rm4-P6-L1	60°-3T-200w-750CL-P195-50L-MAG	G00003-a5-T3-B5-Rm4-P6-L1	75°-3T-200w-750CL-P195-50L-MAG	G00003-a6-T3-B5-Rm4-P6-L1	90°-3T-200w-750CL-P195-50L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



CHAINS/BELTS
PG. A400A & B700A





MATERIALS



TABLE OF
CONTENTS





BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)



SINGLE TRACK - G00003-a6-T1-B5-Rm4-P0-L2

TRACKS	W
1	200
2	395
3	590





MULTI TRACK - G00003-a6-T2-B5-Rm4-P6-L2

Rm = 750mm - MULTI TRACK - 100mm LEAD IN / LEAD OUT



$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a1-T1-B5-Rm4-P0-L2	15°-1T-200w-750CL-100L-MAG	G00003-a2-T1-B5-Rm4-P0-L2	30°-1T-200w-750CL-100L-MAG	G00003-a3-T1-B5-Rm4-P0-L2	45°-1T-200w-750CL-100L-MAG
G00003-a1-T2-B5-Rm4-P6-L2	15°-2T-200w-750CL-P195-100L-MAG	G00003-a2-T2-B5-Rm4-P6-L2	30°-2T-200w-750CL-P195-100L-MAG	G00003-a3-T2-B5-Rm4-P6-L2	45°-2T-200w-750CL-P195-100L-MAG
G00003-a1-T3-B5-Rm4-P6-L2	15°-3T-200w-750CL-P195-100L-MAG	G00003-a2-T3-B5-Rm4-P6-L2	30°-3T-200w-750CL-P195-100L-MAG	G00003-a3-T3-B5-Rm4-P6-L2	45°-3T-200w-750CL-P195-100L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a4-T1-B5-Rm4-P0-L2	60°-1T-200w-750CL-100L-MAG	G00003-a5-T1-B5-Rm4-P0-L2	75°-1T-200w-750CL-100L-MAG	G00003-a6-T1-B5-Rm4-P0-L2	90°-1T-200w-750CL-100L-MAG
G00003-a4-T2-B5-Rm4-P6-L2	60°-2T-200w-750CL-P195-100L-MAG	G00003-a5-T2-B5-Rm4-P6-L2	75°-2T-200w-750CL-P195-100L-MAG	G00003-a6-T2-B5-Rm4-P6-L2	90°-2T-200w-750CL-P195-100L-MAG
G00003-a4-T3-B5-Rm4-P6-L2	60°-3T-200w-750CL-P195-100L-MAG	G00003-a5-T3-B5-Rm4-P6-L2	75°-3T-200w-750CL-P195-100L-MAG	G00003-a6-T3-B5-Rm4-P6-L2	90°-3T-200w-750CL-P195-100L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



SINGLE TRACK - G00003-a6-T1-B5-Rm4-P0-L3

TRACKS	W
1	200
2	395
3	590



MULTI TRACK - G00003-a6-T2-B5-Rm4-P6-L3

Rm = 750mm - MULTI TRACK - 125mm LEAD IN / LEAD OUT

α 15°		α 30°		α 45°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a1-T1-B5-Rm4-P0-L3	15°-1T-200-750CL-125L-MAG	G00003-a2-T1-B5-Rm4-P0-L3	30°-1T-200w-750CL-125L-MAG	G00003-a3-T1-B5-Rm4-P0-L3	45°-1T-200w-750CL-125L-MAG
G00003-a1-T2-B5-Rm4-P6-L3	15°-2T-200w-750CL-P195-125L-MAG	G00003-a2-T2-B5-Rm4-P6-L3	30°-2T-200w-750CL-P195-125L-MAG	G00003-a3-T2-B5-Rm4-P6-L3	45°-2T-200w-750CL-P195-125L-MAG
G00003-a1-T3-B5-Rm4-P6-L3	15°-3T-200w-750CL-P195-125L-MAG	G00003-a2-T3-B5-Rm4-P6-L3	30°-3T-200w-750CL-P195-125L-MAG	G00003-a3-T3-B5-Rm4-P6-L3	45°-3T-200w-750CL-P195-125L-MAG
α 60°		α 75°		α 90°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a4-T1-B5-Rm4-P0-L3	60°-1T-200w-750CL-125L-MAG	G00003-a5-T1-B5-Rm4-P0-L3	75°-1T-200w-750CL-125L-MAG	G00003-a6-T1-B5-Rm4-P0-L3	90°-1T-200w-750CL-125L-MAG
G00003-a4-T2-B5-Rm4-P6-L3	60°-2T-200w-750CL-P195-125L-MAG	G00003-a5-T2-B5-Rm4-P6-L3	75°-2T-200w-750CL-P195-125L-MAG	G00003-a6-T2-B5-Rm4-P6-L3	90°-2T-200w-750CL-P195-125L-MAG
G00003-a4-T3-B5-Rm4-P6-L3	60°-3T-200w-750CL-P195-125L-MAG	G00003-a5-T3-B5-Rm4-P6-L3	75°-3T-200w-750CL-P195-125L-MAG	G00003-a6-T3-B5-Rm4-P6-L3	90°-3T-200w-750CL-P195-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



CHAINS/BELTS
PG. A400A & B700A





MATERIALS



TABLE OF
CONTENTS





BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)



SINGLE TRACK - G00003-a6-T1-B5-Rm4-P0-L0

TRACKS	W
1	200
2	395
3	590




MULTI TRACK - G00003-a6-T2-B5-Rm4-P6-L0



Rm = 750mm - MULTI TRACK - NO LEAD IN / LEAD OUT

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a1-T1-B5-Rm4-P0-L0	15°-1T-200w-750CL-0L-MAG	G00003-a2-T1-B5-Rm4-P0-L0	30°-1T-200w-750CL-0L-MAG	G00003-a3-T1-B5-Rm4-P0-L0	45°-1T-200w-750CL-0L-MAG
G00003-a1-T2-B5-Rm4-P6-L0	15°-2T-200w-750CL-P195-0L-MAG	G00003-a2-T2-B5-Rm4-P6-L0	30°-2T-200w-750CL-P195-0L-MAG	G00003-a3-T2-B5-Rm4-P6-L0	45°-2T-200w-750CL-P195-0L-MAG
G00003-a1-T3-B5-Rm4-P6-L0	15°-3T-200w-750CL-P195-0L-MAG	G00003-a2-T3-B5-Rm4-P6-L0	30°-3T-200w-750CL-P195-0L-MAG	G00003-a3-T3-B5-Rm4-P6-L0	45°-3T-200w-750CL-P195-0L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a4-T1-B5-Rm4-P0-L0	60°-1T-200w-750CL-0L-MAG	G00003-a5-T1-B5-Rm4-P0-L0	75°-1T-200w-750CL-0L-MAG	G00003-a6-T1-B5-Rm4-P0-L0	90°-1T-200w-750CL-0L-MAG
G00003-a4-T2-B5-Rm4-P6-L0	60°-2T-200w-750CL-P195-0L-MAG	G00003-a5-T2-B5-Rm4-P6-L0	75°-2T-200w-750CL-P195-0L-MAG	G00003-a6-T2-B5-Rm4-P6-L0	90°-2T-200w-750CL-P195-0L-MAG
G00003-a4-T3-B5-Rm4-P6-L0	60°-3T-200w-750CL-P195-0L-MAG	G00003-a5-T3-B5-Rm4-P6-L0	75°-3T-200w-750CL-P195-0L-MAG	G00003-a6-T3-B5-Rm4-P6-L0	90°-3T-200w-750CL-P195-0L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



IN & OUT AVAILABLE ALSO 125mm - 100mm - 50mm



Rm = 750mm - SINGLE TRACK

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a1-T1-B5-Rm4-P0-L0	15°-1T-200w-750CL-0L-MAG	G00003-a2-T1-B5-Rm4-P0-L0	30°-1T-200w-750CL-0L-MAG	G00003-a3-T1-B5-Rm4-P0-L0	45°-1T-200w-750CL-0L-MAG
G00003-a1-T1-B5-Rm4-P0-L1	15°-1T-200w-750CL-50L-MAG	G00003-a2-T1-B5-Rm4-P0-L1	30°-1T-200w-750CL-50L-MAG	G00003-a3-T1-B5-Rm4-P0-L1	45°-1T-200w-750CL-50L-MAG
G00003-a1-T1-B5-Rm4-P0-L2	15°-1T-200w-750CL-100L-MAG	G00003-a2-T1-B5-Rm4-P0-L2	30°-1T-200w-750CL-100L-MAG	G00003-a3-T1-B5-Rm4-P0-L2	45°-1T-200w-750CL-100L-MAG
G00003-a1-T1-B5-Rm4-P0-L3	15°-1T-200w-750CL-125L-MAG	G00003-a2-T1-B5-Rm4-P0-L3	30°-1T-200w-750CL-125L-MAG	G00003-a3-T1-B5-Rm4-P0-L3	45°-1T-200w-750CL-125L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a4-T1-B5-Rm4-P0-L0	60°-1T-200w-750CL-0L-MAG	G00003-a5-T1-B5-Rm4-P0-L0	75°-1T-200w-750CL-0L-MAG	G00003-a6-T1-B5-Rm4-P0-L0	90°-1T-200w-750CL-0L-MAG
G00003-a4-T1-B5-Rm4-P0-L1	60°-1T-200w-750CL-50L-MAG	G00003-a5-T1-B5-Rm4-P0-L1	75°-1T-200w-750CL-50L-MAG	G00003-a6-T1-B5-Rm4-P0-L1	90°-1T-200w-750CL-50L-MAG
G00003-a4-T1-B5-Rm4-P0-L2	60°-1T-200w-750CL-100L-MAG	G00003-a5-T1-B5-Rm4-P0-L2	75°-1T-200w-750CL-100L-MAG	G00003-a6-T1-B5-Rm4-P0-L2	90°-1T-200w-750CL-100L-MAG
G00003-a4-T1-B5-Rm4-P0-L3	60°-1T-200w-750CL-125L-MAG	G00003-a5-T1-B5-Rm4-P0-L3	75°-1T-200w-750CL-125L-MAG	G00003-a6-T1-B5-Rm4-P0-L3	90°-1T-200w-750CL-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



CHAINS/BELTS
PG. A400A & B700A




MATERIALS





TABLE OF
CONTENTS



BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)




IN & OUT AVAILABLE ALSO 125mm - 100mm - 50mm





Rm = 860mm - SINGLE TRACK

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a1-T1-B5-Rm5-P0-L0	15°-1T-200w-860CL-0L-MAG	G00003-a2-T1-B5-Rm5-P0-L0	30°-1T-200w-860CL-0L-MAG	G00003-a3-T1-B5-Rm5-P0-L0	45°-1T-200w-860CL-0L-MAG
G00003-a1-T1-B5-Rm5-P0-L1	15°-1T-200w-860CL-50L-MAG	G00003-a2-T1-B5-Rm5-P0-L1	30°-1T-200w-860CL-50L-MAG	G00003-a3-T1-B5-Rm5-P0-L1	45°-1T-200w-860CL-50L-MAG
G00003-a1-T1-B5-Rm5-P0-L2	15°-1T-200w-860CL-100L-MAG	G00003-a2-T1-B5-Rm5-P0-L2	30°-1T-200w-860CL-100L-MAG	G00003-a3-T1-B5-Rm5-P0-L2	45°-1T-200w-860CL-100L-MAG
G00003-a1-T1-B5-Rm5-P0-L3	15°-1T-200w-860CL-125L-MAG	G00003-a2-T1-B5-Rm5-P0-L3	30°-1T-200w-860CL-125L-MAG	G00003-a3-T1-B5-Rm5-P0-L3	45°-1T-200w-860CL-125L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a4-T1-B5-Rm5-P0-L0	60°-1T-200w-860CL-0L-MAG	G00003-a5-T1-B5-Rm5-P0-L0	75°-1T-200w-860CL-0L-MAG	G00003-a6-T1-B5-Rm5-P0-L0	90°-1T-200w-860CL-0L-MAG
G00003-a4-T1-B5-Rm5-P0-L1	60°-1T-200w-860CL-50L-MAG	G00003-a5-T1-B5-Rm5-P0-L1	75°-1T-200w-860CL-50L-MAG	G00003-a6-T1-B5-Rm5-P0-L1	90°-1T-200w-860CL-50L-MAG
G00003-a4-T1-B5-Rm5-P0-L2	60°-1T-200w-860CL-100L-MAG	G00003-a5-T1-B5-Rm5-P0-L2	75°-1T-200w-860CL-100L-MAG	G00003-a6-T1-B5-Rm5-P0-L2	90°-1T-200w-860CL-100L-MAG
G00003-a4-T1-B5-Rm5-P0-L3	60°-1T-200w-860CL-125L-MAG	G00003-a5-T1-B5-Rm5-P0-L3	75°-1T-200w-860CL-125L-MAG	G00003-a6-T1-B5-Rm5-P0-L3	90°-1T-214w-860CL-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET





IN & OUT AVAILABLE ALSO 125mm - 100mm - 50mm



Rm = 860mm - SINGLE TRACK



$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a1-T1-B6-Rm5-P0-L0	15°-1T-214w-860CL-0L-MAG	G00003-a2-T1-B6-Rm5-P0-L0	30°-1T-214w-860CL-0L-MAG	G00003-a3-T1-B6-Rm5-P0-L0	45°-1T-214w-860CL-0L-MAG
G00003-a1-T1-B6-Rm5-P0-L1	15°-1T-214w-860CL-50L-MAG	G00003-a2-T1-B6-Rm5-P0-L1	30°-1T-214w-860CL-50L-MAG	G00003-a3-T1-B6-Rm5-P0-L1	45°-1T-214w-860CL-50L-MAG
G00003-a1-T1-B6-Rm5-P0-L2	15°-1T-214w-860CL-100L-MAG	G00003-a2-T1-B6-Rm5-P0-L2	30°-1T-214w-860CL-100L-MAG	G00003-a3-T1-B6-Rm5-P0-L2	45°-1T-214w-860CL-100L-MAG
G00003-a1-T1-B6-Rm5-P0-L3	15°-1T-214w-860CL-125L-MAG	G00003-a2-T1-B6-Rm5-P0-L3	30°-1T-214w-860CL-125L-MAG	G00003-a3-T1-B6-Rm5-P0-L3	45°-1T-214w-860CL-125L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a4-T1-B6-Rm5-P0-L0	60°-1T-214w-860CL-0L-MAG	G00003-a5-T1-B6-Rm5-P0-L0	75°-1T-214w-860CL-0L-MAG	G00003-a6-T1-B6-Rm5-P0-L0	90°-1T-214w-860CL-0L-MAG
G00003-a4-T1-B6-Rm5-P0-L1	60°-1T-214w-860CL-50L-MAG	G00003-a5-T1-B6-Rm5-P0-L1	75°-1T-214w-860CL-50L-MAG	G00003-a6-T1-B6-Rm5-P0-L1	90°-1T-214w-860CL-50L-MAG
G00003-a4-T1-B6-Rm5-P0-L2	60°-1T-214w-860CL-100L-MAG	G00003-a5-T1-B6-Rm5-P0-L2	75°-1T-214w-860CL-100L-MAG	G00003-a6-T1-B6-Rm5-P0-L2	90°-1T-214w-860CL-100L-MAG
G00003-a4-T1-B6-Rm5-P0-L3	60°-1T-214w-860CL-125L-MAG	G00003-a5-T1-B6-Rm5-P0-L3	75°-1T-214w-860CL-125L-MAG	G00003-a6-T1-B6-Rm5-P0-L3	90°-1T-214w-860CL-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



SINGLE TRACK - G00003-a6-T1-B6-Rm5-P0-L1

TRACKS	W
1	214
2	414
3	614



MULTI TRACK - G00003-a6-T2-B6-Rm5-P8-L1

Rm = 860mm - MULTI TRACK - 50mm LEAD IN / LEAD OUT

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a1-T1-B6-Rm5-P0-L1	15°-1T-214w-860CL-50L-MAG	G00003-a2-T1-B6-Rm5-P0-L1	30°-1T-214w-860CL-50L-MAG	G00003-a3-T1-B6-Rm5-P0-L1	45°-1T-214w-860CL-50L-MAG
G00003-a1-T2-B6-Rm5-P8-L1	15°-2T-214w-860CL-P200-50L-MAG	G00003-a2-T2-B6-Rm5-P8-L1	30°-2T-214w-860CL-P200-50L-MAG	G00003-a3-T2-B6-Rm5-P8-L1	45°-2T-214w-860CL-P200-50L-MAG
G00003-a1-T3-B6-Rm5-P8-L1	15°-3T-214w-860CL-P200-50L-MAG	G00003-a2-T3-B6-Rm5-P8-L1	30°-3T-214w-860CL-P200-50L-MAG	G00003-a3-T3-B6-Rm5-P8-L1	45°-3T-214w-860CL-P200-50L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a4-T1-B6-Rm5-P0-L1	60°-1T-214w-860CL-50L-MAG	G00003-a5-T1-B6-Rm5-P0-L1	75°-1T-214w-860CL-50L-MAG	G00003-a6-T1-B6-Rm5-P0-L1	90°-1T-214w-860CL-50L-MAG
G00003-a4-T2-B6-Rm5-P8-L1	60°-2T-214w-860CL-P200-50L-MAG	G00003-a5-T2-B6-Rm5-P8-L1	75°-2T-214w-860CL-P200-50L-MAG	G00003-a6-T2-B6-Rm5-P8-L1	90°-2T-214w-860CL-P200-50L-MAG
G00003-a4-T3-B6-Rm5-P8-L1	60°-3T-214w-860CL-P200-50L-MAG	G00003-a5-T3-B6-Rm5-P8-L1	75°-3T-214w-860CL-P200-50L-MAG	G00003-a6-T3-B6-Rm5-P8-L1	90°-3T-214w-860CL-P200-50L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



CHAINS/BELTS
PG. A400A & B700A





MATERIALS



TABLE OF
CONTENTS





BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)



SINGLE TRACK - G00003-a6-T1-B6-Rm5-P0-L2

TRACKS	W
1	214
2	414
3	614



MULTI TRACK - G00003-a6-T2-B6-Rm5-P8-L2

Rm = 860mm - MULTI TRACK - 100mm LEAD IN / LEAD OUT

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a1-T1-B6-Rm5-P0-L2	15°-1T-214w-860CL-100L-MAG	G00003-a2-T1-B6-Rm5-P0-L2	30°-1T-214w-860CL-100L-MAG	G00003-a3-T1-B6-Rm5-P0-L2	45°-1T-214w-860CL-100L-MAG
G00003-a1-T2-B6-Rm5-P8-L2	15°-2T-214w-860CL-P200-100L-MAG	G00003-a2-T2-B6-Rm5-P8-L2	30°-2T-214w-860CL-P200-100L-MAG	G00003-a3-T2-B6-Rm5-P8-L2	45°-2T-214w-860CL-P200-100L-MAG
G00003-a1-T3-B6-Rm5-P8-L2	15°-3T-214w-860CL-P200-100L-MAG	G00003-a2-T3-B6-Rm5-P8-L2	30°-3T-214w-860CL-P200-100L-MAG	G00003-a3-T3-B6-Rm5-P8-L2	45°-3T-214w-860CL-P200-100L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a4-T1-B6-Rm5-P0-L2	60°-1T-214w-860CL-100L-MAG	G00003-a5-T1-B6-Rm5-P0-L2	75°-1T-214w-860CL-100L-MAG	G00003-a6-T1-B6-Rm5-P0-L2	90°-1T-214w-860CL-100L-MAG
G00003-a4-T2-B6-Rm5-P8-L2	60°-2T-214w-860CL-P200-100L-MAG	G00003-a5-T2-B6-Rm5-P8-L2	75°-2T-214w-860CL-P200-100L-MAG	G00003-a6-T2-B6-Rm5-P8-L2	90°-2T-214w-860CL-P200-100L-MAG
G00003-a4-T3-B6-Rm5-P8-L2	60°-3T-214w-860CL-P200-100L-MAG	G00003-a5-T3-B6-Rm5-P8-L2	75°-3T-214w-860CL-P200-100L-MAG	G00003-a6-T3-B6-Rm5-P8-L2	90°-3T-214w-860CL-P200-100L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



CHAINS/BELTS
PG. A400A & B700A





MATERIALS



TABLE OF
CONTENTS





BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)



SINGLE TRACK - G00003-a6-T1-B6-Rm5-P0-L3

TRACKS	W
1	214
2	414
3	614



MULTI TRACK - G00003-a6-T2-B6-Rm5-P8-L3

Rm = 860mm - MULTI TRACK - 125mm LEAD IN / LEAD OUT

α 15°		α 30°		α 45°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a1-T1-B6-Rm5-P0-L3	15°-1T-214w-860CL-125L-MAG	G00003-a2-T1-B6-Rm5-P0-L3	30°-1T-214w-860CL-125L-MAG	G00003-a3-T1-B6-Rm5-P0-L3	45°-1T-214w-860CL-125L-MAG
G00003-a1-T2-B6-Rm5-P8-L3	15°-2T-214w-860CL-P200-125L-MAG	G00003-a2-T2-B6-Rm5-P8-L3	30°-2T-214w-860CL-P200-125L-MAG	G00003-a3-T2-B6-Rm5-P8-L3	45°-2T-214w-860CL-P200-125L-MAG
G00003-a1-T3-B6-Rm5-P8-L3	15°-3T-214w-860CL-P200-125L-MAG	G00003-a2-T3-B6-Rm5-P8-L3	30°-3T-214w-860CL-P200-125L-MAG	G00003-a3-T3-B6-Rm5-P8-L3	45°-3T-214w-860CL-P200-125L-MAG
α 60°		α 75°		α 90°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a4-T1-B6-Rm5-P0-L3	60°-1T-214w-860CL-125L-MAG	G00003-a5-T1-B6-Rm5-P0-L3	75°-1T-214w-860CL-125L-MAG	G00003-a6-T1-B6-Rm5-P0-L3	90°-1T-214w-860CL-125L-MAG
G00003-a4-T2-B6-Rm5-P8-L3	60°-2T-214w-860CL-P200-125L-MAG	G00003-a5-T2-B6-Rm5-P8-L3	75°-2T-214w-860CL-P200-125L-MAG	G00003-a6-T2-B6-Rm5-P8-L3	90°-2T-214w-860CL-P200-125L-MAG
G00003-a4-T3-B6-Rm5-P8-L3	60°-3T-214w-860CL-P200-125L-MAG	G00003-a5-T3-B6-Rm5-P8-L3	75°-3T-214w-860CL-P200-125L-MAG	G00003-a6-T3-B6-Rm5-P8-L3	90°-3T-214w-860CL-P200-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



CHAINS/BELTS
PG. A400A & B700A





MATERIALS



TABLE OF
CONTENTS





BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)



SINGLE TRACK - G00003-a6-T1-B6-Rm5-P0-L0

TRACKS	W
1	214
2	414
3	614



MULTI TRACK - G00003-a6-T2-B6-Rm5-P8-L0

Rm = 860mm - MULTI TRACK - NO LEAD IN / LEAD OUT

α 15°		α 30°		α 45°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a1-T1-B6-Rm5-P0-L0	15°-1T-214w-860CL-0L-MAG	G00003-a2-T1-B6-Rm5-P0-L0	30°-1T-214w-860CL-0L-MAG	G00003-a3-T1-B6-Rm5-P0-L0	45°-1T-214w-860CL-0L-MAG
G00003-a1-T2-B6-Rm5-P8-L0	15°-2T-214w-860CL-P200-0L-MAG	G00003-a2-T2-B6-Rm5-P8-L0	30°-2T-214w-860CL-P200-0L-MAG	G00003-a3-T2-B6-Rm5-P8-L0	45°-2T-214w-860CL-P200-0L-MAG
G00003-a1-T3-B6-Rm5-P8-L0	15°-3T-214w-860CL-P200-0L-MAG	G00003-a2-T3-B6-Rm5-P8-L0	30°-3T-214w-860CL-P200-0L-MAG	G00003-a3-T3-B6-Rm5-P8-L0	45°-3T-214w-860CL-P200-0L-MAG
α 60°		α 75°		α 90°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a4-T1-B6-Rm5-P0-L0	60°-1T-214w-860CL-0L-MAG	G00003-a5-T1-B6-Rm5-P0-L0	75°-1T-214w-860CL-0L-MAG	G00003-a6-T1-B6-Rm5-P0-L0	90°-1T-214w-860CL-0L-MAG
G00003-a4-T2-B6-Rm5-P8-L0	60°-2T-214w-860CL-P200-0L-MAG	G00003-a5-T2-B6-Rm5-P8-L0	75°-2T-214w-860CL-P200-0L-MAG	G00003-a6-T2-B6-Rm5-P8-L0	90°-2T-214w-860CL-P200-0L-MAG
G00003-a4-T3-B6-Rm5-P8-L0	60°-3T-214w-860CL-P200-0L-MAG	G00003-a5-T3-B6-Rm5-P8-L0	75°-3T-214w-860CL-P200-0L-MAG	G00003-a6-T3-B6-Rm5-P8-L0	90°-3T-214w-860CL-P200-0L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



CHAINS/BELTS
PG. A400A & B700A





MATERIALS



TABLE OF
CONTENTS





BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)



SINGLE TRACK - G00003-a6-T1-B5-Rm6-P0-L1

TRACKS	W
1	200
2	395
3	590



MULTI TRACK - G00003-a6-T2-B5-Rm6-P6-L1

Rm = 1000mm - MULTI TRACK - 50mm LEAD IN / LEAD OUT

α 15°		α 30°		α 45°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a1-T1-B5-Rm6-P0-L1	15°-1T-200w-1000CL-50L-MAG	G00003-a2-T1-B5-Rm6-P0-L1	30°-1T-200w-1000CL-50L-MAG	G00003-a3-T1-B5-Rm6-P0-L1	45°-1T-200w-1000CL-50L-MAG
G00003-a1-T2-B5-Rm6-P6-L1	15°-2T-200w-1000CL-P195-50L-MAG	G00003-a2-T2-B5-Rm6-P6-L1	30°-2T-200w-1000CL-P195-50L-MAG	G00003-a3-T2-B5-Rm6-P6-L1	45°-2T-200w-1000CL-P195-50L-MAG
G00003-a1-T3-B5-Rm6-P6-L1	15°-3T-200w-1000CL-P195-50L-MAG	G00003-a2-T3-B5-Rm6-P6-L1	30°-3T-200w-1000CL-P195-50L-MAG	G00003-a3-T3-B5-Rm6-P6-L1	45°-3T-200w-1000CL-P195-50L-MAG
α 60°		α 75°		α 90°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a4-T1-B5-Rm6-P0-L1	60°-1T-200w-1000CL-50L-MAG	G00003-a5-T1-B5-Rm6-P0-L1	75°-1T-200w-1000CL-50L-MAG	G00003-a6-T1-B5-Rm6-P0-L1	90°-1T-200w-1000CL-50L-MAG
G00003-a4-T2-B5-Rm6-P6-L1	60°-2T-200w-1000CL-P195-50L-MAG	G00003-a5-T2-B5-Rm6-P6-L1	75°-2T-200w-1000CL-P195-50L-MAG	G00003-a6-T2-B5-Rm6-P6-L1	90°-2T-200w-1000CL-P195-50L-MAG
G00003-a4-T3-B5-Rm6-P6-L1	60°-3T-200w-1000CL-P195-50L-MAG	G00003-a5-T3-B5-Rm6-P6-L1	75°-3T-200w-1000CL-P195-50L-MAG	G00003-a6-T3-B5-Rm6-P6-L1	90°-3T-200w-1000CL-P195-50L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



CHAINS/BELTS
PG. A400A & B700A





MATERIALS



TABLE OF
CONTENTS





BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)



SINGLE TRACK - G00003-a6-T1-B5-Rm6-P0-L2

TRACKS	W
1	200
2	395
3	590



MULTI TRACK - G00003-a6-T2-B5-Rm6-P6-L2

Rm = 1000mm - MULTI TRACK - 100mm LEAD IN / LEAD OUT

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a1-T1-B5-Rm6-P0-L2	15°-1T-200w-1000CL-100L-MAG	G00003-a2-T1-B5-Rm6-P0-L2	30°-1T-200w-1000CL-100L-MAG	G00003-a3-T1-B5-Rm6-P0-L2	45°-1T-200w-1000CL-100L-MAG
G00003-a1-T2-B5-Rm6-P6-L2	15°-2T-200w-1000CL-P195-100L-MAG	G00003-a2-T2-B5-Rm6-P6-L2	30°-2T-200w-1000CL-P195-100L-MAG	G00003-a3-T2-B5-Rm6-P6-L2	45°-2T-200w-1000CL-P195-100L-MAG
G00003-a1-T3-B5-Rm6-P6-L2	15°-3T-200w-1000CL-P195-100L-MAG	G00003-a2-T3-B5-Rm6-P6-L2	30°-3T-200w-1000CL-P195-100L-MAG	G00003-a3-T3-B5-Rm6-P6-L2	45°-3T-200w-1000CL-P195-100L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a4-T1-B5-Rm6-P0-L2	60°-1T-200w-1000CL-100L-MAG	G00003-a5-T1-B5-Rm6-P0-L2	75°-1T-200w-1000CL-100L-MAG	G00003-a6-T1-B5-Rm6-P0-L2	90°-1T-200w-1000CL-100L-MAG
G00003-a4-T2-B5-Rm6-P6-L2	60°-2T-200w-1000CL-P195-100L-MAG	G00003-a5-T2-B5-Rm6-P6-L2	75°-2T-200w-1000CL-P195-100L-MAG	G00003-a6-T2-B5-Rm6-P6-L2	90°-2T-200w-1000CL-P195-100L-MAG
G00003-a4-T3-B5-Rm6-P6-L2	60°-3T-200w-1000CL-P195-100L-MAG	G00003-a5-T3-B5-Rm6-P6-L2	75°-3T-200w-1000CL-P195-100L-MAG	G00003-a6-T3-B5-Rm6-P6-L2	90°-3T-200w-1000CL-P195-100L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



CHAINS/BELTS
PG. A400A & B700A




MATERIALS




TABLE OF
CONTENTS



BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)




TRACKS	W
1	200
2	395
3	590




Rm = 1000mm - MULTI TRACK - 125mm LEAD IN / LEAD OUT

α 15°		α 30°		α 45°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a1-T1-B5-Rm6-P0-L3	15°-1T-200w-1000CL-125L-MAG	G00003-a2-T1-B5-Rm6-P0-L3	30°-1T-200w-1000CL-125L-MAG	G00003-a3-T1-B5-Rm6-P0-L3	45°-1T-200w-1000CL-125L-MAG
G00003-a1-T2-B5-Rm6-P6-L3	15°-2T-200w-1000CL-P195-125L-MAG	G00003-a2-T2-B5-Rm6-P6-L3	30°-2T-200w-1000CL-P195-125L-MAG	G00003-a3-T2-B5-Rm6-P6-L3	45°-2T-200w-1000CL-P195-125L-MAG
G00003-a1-T3-B5-Rm6-P6-L3	15°-3T-200w-1000CL-P195-125L-MAG	G00003-a2-T3-B5-Rm6-P6-L3	30°-3T-200w-1000CL-P195-125L-MAG	G00003-a3-T3-B5-Rm6-P6-L3	45°-3T-200w-1000CL-P195-125L-MAG
α 60°		α 75°		α 90°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a4-T1-B5-Rm6-P0-L3	60°-1T-200w-1000CL-125L-MAG	G00003-a5-T1-B5-Rm6-P0-L3	75°-1T-200w-1000CL-125L-MAG	G00003-a6-T1-B5-Rm6-P0-L3	90°-1T-200w-1000CL-125L-MAG
G00003-a4-T2-B5-Rm6-P6-L3	60°-2T-200w-1000CL-P195-125L-MAG	G00003-a5-T2-B5-Rm6-P6-L3	75°-2T-200w-1000CL-P195-125L-MAG	G00003-a6-T2-B5-Rm6-P6-L3	90°-2T-200w-1000CL-P195-125L-MAG
G00003-a4-T3-B5-Rm6-P6-L3	60°-3T-200w-1000CL-P195-125L-MAG	G00003-a5-T3-B5-Rm6-P6-L3	75°-3T-200w-1000CL-P195-125L-MAG	G00003-a6-T3-B5-Rm6-P6-L3	90°-3T-200w-1000CL-P195-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET




TRACKS	W
1	200
2	395
3	590




MULTI TRACK - G00003-a6-T2-B5-Rm6-P6-L0

Rm = 1000mm - MULTI TRACK - NO LEAD IN / LEAD OUT					
α 15°		α 30°		α 45°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a1-T1-B5-Rm6-P0-L0	15°-1T-200w-1000CL-0L-MAG	G00003-a2-T1-B5-Rm6-P0-L0	30°-1T-200w-1000CL-0L-MAG	G00003-a3-T1-B5-Rm6-P0-L0	45°-1T-200w-1000CL-0L-MAG
G00003-a1-T2-B5-Rm6-P6-L0	15°-2T-200w-1000CL-P195-0L-MAG	G00003-a2-T2-B5-Rm6-P6-L0	30°-2T-200w-1000CL-P195-0L-MAG	G00003-a3-T2-B5-Rm6-P6-L0	45°-2T-200w-1000CL-P195-0L-MAG
G00003-a1-T3-B5-Rm6-P6-L0	15°-3T-200w-1000CL-P195-0L-MAG	G00003-a2-T3-B5-Rm6-P6-L0	30°-3T-200w-1000CL-P195-0L-MAG	G00003-a3-T3-B5-Rm6-P6-L0	45°-3T-200w-1000CL-P195-0L-MAG
α 60°		α 75°		α 90°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a4-T1-B5-Rm6-P0-L0	60°-1T-200w-1000CL-0L-MAG	G00003-a5-T1-B5-Rm6-P0-L0	75°-1T-200w-1000CL-0L-MAG	G00003- a6- T1-B5- Rm6- P0- L0	90°-1T-200w-1000CL-0L-MAG
G00003-a4-T2-B5-Rm6-P6-L0	60°-2T-200w-1000CL-P195-0L-MAG	G00003-a5-T2-B5-Rm6-P6-L0	75°-2T-200w-1000CL-P195-0L-MAG	G00003- a6- T2-B5- Rm6- P6- L0	90°-2T-200w-1000CL-P195-0L-MAG
G00003-a4-T3-B5-Rm6-P6-L0	60°-3T-200w-1000CL-P195-0L-MAG	G00003-a5-T3-B5-Rm6-P6-L0	75°-3T-200w-1000CL-P195-0L-MAG	G00003- a6- T3-B5- Rm6- P6- L0	90°-3T-200w-1000CL-P195-0L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



IN & OUT AVAILABLE ALSO 125mm - 100mm - 50mm



Rm = 1000mm - SINGLE TRACK

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a1-T1-B5-Rm6-P0-L0	15°-1T-200w-1000CL-0L-MAG	G00003-a2-T1-B5-Rm6-P0-L0	30°-1T-200w-1000CL-0L-MAG	G00003-a3-T1-B5-Rm6-P0-L0	45°-1T-200w-1000CL-0L-MAG
G00003-a1-T1-B5-Rm6-P0-L1	15°-1T-200w-1000CL-50L-MAG	G00003-a2-T1-B5-Rm6-P0-L1	30°-1T-200w-1000CL-50L-MAG	G00003-a3-T1-B5-Rm6-P0-L1	45°-1T-200w-1000CL-50L-MAG
G00003-a1-T1-B5-Rm6-P0-L2	15°-1T-200w-1000CL-100L-MAG	G00003-a2-T1-B5-Rm6-P0-L2	30°-1T-200w-1000CL-100L-MAG	G00003-a3-T1-B5-Rm6-P0-L2	45°-1T-200w-1000CL-100L-MAG
G00003-a1-T1-B5-Rm6-P0-L3	15°-1T-200w-1000CL-125L-MAG	G00003-a2-T1-B5-Rm6-P0-L3	30°-1T-200w-1000CL-125L-MAG	G00003-a3-T1-B5-Rm6-P0-L3	45°-1T-200w-1000CL-125L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a4-T1-B5-Rm6-P0-L0	60°-1T-200w-1000CL-0L-MAG	G00003-a5-T1-B5-Rm6-P0-L0	75°-1T-200w-1000CL-0L-MAG	G00003-a6-T1-B5-Rm6-P0-L0	90°-1T-200w-1000CL-0L-MAG
G00003-a4-T1-B5-Rm6-P0-L1	60°-1T-200w-1000CL-50L-MAG	G00003-a5-T1-B5-Rm6-P0-L1	75°-1T-200w-1000CL-50L-MAG	G00003-a6-T1-B5-Rm6-P0-L1	90°-1T-200w-1000CL-50L-MAG
G00003-a4-T1-B5-Rm6-P0-L2	60°-1T-200w-1000CL-100L-MAG	G00003-a5-T1-B5-Rm6-P0-L2	75°-1T-200w-1000CL-100L-MAG	G00003-a6-T1-B5-Rm6-P0-L2	90°-1T-200w-1000CL-100L-MAG
G00003-a4-T1-B5-Rm6-P0-L3	60°-1T-200w-1000CL-125L-MAG	G00003-a5-T1-B5-Rm6-P0-L3	75°-1T-200w-1000CL-125L-MAG	G00003-a6-T1-B5-Rm6-P0-L3	90°-1T-200w-1000CL-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



CHAINS/BELTS
PG. A400A & B700A





MATERIALS



TABLE OF
CONTENTS





BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)



SINGLE TRACK - G00003-a6-T1-B6-Rm2-P0-L1

TRACKS	W
1	214
2	410
3	606



MULTI TRACK - G00003-a6-T2-B6-Rm2-P7-L1

882M-8157M (60mm) Rm = 610mm - MULTI TRACK - 50mm LEAD IN / LEAD OUT

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a1-T1-B6-Rm2-P0-L1	15°-1T-214w-610CL-50L-MAG	G00003-a2-T1-B6-Rm2-P0-L1	30°-1T-214w-610CL-50L-MAG	G00003-a3-T1-B6-Rm2-P0-L1	45°-1T-214w-610CL-50L-MAG
G00003-a1-T2-B6-Rm2-P7-L1	15°-2T-214w-610CL-P196-50L-MAG	G00003-a2-T2-B6-Rm2-P7-L1	30°-2T-214w-610CL-P196-50L-MAG	G00003-a3-T2-B6-Rm2-P7-L1	45°-2T-214w-610CL-P196-50L-MAG
G00003-a1-T3-B6-Rm2-P7-L1	15°-3T-214w-610CL-P196-50L-MAG	G00003-a2-T3-B6-Rm2-P7-L1	30°-3T-214w-610CL-P196-50L-MAG	G00003-a3-T3-B6-Rm2-P7-L1	45°-3T-214w-610CL-P196-50L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a4-T1-B6-Rm2-P0-L1	60°-1T-214w-610CL-50L-MAG	G00003-a5-T1-B6-Rm2-P0-L1	75°-1T-214w-610CL-50L-MAG	G00003-a6-T1-B6-Rm2-P0-L1	90°-1T-214w-610CL-50L-MAG
G00003-a4-T2-B6-Rm2-P7-L1	60°-2T-214w-610CL-P196-50L-MAG	G00003-a5-T2-B6-Rm2-P7-L1	75°-2T-214w-610CL-P196-50L-MAG	G00003-a6-T2-B6-Rm2-P7-L1	90°-2T-214w-610CL-P196-50L-MAG
G00003-a4-T3-B6-Rm2-P7-L1	60°-3T-214w-610CL-P196-50L-MAG	G00003-a5-T3-B6-Rm2-P7-L1	75°-3T-214w-610CL-P196-50L-MAG	G00003-a6-T3-B6-Rm2-P7-L1	90°-3T-214w-610CL-P196-50L-MAG

881M-881MO SERIES (45mm) Rm = 610mm - MULTI TRACK - 50mm LEAD IN / LEAD OUT

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003A-a1-T1-B6-Rm2-P0-L1	15°-1T-214w-610CL-50L-MAG	G00003A-a2-T1-B6-Rm2-P0-L1	30°-1T-214w-610CL-50L-MAG	G00003A-a3-T1-B6-Rm2-P0-L1	45°-1T-214w-610CL-50L-MAG
G00003A-a1-T2-B6-Rm2-P7-L1	15°-2T-214w-610CL-P196-50L-MAG	G00003A-a2-T2-B6-Rm2-P7-L1	30°-2T-214w-610CL-P196-50L-MAG	G00003A-a3-T2-B6-Rm2-P7-L1	45°-2T-214w-610CL-P196-50L-MAG
G00003A-a1-T3-B6-Rm2-P7-L1	15°-3T-214w-610CL-P196-50L-MAG	G00003A-a2-T3-B6-Rm2-P7-L1	30°-3T-214w-610CL-P196-50L-MAG	G00003A-a3-T3-B6-Rm2-P7-L1	45°-3T-214w-610CL-P196-50L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003A-a4-T1-B6-Rm2-P0-L1	60°-1T-214w-610CL-50L-MAG	G00003A-a5-T1-B6-Rm2-P0-L1	75°-1T-214w-610CL-50L-MAG	G00003A-a6-T1-B6-Rm2-P0-L1	90°-1T-214w-610CL-50L-MAG
G00003A-a4-T2-B6-Rm2-P7-L1	60°-2T-214w-610CL-P196-50L-MAG	G00003A-a5-T2-B6-Rm2-P7-L1	75°-2T-214w-610CL-P196-50L-MAG	G00003A-a6-T2-B6-Rm2-P7-L1	90°-2T-214w-610CL-P196-50L-MAG
G00003A-a4-T3-B6-Rm2-P7-L1	60°-3T-214w-610CL-P196-50L-MAG	G00003A-a5-T3-B6-Rm2-P7-L1	75°-3T-214w-610CL-P196-50L-MAG	G00003A-a6-T3-B6-Rm2-P7-L1	90°-3T-214w-610CL-P196-50L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST. STANDARD ORDER QTY: PER SET



CHAINS/BELTS
PG. A400A & B700A





MATERIALS



TABLE OF
CONTENTS




BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)



SINGLE TRACK - G00003-a6-T1-B6-Rm2-P0-L2

TRACKS	W
1	214
2	410
3	606





MULTI TRACK - G00003-a6-T2-B6-Rm2-P7-L2

882M-8157M (60mm) Rm = 610mm - MULTI TRACK - 100mm LEAD IN / LEAD OUT					
$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a1-T1-B6-Rm2-P0-L2	15°-1T-214w-610CL-100L-MAG	G00003-a2-T1-B6-Rm2-P0-L2	30°-1T-214w-610CL-100L-MAG	G00003-a3-T1-B6-Rm2-P0-L2	45°-1T-214w-610CL-100L-MAG
G00003-a1-T2-B6-Rm2-P7-L2	15°-2T-214w-610CL-P196-100L-MAG	G00003-a2-T2-B6-Rm2-P7-L2	30°-2T-214w-610CL-P196-100L-MAG	G00003-a3-T2-B6-Rm2-P7-L2	45°-2T-214w-610CL-P196-100L-MAG
G00003-a1-T3-B6-Rm2-P7-L2	15°-3T-214w-610CL-P196-100L-MAG	G00003-a2-T3-B6-Rm2-P7-L2	30°-3T-214w-610CL-P196-100L-MAG	G00003-a3-T3-B6-Rm2-P7-L2	45°-3T-214w-610CL-P196-100L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a4-T1-B6-Rm2-P0-L2	60°-1T-214w-610CL-100L-MAG	G00003-a5-T1-B6-Rm2-P0-L2	75°-1T-214w-610CL-100L-MAG	G00003-a6-T1-B6-Rm2-P0-L2	90°-1T-214w-610CL-100L-MAG
G00003-a4-T2-B6-Rm2-P7-L2	60°-2T-214w-610CL-P196-100L-MAG	G00003-a5-T2-B6-Rm2-P7-L2	75°-2T-214w-610CL-P196-100L-MAG	G00003-a6-T2-B6-Rm2-P7-L2	90°-2T-214w-610CL-P196-100L-MAG
G00003-a4-T3-B6-Rm2-P7-L2	60°-3T-214w-610CL-P196-100L-MAG	G00003-a5-T3-B6-Rm2-P7-L2	75°-3T-214w-610CL-P196-100L-MAG	G00003-a6-T3-B6-Rm2-P7-L2	90°-3T-214w-610CL-P196-100L-MAG



881M-881MO SERIES (45mm) Rm = 610mm - MULTI TRACK - 100mm LEAD IN / LEAD OUT					
$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003A-a1-T1-B6-Rm2-P0-L2	15°-1T-214w-610CL-100L-MAG	G00003A-a2-T1-B6-Rm2-P0-L2	30°-1T-214w-610CL-100L-MAG	G00003A-a3-T1-B6-Rm2-P0-L2	45°-1T-214w-610CL-100L-MAG
G00003A-a1-T2-B6-Rm2-P7-L2	15°-2T-214w-610CL-P196-100L-MAG	G00003A-a2-T2-B6-Rm2-P7-L2	30°-2T-214w-610CL-P196-100L-MAG	G00003A-a3-T2-B6-Rm2-P7-L2	45°-2T-214w-610CL-P196-100L-MAG
G00003A-a1-T3-B6-Rm2-P7-L2	15°-3T-214w-610CL-P196-100L-MAG	G00003A-a2-T3-B6-Rm2-P7-L2	30°-3T-214w-610CL-P196-100L-MAG	G00003A-a3-T3-B6-Rm2-P7-L2	45°-3T-214w-610CL-P196-100L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003A-a4-T1-B6-Rm2-P0-L2	60°-1T-214w-610CL-100L-MAG	G00003A-a5-T1-B6-Rm2-P0-L2	75°-1T-214w-610CL-100L-MAG	G00003A-a6-T1-B6-Rm2-P0-L2	90°-1T-214w-610CL-100L-MAG
G00003A-a4-T2-B6-Rm2-P7-L2	60°-2T-214w-610CL-P196-100L-MAG	G00003A-a5-T2-B6-Rm2-P7-L2	75°-2T-214w-610CL-P196-100L-MAG	G00003A-a6-T2-B6-Rm2-P7-L2	90°-2T-214w-610CL-P196-100L-MAG
G00003A-a4-T3-B6-Rm2-P7-L2	60°-3T-214w-610CL-P196-100L-MAG	G00003A-a5-T3-B6-Rm2-P7-L2	75°-3T-214w-610CL-P196-100L-MAG	G00003A-a6-T3-B6-Rm2-P7-L2	90°-3T-214w-610CL-P196-100L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST. STANDARD ORDER QTY: PER SET



SINGLE TRACK - G00003-a6-T1-B6-Rm2-P0-L3

TRACKS	W
1	214
2	410
3	606



MULTI TRACK - G00003-a6-T2-B6-Rm2-P7-L3



882M-8157M (60mm) Rm = 610mm - MULTI TRACK - 125mm LEAD IN / LEAD OUT

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a1-T1-B6-Rm2-P0-L3	15°-1T-214w-610CL-125L-MAG	G00003-a2-T1-B6-Rm2-P0-L3	30°-1T-214w-610CL-125L-MAG	G00003-a3-T1-B6-Rm2-P0-L3	45°-1T-214w-610CL-125L-MAG
G00003-a1-T2-B6-Rm2-P7-L3	15°-2T-214w-610CL-P196-125L-MAG	G00003-a2-T2-B6-Rm2-P7-L3	30°-2T-214w-610CL-P196-125L-MAG	G00003-a3-T2-B6-Rm2-P7-L3	45°-2T-214w-610CL-P196-125L-MAG
G00003-a1-T3-B6-Rm2-P7-L3	15°-3T-214w-610CL-P196-125L-MAG	G00003-a2-T3-B6-Rm2-P7-L3	30°-3T-214w-610CL-P196-125L-MAG	G00003-a3-T3-B6-Rm2-P7-L3	45°-3T-214w-610CL-P196-125L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a4-T1-B6-Rm2-P0-L3	60°-1T-214w-610CL-125L-MAG	G00003-a5-T1-B6-Rm2-P0-L3	75°-1T-214w-610CL-125L-MAG	G00003-a6-T1-B6-Rm2-P0-L3	90°-1T-214w-610CL-125L-MAG
G00003-a4-T2-B6-Rm2-P7-L3	60°-2T-214w-610CL-P196-125L-MAG	G00003-a5-T2-B6-Rm2-P7-L3	75°-2T-214w-610CL-P196-125L-MAG	G00003-a6-T2-B6-Rm2-P7-L3	90°-2T-214w-610CL-P196-125L-MAG
G00003-a4-T3-B6-Rm2-P7-L3	60°-3T-214w-610CL-P196-125L-MAG	G00003-a5-T3-B6-Rm2-P7-L3	75°-3T-214w-610CL-P196-125L-MAG	G00003-a6-T3-B6-Rm2-P7-L3	90°-3T-214w-610CL-P196-125L-MAG

881M-881MO SERIES (45mm) Rm = 610mm - MULTI TRACK - 125mm LEAD IN / LEAD OUT



$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003A-a1-T1-B6-Rm2-P0-L3	15°-1T-214w-610CL-125L-MAG	G00003A-a2-T1-B6-Rm2-P0-L3	30°-1T-214w-610CL-125L-MAG	G00003A-a3-T1-B6-Rm2-P0-L3	45°-1T-214w-610CL-125L-MAG
G00003A-a1-T2-B6-Rm2-P7-L3	15°-2T-214w-610CL-P196-125L-MAG	G00003A-a2-T2-B6-Rm2-P7-L3	30°-2T-214w-610CL-P196-125L-MAG	G00003A-a3-T2-B6-Rm2-P7-L3	45°-2T-214w-610CL-P196-125L-MAG
G00003A-a1-T3-B6-Rm2-P7-L3	15°-3T-214w-610CL-P196-125L-MAG	G00003A-a2-T3-B6-Rm2-P7-L3	30°-3T-214w-610CL-P196-125L-MAG	G00003A-a3-T3-B6-Rm2-P7-L3	45°-3T-214w-610CL-P196-125L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003A-a4-T1-B6-Rm2-P0-L3	60°-1T-214w-610CL-125L-MAG	G00003A-a5-T1-B6-Rm2-P0-L3	75°-1T-214w-610CL-125L-MAG	G00003A-a6-T1-B6-Rm2-P0-L3	90°-1T-214w-610CL-125L-MAG
G00003A-a4-T2-B6-Rm2-P7-L3	60°-2T-214w-610CL-P196-125L-MAG	G00003A-a5-T2-B6-Rm2-P7-L3	75°-2T-214w-610CL-P196-125L-MAG	G00003A-a6-T2-B6-Rm2-P7-L3	90°-2T-214w-610CL-P196-125L-MAG
G00003A-a4-T3-B6-Rm2-P7-L3	60°-3T-214w-610CL-P196-125L-MAG	G00003A-a5-T3-B6-Rm2-P7-L3	75°-3T-214w-610CL-P196-125L-MAG	G00003A-a6-T3-B6-Rm2-P7-L3	90°-3T-214w-610CL-P196-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST. STANDARD ORDER QTY: PER SET



SINGLE TRACK - G00003-a6-T1-B6-Rm2-P0-L0

TRACKS	W
1	214
2	410
3	606



MULTI TRACK - G00003-a6-T2-B6-Rm2-P7-L0

882M-8157M (60mm) Rm = 610mm - MULTI TRACK - NO LEAD IN / LEAD OUT

α 15°		α 30°		α 45°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a1-T1-B6-Rm2-P0-L0	15°-1T-214w-610CL-0L-MAG	G00003-a2-T1-B6-Rm2-P0-L0	30°-1T-214w-610CL-0L-MAG	G00003-a3-T1-B6-Rm2-P0-L0	45°-1T-214w-610CL-0L-MAG
G00003-a1-T2-B6-Rm2-P7-L0	15°-2T-214w-610CL-P196-0L-MAG	G00003-a2-T2-B6-Rm2-P7-L0	30°-2T-214w-610CL-P196-0L-MAG	G00003-a3-T2-B6-Rm2-P7-L0	45°-2T-214w-610CL-P196-0L-MAG
G00003-a1-T3-B6-Rm2-P7-L0	15°-3T-214w-610CL-P196-0L-MAG	G00003-a2-T3-B6-Rm2-P7-L0	30°-3T-214w-610CL-P196-0L-MAG	G00003-a3-T3-B6-Rm2-P7-L0	45°-3T-214w-610CL-P196-0L-MAG
α 60°		α 75°		α 90°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a4-T1-B6-Rm2-P0-L0	60°-1T-214w-610CL-0L-MAG	G00003-a5-T1-B6-Rm2-P0-L0	75°-1T-214w-610CL-0L-MAG	G00003-a6-T1-B6-Rm2-P0-L0	90°-1T-214w-610CL-0L-MAG
G00003-a4-T2-B6-Rm2-P7-L0	60°-2T-214w-610CL-P196-0L-MAG	G00003-a5-T2-B6-Rm2-P7-L0	75°-2T-214w-610CL-P196-0L-MAG	G00003-a6-T2-B6-Rm2-P7-L0	90°-2T-214w-610CL-P196-0L-MAG
G00003-a4-T3-B6-Rm2-P7-L0	60°-3T-214w-610CL-P196-0L-MAG	G00003-a5-T3-B6-Rm2-P7-L0	75°-3T-214w-610CL-P196-0L-MAG	G00003-a6-T3-B6-Rm2-P7-L0	90°-3T-214w-610CL-P196-0L-MAG

881M-881MO SERIES (45mm) Rm = 610mm - MULTI TRACK - NO LEAD IN / LEAD OUT

α 15°		α 30°		α 45°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003A-a1-T1-B6-Rm2-P0-L0	15°-1T-214w-610CL-0L-MAG	G00003A-a2-T1-B6-Rm2-P0-L0	30°-1T-214w-610CL-0L-MAG	G00003A-a3-T1-B6-Rm2-P0-L0	45°-1T-214w-610CL-0L-MAG
G00003A-a1-T2-B6-Rm2-P7-L0	15°-2T-214w-610CL-P196-0L-MAG	G00003A-a2-T2-B6-Rm2-P7-L0	30°-2T-214w-610CL-P196-0L-MAG	G00003A-a3-T2-B6-Rm2-P7-L0	45°-2T-214w-610CL-P196-0L-MAG
G00003A-a1-T3-B6-Rm2-P7-L0	15°-3T-214w-610CL-P196-0L-MAG	G00003A-a2-T3-B6-Rm2-P7-L0	30°-3T-214w-610CL-P196-0L-MAG	G00003A-a3-T3-B6-Rm2-P7-L0	45°-3T-214w-610CL-P196-0L-MAG
α 60°		α 75°		α 90°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003A-a4-T1-B6-Rm2-P0-L0	60°-1T-214w-610CL-0L-MAG	G00003A-a5-T1-B6-Rm2-P0-L0	75°-1T-214w-610CL-0L-MAG	G00003A-a6-T1-B6-Rm2-P0-L0	90°-1T-214w-610CL-0L-MAG
G00003A-a4-T2-B6-Rm2-P7-L0	60°-2T-214w-610CL-P196-0L-MAG	G00003A-a5-T2-B6-Rm2-P7-L0	75°-2T-214w-610CL-P196-0L-MAG	G00003A-a6-T2-B6-Rm2-P7-L0	90°-2T-214w-610CL-P196-0L-MAG
G00003A-a4-T3-B6-Rm2-P7-L0	60°-3T-214w-610CL-P196-0L-MAG	G00003A-a5-T3-B6-Rm2-P7-L0	75°-3T-214w-610CL-P196-0L-MAG	G00003A-a6-T3-B6-Rm2-P7-L0	90°-3T-214w-610CL-P196-0L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST. STANDARD ORDER QTY: PER SET



CHAINS/BELTS
PG. A400A & B700A




MATERIALS





TABLE OF
CONTENTS



BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)



IN & OUT AVAILABLE ALSO 125mm - 100mm - 50mm



882M-8157M (60mm) Rm = 610mm - SINGLE TRACK

α 15°		α 30°		α 45°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a1-T1-B6-Rm2-P0-L0	15°-1T-214W-610CL-0L-MAG	G00003-a2-T1-B6-Rm2-P0-L0	30°-1T-214W-610CL-0L-MAG	G00003-a3-T1-B6-Rm2-P0-L0	45°-1T-214W-610CL-0L-MAG
G00003-a1-T1-B6-Rm2-P0-L1	15°-1T-214W-610CL-50L-MAG	G00003-a2-T1-B6-Rm2-P0-L1	30°-1T-214W-610CL-50L-MAG	G00003-a3-T1-B6-Rm2-P0-L1	45°-1T-214W-610CL-50L-MAG
G00003-a1-T1-B6-Rm2-P0-L2	15°-1T-214W-610CL-100L-MAG	G00003-a2-T1-B6-Rm2-P0-L2	30°-1T-214W-610CL-100L-MAG	G00003-a3-T1-B6-Rm2-P0-L2	45°-1T-214W-610CL-100L-MAG
G00003-a1-T1-B6-Rm2-P0-L3	15°-1T-214W-610CL-125L-MAG	G00003-a2-T1-B6-Rm2-P0-L3	30°-1T-214W-610CL-125L-MAG	G00003-a3-T1-B6-Rm2-P0-L3	45°-1T-214W-610CL-125L-MAG
α 60°		α 75°		α 90°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a4-T1-B6-Rm2-P0-L0	60°-1T-214W-610CL-0L-MAG	G00003-a5-T1-B6-Rm2-P0-L0	75°-1T-214W-610CL-0L-MAG	G00003-a6-T1-B6-Rm2-P0-L0	90°-1T-214W-610CL-0L-MAG
G00003-a4-T1-B6-Rm2-P0-L1	60°-1T-214W-610CL-50L-MAG	G00003-a5-T1-B6-Rm2-P0-L1	75°-1T-214W-610CL-50L-MAG	G00003-a6-T1-B6-Rm2-P0-L1	90°-1T-214W-610CL-50L-MAG
G00003-a4-T1-B6-Rm2-P0-L2	60°-1T-214W-610CL-100L-MAG	G00003-a5-T1-B6-Rm2-P0-L2	75°-1T-214W-610CL-100L-MAG	G00003-a6-T1-B6-Rm2-P0-L2	90°-1T-214W-610CL-100L-MAG
G00003-a4-T1-B6-Rm2-P0-L3	60°-1T-214W-610CL-125L-MAG	G00003-a5-T1-B6-Rm2-P0-L3	75°-1T-214W-610CL-125L-MAG	G00003-a6-T1-B6-Rm2-P0-L3	90°-1T-214W-610CL-125L-MAG

881M-881MO SERIES (45mm) Rm = 610mm - SINGLE TRACK

α 15°		α 30°		α 45°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003A-a1-T1-B6-Rm2-P0-L0	15°-1T-214W-610CL-0L-MAG	G00003A-a2-T1-B6-Rm2-P0-L0	30°-1T-214W-610CL-0L-MAG	G00003A-a3-T1-B6-Rm2-P0-L0	45°-1T-214W-610CL-0L-MAG
G00003A-a1-T1-B6-Rm2-P0-L1	15°-1T-214W-610CL-50L-MAG	G00003A-a2-T1-B6-Rm2-P0-L1	30°-1T-214W-610CL-50L-MAG	G00003A-a3-T1-B6-Rm2-P0-L1	45°-1T-214W-610CL-50L-MAG
G00003A-a1-T1-B6-Rm2-P0-L2	15°-1T-214W-610CL-100L-MAG	G00003A-a2-T1-B6-Rm2-P0-L2	30°-1T-214W-610CL-100L-MAG	G00003A-a3-T1-B6-Rm2-P0-L2	45°-1T-214W-610CL-100L-MAG
G00003A-a1-T1-B6-Rm2-P0-L3	15°-1T-214W-610CL-125L-MAG	G00003A-a2-T1-B6-Rm2-P0-L3	30°-1T-214W-610CL-125L-MAG	G00003A-a3-T1-B6-Rm2-P0-L3	45°-1T-214W-610CL-125L-MAG
α 60°		α 75°		α 90°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003A-a4-T1-B6-Rm2-P0-L0	60°-1T-214W-610CL-0L-MAG	G00003A-a5-T1-B6-Rm2-P0-L0	75°-1T-214W-610CL-0L-MAG	G00003A-a6-T1-B6-Rm2-P0-L0	90°-1T-214W-610CL-0L-MAG
G00003A-a4-T1-B6-Rm2-P0-L1	60°-1T-214W-610CL-50L-MAG	G00003A-a5-T1-B6-Rm2-P0-L1	75°-1T-214W-610CL-50L-MAG	G00003A-a6-T1-B6-Rm2-P0-L1	90°-1T-214W-610CL-50L-MAG
G00003A-a4-T1-B6-Rm2-P0-L2	60°-1T-214W-610CL-100L-MAG	G00003A-a5-T1-B6-Rm2-P0-L2	75°-1T-214W-610CL-100L-MAG	G00003A-a6-T1-B6-Rm2-P0-L2	90°-1T-214W-610CL-100L-MAG
G00003A-a4-T1-B6-Rm2-P0-L3	60°-1T-214W-610CL-125L-MAG	G00003A-a5-T1-B6-Rm2-P0-L3	75°-1T-214W-610CL-125L-MAG	G00003A-a6-T1-B6-Rm2-P0-L3	90°-1T-214W-610CL-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST. STANDARD ORDER QTY: PER SET



CHAINS/BELTS
PG. A400A & B700A




MATERIALS




TABLE OF
CONTENTS



BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)



IN & OUT AVAILABLE ALSO 125mm - 100mm - 50mm



882M-8157M (60mm) Rm = 750mm - SINGLE TRACK

α 15°		α 30°		α 45°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a1-T1-B6-Rm4-P0-L0	15°-1T-214W-750CL-0L-MAG	G00003-a2-T1-B6-Rm4-P0-L0	30°-1T-214W-750CL-0L-MAG	G00003-a3-T1-B6-Rm4-P0-L0	45°-1T-214W-750CL-0L-MAG
G00003-a1-T1-B6-Rm4-P0-L1	15°-1T-214W-750CL-50L-MAG	G00003-a2-T1-B6-Rm4-P0-L1	30°-1T-214W-750CL-50L-MAG	G00003-a3-T1-B6-Rm4-P0-L1	45°-1T-214W-750CL-50L-MAG
G00003-a1-T1-B6-Rm4-P0-L2	15°-1T-214W-750CL-100L-MAG	G00003-a2-T1-B6-Rm4-P0-L2	30°-1T-214W-750CL-100L-MAG	G00003-a3-T1-B6-Rm4-P0-L2	45°-1T-214W-750CL-100L-MAG
G00003-a1-T1-B6-Rm4-P0-L3	15°-1T-214W-750CL-125L-MAG	G00003-a2-T1-B6-Rm4-P0-L3	30°-1T-214W-750CL-125L-MAG	G00003-a3-T1-B6-Rm4-P0-L3	45°-1T-214W-750CL-125L-MAG
α 60°		α 75°		α 90°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a4-T1-B6-Rm4-P0-L0	60°-1T-214W-750CL-0L-MAG	G00003-a5-T1-B6-Rm4-P0-L0	75°-1T-214W-750CL-0L-MAG	G00003-a6-T1-B6-Rm4-P0-L0	90°-1T-214W-750CL-0L-MAG
G00003-a4-T1-B6-Rm4-P0-L1	60°-1T-214W-750CL-50L-MAG	G00003-a5-T1-B6-Rm4-P0-L1	75°-1T-214W-750CL-50L-MAG	G00003-a6-T1-B6-Rm4-P0-L1	90°-1T-214W-750CL-50L-MAG
G00003-a4-T1-B6-Rm4-P0-L2	60°-1T-214W-750CL-100L-MAG	G00003-a5-T1-B6-Rm4-P0-L2	75°-1T-214W-750CL-100L-MAG	G00003-a6-T1-B6-Rm4-P0-L2	90°-1T-214W-750CL-100L-MAG
G00003-a4-T1-B6-Rm4-P0-L3	60°-1T-214W-750CL-125L-MAG	G00003-a5-T1-B6-Rm4-P0-L3	75°-1T-214W-750CL-125L-MAG	G00003-a6-T1-B6-Rm4-P0-L3	90°-1T-214W-750CL-125L-MAG

881M-881MO SERIES (45mm)Rm = 750mm - SINGLE TRACK

α 15°		α 30°		α 45°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003A-a1-T1-B6-Rm4-P0-L0	15°-1T-214W-750CL-0L-MAG	G00003A-a2-T1-B6-Rm4-P0-L0	30°-1T-214W-750CL-0L-MAG	G00003A-a3-T1-B6-Rm4-P0-L0	45°-1T-214W-750CL-0L-MAG
G00003A-a1-T1-B6-Rm4-P0-L1	15°-1T-214W-750CL-50L-MAG	G00003A-a2-T1-B6-Rm4-P0-L1	30°-1T-214W-750CL-50L-MAG	G00003A-a3-T1-B6-Rm4-P0-L1	45°-1T-214W-750CL-50L-MAG
G00003A-a1-T1-B6-Rm4-P0-L2	15°-1T-214W-750CL-100L-MAG	G00003A-a2-T1-B6-Rm4-P0-L2	30°-1T-214W-750CL-100L-MAG	G00003A-a3-T1-B6-Rm4-P0-L2	45°-1T-214W-750CL-100L-MAG
G00003A-a1-T1-B6-Rm4-P0-L3	15°-1T-214W-750CL-125L-MAG	G00003A-a2-T1-B6-Rm4-P0-L3	30°-1T-214W-750CL-125L-MAG	G00003A-a3-T1-B6-Rm4-P0-L3	45°-1T-214W-750CL-125L-MAG
α 60°		α 75°		α 90°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003A-a4-T1-B6-Rm4-P0-L0	60°-1T-214W-750CL-0L-MAG	G00003A-a5-T1-B6-Rm4-P0-L0	75°-1T-214W-750CL-0L-MAG	G00003A-a6-T1-B6-Rm4-P0-L0	90°-1T-214W-750CL-0L-MAG
G00003A-a4-T1-B6-Rm4-P0-L1	60°-1T-214W-750CL-50L-MAG	G00003A-a5-T1-B6-Rm4-P0-L1	75°-1T-214W-750CL-50L-MAG	G00003A-a6-T1-B6-Rm4-P0-L1	90°-1T-214W-750CL-50L-MAG
G00003A-a4-T1-B6-Rm4-P0-L2	60°-1T-214W-750CL-100L-MAG	G00003A-a5-T1-B6-Rm4-P0-L2	75°-1T-214W-750CL-100L-MAG	G00003A-a6-T1-B6-Rm4-P0-L2	90°-1T-214W-750CL-100L-MAG
G00003A-a4-T1-B6-Rm4-P0-L3	60°-1T-214W-750CL-125L-MAG	G00003A-a5-T1-B6-Rm4-P0-L3	75°-1T-214W-750CL-125L-MAG	G00003A-a6-T1-B6-Rm4-P0-L3	90°-1T-214W-750CL-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST. STANDARD ORDER QTY: PER SET




CHAINS/BELTS
PG. A400A & B700A




MATERIALS

TABLE OF
CONTENTSBACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)



IN & OUT AVAILABLE ALSO 125mm - 100mm - 50mm




882M-8157M (60mm) Rm = 860mm - SINGLE TRACK

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a1-T1-B6-Rm5-P0-L0	15°-1T-214W-860CL-0L-MAG	G00003-a2-T1-B6-Rm5-P0-L0	30°-1T-214W-860CL-0L-MAG	G00003-a3-T1-B6-Rm5-P0-L0	45°-1T-214W-860CL-0L-MAG
G00003-a1-T1-B6-Rm5-P0-L1	15°-1T-214W-860CL-50L-MAG	G00003-a2-T1-B6-Rm5-P0-L1	30°-1T-214W-860CL-50L-MAG	G00003-a3-T1-B6-Rm5-P0-L1	45°-1T-214W-860CL-50L-MAG
G00003-a1-T1-B6-Rm5-P0-L2	15°-1T-214W-860CL-100L-MAG	G00003-a2-T1-B6-Rm5-P0-L2	30°-1T-214W-860CL-100L-MAG	G00003-a3-T1-B6-Rm5-P0-L2	45°-1T-214W-860CL-100L-MAG
G00003-a1-T1-B6-Rm5-P0-L3	15°-1T-214W-860CL-125L-MAG	G00003-a2-T1-B6-Rm5-P0-L3	30°-1T-214W-860CL-125L-MAG	G00003-a3-T1-B6-Rm5-P0-L3	45°-1T-214W-860CL-125L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a4-T1-B6-Rm5-P0-L0	60°-1T-214W-860CL-0L-MAG	G00003-a5-T1-B6-Rm5-P0-L0	75°-1T-214W-860CL-0L-MAG	G00003-a6-T1-B6-Rm5-P0-L0	90°-1T-214W-860CL-0L-MAG
G00003-a4-T1-B6-Rm5-P0-L1	60°-1T-214W-860CL-50L-MAG	G00003-a5-T1-B6-Rm5-P0-L1	75°-1T-214W-860CL-50L-MAG	G00003-a6-T1-B6-Rm5-P0-L1	90°-1T-214W-860CL-50L-MAG
G00003-a4-T1-B6-Rm5-P0-L2	60°-1T-214W-860CL-100L-MAG	G00003-a5-T1-B6-Rm5-P0-L2	75°-1T-214W-860CL-100L-MAG	G00003-a6-T1-B6-Rm5-P0-L2	90°-1T-214W-860CL-100L-MAG
G00003-a4-T1-B6-Rm5-P0-L3	60°-1T-214W-860CL-125L-MAG	G00003-a5-T1-B6-Rm5-P0-L3	75°-1T-214W-860CL-125L-MAG	G00003-a6-T1-B6-Rm5-P0-L3	90°-1T-214W-860CL-125L-MAG



881M-881MO SERIES (45mm) Rm = 860mm - SINGLE TRACK

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003A-a1-T1-B6-Rm5-P0-L0	15°-1T-214W-860CL-0L-MAG	G00003A-a2-T1-B6-Rm5-P0-L0	30°-1T-214W-860CL-0L-MAG	G00003A-a3-T1-B6-Rm5-P0-L0	45°-1T-214W-860CL-0L-MAG
G00003A-a1-T1-B6-Rm5-P0-L1	15°-1T-214W-860CL-50L-MAG	G00003A-a2-T1-B6-Rm5-P0-L1	30°-1T-214W-860CL-50L-MAG	G00003A-a3-T1-B6-Rm5-P0-L1	45°-1T-214W-860CL-50L-MAG
G00003A-a1-T1-B6-Rm5-P0-L2	15°-1T-214W-860CL-100L-MAG	G00003A-a2-T1-B6-Rm5-P0-L2	30°-1T-214W-860CL-100L-MAG	G00003A-a3-T1-B6-Rm5-P0-L2	45°-1T-214W-860CL-100L-MAG
G00003A-a1-T1-B6-Rm5-P0-L3	15°-1T-214W-860CL-125L-MAG	G00003A-a2-T1-B6-Rm5-P0-L3	30°-1T-214W-860CL-125L-MAG	G00003A-a3-T1-B6-Rm5-P0-L3	45°-1T-214W-860CL-125L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003A-a4-T1-B6-Rm5-P0-L0	60°-1T-214W-860CL-0L-MAG	G00003A-a5-T1-B6-Rm5-P0-L0	75°-1T-214W-860CL-0L-MAG	G00003A-a6-T1-B6-Rm5-P0-L0	90°-1T-214W-860CL-0L-MAG
G00003A-a4-T1-B6-Rm5-P0-L1	60°-1T-214W-860CL-50L-MAG	G00003A-a5-T1-B6-Rm5-P0-L1	75°-1T-214W-860CL-50L-MAG	G00003A-a6-T1-B6-Rm5-P0-L1	90°-1T-214W-860CL-50L-MAG
G00003A-a4-T1-B6-Rm5-P0-L2	60°-1T-214W-860CL-100L-MAG	G00003A-a5-T1-B6-Rm5-P0-L2	75°-1T-214W-860CL-100L-MAG	G00003A-a6-T1-B6-Rm5-P0-L2	90°-1T-214W-860CL-100L-MAG
G00003A-a4-T1-B6-Rm5-P0-L3	60°-1T-214W-860CL-125L-MAG	G00003A-a5-T1-B6-Rm5-P0-L3	75°-1T-214W-860CL-125L-MAG	G00003A-a6-T1-B6-Rm5-P0-L3	90°-1T-214W-860CL-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST. STANDARD ORDER QTY: PER SET



IN & OUT AVAILABLE ALSO 125mm - 100mm - 50mm



882M-8157M (60mm) Rm = 1000mm - SINGLE TRACK

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a1-T1-B6-Rm6-P0-L0	15°-1T-214W-1000CL-0L-MAG	G00003-a2-T1-B6-Rm6-P0-L0	30°-1T-214W-1000CL-0L-MAG	G00003-a3-T1-B6-Rm6-P0-L0	45°-1T-214W-1000CL-0L-MAG
G00003-a1-T1-B6-Rm6-P0-L1	15°-1T-214W-1000CL-50L-MAG	G00003-a2-T1-B6-Rm6-P0-L1	30°-1T-214W-1000CL-50L-MAG	G00003-a3-T1-B6-Rm6-P0-L1	45°-1T-214W-1000CL-50L-MAG
G00003-a1-T1-B6-Rm6-P0-L2	15°-1T-214W-1000CL-100L-MAG	G00003-a2-T1-B6-Rm6-P0-L2	30°-1T-214W-1000CL-100L-MAG	G00003-a3-T1-B6-Rm6-P0-L2	45°-1T-214W-1000CL-100L-MAG
G00003-a1-T1-B6-Rm6-P0-L3	15°-1T-214W-1000CL-125L-MAG	G00003-a2-T1-B6-Rm6-P0-L3	30°-1T-214W-1000CL-125L-MAG	G00003-a3-T1-B6-Rm6-P0-L3	45°-1T-214W-1000CL-125L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003-a4-T1-B6-Rm6-P0-L0	60°-1T-214W-1000CL-0L-MAG	G00003-a5-T1-B6-Rm6-P0-L0	75°-1T-214W-1000CL-0L-MAG	G00003-a6-T1-B6-Rm6-P0-L0	90°-1T-214W-1000CL-0L-MAG
G00003-a4-T1-B6-Rm6-P0-L1	60°-1T-214W-1000CL-50L-MAG	G00003-a5-T1-B6-Rm6-P0-L1	75°-1T-214W-1000CL-50L-MAG	G00003-a6-T1-B6-Rm6-P0-L1	90°-1T-214W-1000CL-50L-MAG
G00003-a4-T1-B6-Rm6-P0-L2	60°-1T-214W-1000CL-100L-MAG	G00003-a5-T1-B6-Rm6-P0-L2	75°-1T-214W-1000CL-100L-MAG	G00003-a6-T1-B6-Rm6-P0-L2	90°-1T-214W-1000CL-100L-MAG
G00003-a4-T1-B6-Rm6-P0-L3	60°-1T-214W-1000CL-125L-MAG	G00003-a5-T1-B6-Rm6-P0-L3	75°-1T-214W-1000CL-125L-MAG	G00003-a6-T1-B6-Rm6-P0-L3	90°-1T-214W-1000CL-125L-MAG

881M-881MO SERIES (45mm) Rm = 1000mm - SINGLE TRACK

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003A-a1-T1-B6-Rm6-P0-L0	15°-1T-214W-1000CL-0L-MAG	G00003A-a2-T1-B6-Rm6-P0-L0	30°-1T-214W-1000CL-0L-MAG	G00003A-a3-T1-B6-Rm6-P0-L0	45°-1T-214W-1000CL-0L-MAG
G00003A-a1-T1-B6-Rm6-P0-L1	15°-1T-214W-1000CL-50L-MAG	G00003A-a2-T1-B6-Rm6-P0-L1	30°-1T-214W-1000CL-50L-MAG	G00003A-a3-T1-B6-Rm6-P0-L1	45°-1T-214W-1000CL-50L-MAG
G00003A-a1-T1-B6-Rm6-P0-L2	15°-1T-214W-1000CL-100L-MAG	G00003A-a2-T1-B6-Rm6-P0-L2	30°-1T-214W-1000CL-100L-MAG	G00003A-a3-T1-B6-Rm6-P0-L2	45°-1T-214W-1000CL-100L-MAG
G00003A-a1-T1-B6-Rm6-P0-L3	15°-1T-214W-1000CL-125L-MAG	G00003A-a2-T1-B6-Rm6-P0-L3	30°-1T-214W-1000CL-125L-MAG	G00003A-a3-T1-B6-Rm6-P0-L3	45°-1T-214W-1000CL-125L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00003A-a4-T1-B6-Rm6-P0-L0	60°-1T-214W-1000CL-0L-MAG	G00003A-a5-T1-B6-Rm6-P0-L0	75°-1T-214W-1000CL-0L-MAG	G00003A-a6-T1-B6-Rm6-P0-L0	90°-1T-214W-1000CL-0L-MAG
G00003A-a4-T1-B6-Rm6-P0-L1	60°-1T-214W-1000CL-50L-MAG	G00003A-a5-T1-B6-Rm6-P0-L1	75°-1T-214W-1000CL-50L-MAG	G00003A-a6-T1-B6-Rm6-P0-L1	90°-1T-214W-1000CL-50L-MAG
G00003A-a4-T1-B6-Rm6-P0-L2	60°-1T-214W-1000CL-100L-MAG	G00003A-a5-T1-B6-Rm6-P0-L2	75°-1T-214W-1000CL-100L-MAG	G00003A-a6-T1-B6-Rm6-P0-L2	90°-1T-214W-1000CL-100L-MAG
G00003A-a4-T1-B6-Rm6-P0-L3	60°-1T-214W-1000CL-125L-MAG	G00003A-a5-T1-B6-Rm6-P0-L3	75°-1T-214W-1000CL-125L-MAG	G00003A-a6-T1-B6-Rm6-P0-L3	90°-1T-214W-1000CL-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST. STANDARD ORDER QTY: PER SET



CHAINS/BELTS
PG. A400A & B700A



MATERIALS



TABLE OF
CONTENTS



BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)