




G000004

K1000 CORNER TRACKS / CURVES / BENDS MAGNETIC

MAGNETIC

The magnetic corner track is the most effective and reliable system for the table top conveyor design.

The magnets are carefully selected and positioned to provide the correct magnetic field to hold the chain on the corner track and this provides a flat carrying surface for the chain; thus, improving product stability and support for the product.



MATERIALS




TABLE OF
CONTENTS





BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)

WWW.IRP.CO.ZA



IN & OUT AVAILABLE ALSO 125mm - 100mm - 50mm



Rm = 860mm - SINGLE TRACK

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00004-a1-T1-B7-Rm5-P0-L0	15°-1T-270w-860CL-0L-MAG	G00004-a2-T1-B7-Rm5-P0-L0	30°-1T-270w-860CL-0L-MAG	G00004-a3-T1-B7-Rm5-P0-L0	45°-1T-270w-860CL-0L-MAG
G00004-a1-T1-B7-Rm5-P0-L1	15°-1T-270w-860CL-50L-MAG	G00004-a2-T1-B7-Rm5-P0-L1	30°-1T-270w-860CL-50L-MAG	G00004-a3-T1-B7-Rm5-P0-L1	45°-1T-270w-860CL-50L-MAG
G00004-a1-T1-B7-Rm5-P0-L2	15°-1T-270w-860CL-100L-MAG	G00004-a2-T1-B7-Rm5-P0-L2	30°-1T-270w-860CL-100L-MAG	G00004-a3-T1-B7-Rm5-P0-L2	45°-1T-270w-860CL-100L-MAG
G00004-a1-T1-B7-Rm5-P0-L3	15°-1T-270w-860CL-125L-MAG	G00004-a2-T1-B7-Rm5-P0-L3	30°-1T-270w-860CL-125L-MAG	G00004-a3-T1-B7-Rm5-P0-L3	45°-1T-270w-860CL-125L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00004-a4-T1-B7-Rm5-P0-L0	60°-1T-270w-860CL-0L-MAG	G00004-a5-T1-B7-Rm5-P0-L0	75°-1T-270w-860CL-0L-MAG	G00004-a6-T1-B7-Rm5-P0-L0	90°-1T-270w-860CL-0L-MAG
G00004-a4-T1-B7-Rm5-P0-L1	60°-1T-270w-860CL-50L-MAG	G00004-a5-T1-B7-Rm5-P0-L1	75°-1T-270w-860CL-50L-MAG	G00004-a6-T1-B7-Rm5-P0-L1	90°-1T-270w-860CL-50L-MAG
G00004-a4-T1-B7-Rm5-P0-L2	60°-1T-270w-860CL-100L-MAG	G00004-a5-T1-B7-Rm5-P0-L2	75°-1T-270w-860CL-100L-MAG	G00004-a6-T1-B7-Rm5-P0-L2	90°-1T-270w-860CL-100L-MAG
G00004-a4-T1-B7-Rm5-P0-L3	60°-1T-270w-860CL-125L-MAG	G00004-a5-T1-B7-Rm5-P0-L3	75°-1T-270w-860CL-125L-MAG	G00004-a6-T1-B7-Rm5-P0-L3	90°-1T-270w-860CL-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



CHAINS/BELTS
PG. B700A




MATERIALS





TABLE OF
CONTENTS



BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)



IN & OUT AVAILABLE ALSO 125mm - 100mm - 50mm



Rm = 1000mm - SINGLE TRACK

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00004-a1-T1-B7-Rm6-P0-L0	15°-1T-270w-1000CL-0L-MAG	G00004-a2-T1-B7-Rm6-P0-L0	30°-1T-270w-1000CL-0L-MAG	G00004-a3-T1-B7-Rm6-P0-L0	45°-1T-270w-1000CL-0L-MAG
G00004-a1-T1-B7-Rm6-P0-L1	15°-1T-270w-1000CL-50L-MAG	G00004-a2-T1-B7-Rm6-P0-L1	30°-1T-270w-1000CL-50L-MAG	G00004-a3-T1-B7-Rm6-P0-L1	45°-1T-270w-1000CL-50L-MAG
G00004-a1-T1-B7-Rm6-P0-L2	15°-1T-270w-1000CL-100L-MAG	G00004-a2-T1-B7-Rm6-P0-L2	30°-1T-270w-1000CL-100L-MAG	G00004-a3-T1-B7-Rm6-P0-L2	45°-1T-270w-1000CL-100L-MAG
G00004-a1-T1-B7-Rm6-P0-L3	15°-1T-270w-1000CL-125L-MAG	G00004-a2-T1-B7-Rm6-P0-L3	30°-1T-270w-1000CL-125L-MAG	G00004-a3-T1-B7-Rm6-P0-L3	45°-1T-270w-1000CL-125L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00004-a4-T1-B7-Rm6-P0-L0	60°-1T-270w-1000CL-0L-MAG	G00004-a5-T1-B7-Rm6-P0-L0	75°-1T-270w-1000CL-0L-MAG	G00004-a6-T1-B7-Rm6-P0-L0	90°-1T-270w-1000CL-0L-MAG
G00004-a4-T1-B7-Rm6-P0-L1	60°-1T-270w-1000CL-50L-MAG	G00004-a5-T1-B7-Rm6-P0-L1	75°-1T-270w-1000CL-50L-MAG	G00004-a6-T1-B7-Rm6-P0-L1	90°-1T-270w-1000CL-50L-MAG
G00004-a4-T1-B7-Rm6-P0-L2	60°-1T-270w-1000CL-100L-MAG	G00004-a5-T1-B7-Rm6-P0-L2	75°-1T-270w-1000CL-100L-MAG	G00004-a6-T1-B7-Rm6-P0-L2	90°-1T-270w-1000CL-100L-MAG
G00004-a4-T1-B7-Rm6-P0-L3	60°-1T-270w-1000CL-125L-MAG	G00004-a5-T1-B7-Rm6-P0-L3	75°-1T-270w-1000CL-125L-MAG	G00004-a6-T1-B7-Rm6-P0-L3	90°-1T-270w-1000CL-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



CHAINS/BELTS
PG. B700A



MATERIALS



TABLE OF
CONTENTS



BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)