


G000006





K325/K330 CORNER TRACKS / CURVES / BENDS MAGNETIC

MAGNETIC



The magnetic corner track is the most effective and reliable system for the table top conveyor design.

The magnets are carefully selected and positioned to provide the correct magnetic field to hold the chain on the corner track and this provides a flat carrying surface for the chain; thus, improving product stability and support for the product.



MATERIALS





TABLE OF
CONTENTS




BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)

WWW.IRP.CO.ZA



SINGLE TRACK - G00006-a6-T1-B1-Rm1-P0-L1

TRACKS	W
1	100
2	185
3	270
4	355
5	440
6	525
7	610
8	695



MULTI TRACK - G00006-a6-T2-B1-Rm1-P1-L1

Rm = 500mm - MULTI TRACK - 50mm LEAD IN / LEAD OUT

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a1-T1-B1-Rm1-P0-L1	15°-1T-100w-500CL-50L-MAG	G00006-a2-T1-B1-Rm1-P0-L1	30°-1T-100w-500CL-50L-MAG	G00006-a3-T1-B1-Rm1-P0-L1	45°-1T-100w-500CL-50L-MAG
G00006-a1-T2-B1-Rm1-P1-L1	15°-2T-100w-500CL-P85-50L-MAG	G00006-a2-T2-B1-Rm1-P1-L1	30°-2T-100w-500CL-P85-50L-MAG	G00006-a3-T2-B1-Rm1-P1-L1	45°-2T-100w-500CL-P85-50L-MAG
G00006-a1-T3-B1-Rm1-P1-L1	15°-3T-100w-500CL-P85-50L-MAG	G00006-a2-T3-B1-Rm1-P1-L1	30°-3T-100w-500CL-P85-50L-MAG	G00006-a3-T3-B1-Rm1-P1-L1	45°-3T-100w-500CL-P85-50L-MAG
G00006-a1-T4-B1-Rm1-P1-L1	15°-4T-100w-500CL-P85-50L-MAG	G00006-a2-T4-B1-Rm1-P1-L1	30°-4T-100w-500CL-P85-50L-MAG	G00006-a3-T4-B1-Rm1-P1-L1	45°-4T-100w-500CL-P85-50L-MAG
G00006-a1-T5-B1-Rm1-P1-L1	15°-5T-100w-500CL-P85-50L-MAG	G00006-a2-T5-B1-Rm1-P1-L1	30°-5T-100w-500CL-P85-50L-MAG	G00006-a3-T5-B1-Rm1-P1-L1	45°-5T-100w-500CL-P85-50L-MAG
G00006-a1-T6-B1-Rm1-P1-L1	15°-6T-100w-500CL-P85-50L-MAG	G00006-a2-T6-B1-Rm1-P1-L1	30°-6T-100w-500CL-P85-50L-MAG	G00006-a3-T6-B1-Rm1-P1-L1	45°-6T-100w-500CL-P85-50L-MAG
G00006-a1-T7-B1-Rm1-P1-L1	15°-7T-100w-500CL-P85-50L-MAG	G00006-a2-T7-B1-Rm1-P1-L1	30°-7T-100w-500CL-P85-50L-MAG	G00006-a3-T7-B1-Rm1-P1-L1	45°-7T-100w-500CL-P85-50L-MAG
G00006-a1-T8-B1-Rm1-P1-L1	15°-8T-100w-500CL-P85-50L-MAG	G00006-a2-T8-B1-Rm1-P1-L1	30°-8T-100w-500CL-P85-50L-MAG	G00006-a3-T8-B1-Rm1-P1-L1	45°-8T-100w-500CL-P85-50L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a4-T1-B1-Rm1-P0-L1	60°-1T-100w-500CL-50L-MAG	G00006-a5-T1-B1-Rm1-P0-L1	75°-1T-100w-500CL-50L-MAG	G00006-a6-T1-B1-Rm1-P0-L1	90°-1T-100w-500CL-50L-MAG
G00006-a4-T2-B1-Rm1-P1-L1	60°-2T-100w-500CL-P85-50L-MAG	G00006-a5-T2-B1-Rm1-P1-L1	75°-2T-100w-500CL-P85-50L-MAG	G00006-a6-T2-B1-Rm1-P1-L1	90°-2T-100w-500CL-P85-50L-MAG
G00006-a4-T3-B1-Rm1-P1-L1	60°-3T-100w-500CL-P85-50L-MAG	G00006-a5-T3-B1-Rm1-P1-L1	75°-3T-100w-500CL-P85-50L-MAG	G00006-a6-T3-B1-Rm1-P1-L1	90°-3T-100w-500CL-P85-50L-MAG
G00006-a4-T4-B1-Rm1-P1-L1	60°-4T-100w-500CL-P85-50L-MAG	G00006-a5-T4-B1-Rm1-P1-L1	75°-4T-100w-500CL-P85-50L-MAG	G00006-a6-T4-B1-Rm1-P1-L1	90°-4T-100w-500CL-P85-50L-MAG
G00006-a4-T5-B1-Rm1-P1-L1	60°-5T-100w-500CL-P85-50L-MAG	G00006-a5-T5-B1-Rm1-P1-L1	75°-5T-100w-500CL-P85-50L-MAG	G00006-a6-T5-B1-Rm1-P1-L1	90°-5T-100w-500CL-P85-50L-MAG
G00006-a4-T6-B1-Rm1-P1-L1	60°-6T-100w-500CL-P85-50L-MAG	G00006-a5-T6-B1-Rm1-P1-L1	75°-6T-100w-500CL-P85-50L-MAG	G00006-a6-T6-B1-Rm1-P1-L1	90°-6T-100w-500CL-P85-50L-MAG
G00006-a4-T7-B1-Rm1-P1-L1	60°-7T-100w-500CL-P85-50L-MAG	G00006-a5-T7-B1-Rm1-P1-L1	75°-7T-100w-500CL-P85-50L-MAG	G00006-a6-T7-B1-Rm1-P1-L1	90°-7T-100w-500CL-P85-50L-MAG
G00006-a4-T8-B1-Rm1-P1-L1	60°-8T-100w-500CL-P85-50L-MAG	G00006-a5-T8-B1-Rm1-P1-L1	75°-8T-100w-500CL-P85-50L-MAG	G00006-a6-T8-B1-Rm1-P1-L1	90°-8T-100w-500CL-P85-50L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



CHAINS/BELTS
PG. E801D - E901B





MATERIALS



TABLE OF
CONTENTS




BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)



SINGLE TRACK - G00006-a6-T1-B1-Rm1-P0-L2

TRACKS	W
1	100
2	185
3	270
4	355
5	440
6	525
7	610
8	695





MULTI TRACK - G00006-a6-T2-B1-Rm1-P1-L2

Rm = 500mm - MULTI TRACK - 100mm LEAD IN / LEAD OUT


$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a1-T1-B1-Rm1-P0-L2	15°-1T-100w-500CL-100L-MAG	G00006-a2-T1-B1-Rm1-P0-L2	30°-1T-100w-500CL-100L-MAG	G00006-a3-T1-B1-Rm1-P0-L2	45°-1T-100w-500CL-100L-MAG
G00006-a1-T2-B1-Rm1-P1-L2	15°-2T-100w-500CL-P85-100L-MAG	G00006-a2-T2-B1-Rm1-P1-L2	30°-2T-100w-500CL-P85-100L-MAG	G00006-a3-T2-B1-Rm1-P1-L2	45°-2T-100w-500CL-P85-100L-MAG
G00006-a1-T3-B1-Rm1-P1-L2	15°-3T-100w-500CL-P85-100L-MAG	G00006-a2-T3-B1-Rm1-P1-L2	30°-3T-100w-500CL-P85-100L-MAG	G00006-a3-T3-B1-Rm1-P1-L2	45°-3T-100w-500CL-P85-100L-MAG
G00006-a1-T4-B1-Rm1-P1-L2	15°-4T-100w-500CL-P85-100L-MAG	G00006-a2-T4-B1-Rm1-P1-L2	30°-4T-100w-500CL-P85-100L-MAG	G00006-a3-T4-B1-Rm1-P1-L2	45°-4T-100w-500CL-P85-100L-MAG
G00006-a1-T5-B1-Rm1-P1-L2	15°-5T-100w-500CL-P85-100L-MAG	G00006-a2-T5-B1-Rm1-P1-L2	30°-5T-100w-500CL-P85-100L-MAG	G00006-a3-T5-B1-Rm1-P1-L2	45°-5T-100w-500CL-P85-100L-MAG
G00006-a1-T6-B1-Rm1-P1-L2	15°-6T-100w-500CL-P85-100L-MAG	G00006-a2-T6-B1-Rm1-P1-L2	30°-6T-100w-500CL-P85-100L-MAG	G00006-a3-T6-B1-Rm1-P1-L2	45°-6T-100w-500CL-P85-100L-MAG
G00006-a1-T7-B1-Rm1-P1-L2	15°-7T-100w-500CL-P85-100L-MAG	G00006-a2-T7-B1-Rm1-P1-L2	30°-7T-100w-500CL-P85-100L-MAG	G00006-a3-T7-B1-Rm1-P1-L2	45°-7T-100w-500CL-P85-100L-MAG
G00006-a1-T8-B1-Rm1-P1-L2	15°-8T-100w-500CL-P85-100L-MAG	G00006-a2-T8-B1-Rm1-P1-L2	30°-8T-100w-500CL-P85-100L-MAG	G00006-a3-T8-B1-Rm1-P1-L2	45°-8T-100w-500CL-P85-100L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a4-T1-B1-Rm1-P0-L2	60°-1T-100w-500CL-100L-MAG	G00006-a5-T1-B1-Rm1-P0-L2	75°-1T-100w-500CL-100L-MAG	G00006-a6-T1-B1-Rm1-P1-L2	90°-1T-100w-500CL-100L-MAG
G00006-a4-T2-B1-Rm1-P1-L2	60°-2T-100w-500CL-P85-100L-MAG	G00006-a5-T2-B1-Rm1-P1-L2	75°-2T-100w-500CL-P85-100L-MAG	G00006-a6-T2-B1-Rm1-P1-L2	90°-2T-100w-500CL-P85-100L-MAG
G00006-a4-T3-B1-Rm1-P1-L2	60°-3T-100w-500CL-P85-100L-MAG	G00006-a5-T3-B1-Rm1-P1-L2	75°-3T-100w-500CL-P85-100L-MAG	G00006-a6-T3-B1-Rm1-P1-L2	90°-3T-100w-500CL-P85-100L-MAG
G00006-a4-T4-B1-Rm1-P1-L2	60°-4T-100w-500CL-P85-100L-MAG	G00006-a5-T4-B1-Rm1-P1-L2	75°-4T-100w-500CL-P85-100L-MAG	G00006-a6-T4-B1-Rm1-P1-L2	90°-4T-100w-500CL-P85-100L-MAG
G00006-a4-T5-B1-Rm1-P1-L2	60°-5T-100w-500CL-P85-100L-MAG	G00006-a5-T5-B1-Rm1-P1-L2	75°-5T-100w-500CL-P85-100L-MAG	G00006-a6-T5-B1-Rm1-P1-L2	90°-5T-100w-500CL-P85-100L-MAG
G00006-a4-T6-B1-Rm1-P1-L2	60°-6T-100w-500CL-P85-100L-MAG	G00006-a5-T6-B1-Rm1-P1-L2	75°-6T-100w-500CL-P85-100L-MAG	G00006-a6-T6-B1-Rm1-P1-L2	90°-6T-100w-500CL-P85-100L-MAG
G00006-a4-T7-B1-Rm1-P1-L2	60°-7T-100w-500CL-P85-100L-MAG	G00006-a5-T7-B1-Rm1-P1-L2	75°-7T-100w-500CL-P85-100L-MAG	G00006-a6-T7-B1-Rm1-P1-L2	90°-7T-100w-500CL-P85-100L-MAG
G00006-a4-T8-B1-Rm1-P1-L2	60°-8T-100w-500CL-P85-100L-MAG	G00006-a5-T8-B1-Rm1-P1-L2	75°-8T-100w-500CL-P85-100L-MAG	G00006-a6-T8-B1-Rm1-P1-L2	90°-8T-100w-500CL-P85-100L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



SINGLE TRACK - G00006-a6-T1-B1-Rm1-P0-L3

TRACKS	W
1	100
2	185
3	270
4	355
5	440
6	525
7	610
8	695





MULTI TRACK - G00006-a6-T2-B1-Rm1-P1-L3

Rm = 500mm - MULTI TRACK - 125mm LEAD IN / LEAD OUT


$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a1-T1-B1-Rm1-P0-L3	15°-1T-100w-500CL-125L-MAG	G00006-a2-T1-B1-Rm1-P0-L3	30°-1T-100w-500CL-125L-MAG	G00006-a3-T1-B1-Rm1-P0-L3	45°-1T-100w-500CL-125L-MAG
G00006-a1-T2-B1-Rm1-P1-L3	15°-2T-100w-500CL-P85-125L-MAG	G00006-a2-T2-B1-Rm1-P1-L3	30°-2T-100w-500CL-P85-125L-MAG	G00006-a3-T2-B1-Rm1-P1-L3	45°-2T-100w-500CL-P85-125L-MAG
G00006-a1-T3-B1-Rm1-P1-L3	15°-3T-100w-500CL-P85-125L-MAG	G00006-a2-T3-B1-Rm1-P1-L3	30°-3T-100w-500CL-P85-125L-MAG	G00006-a3-T3-B1-Rm1-P1-L3	45°-3T-100w-500CL-P85-125L-MAG
G00006-a1-T4-B1-Rm1-P1-L3	15°-4T-100w-500CL-P85-125L-MAG	G00006-a2-T4-B1-Rm1-P1-L3	30°-4T-100w-500CL-P85-125L-MAG	G00006-a3-T4-B1-Rm1-P1-L3	45°-4T-100w-500CL-P85-125L-MAG
G00006-a1-T5-B1-Rm1-P1-L3	15°-5T-100w-500CL-P85-125L-MAG	G00006-a2-T5-B1-Rm1-P1-L3	30°-5T-100w-500CL-P85-125L-MAG	G00006-a3-T5-B1-Rm1-P1-L3	45°-5T-100w-500CL-P85-125L-MAG
G00006-a1-T6-B1-Rm1-P1-L3	15°-6T-100w-500CL-P85-125L-MAG	G00006-a2-T6-B1-Rm1-P1-L3	30°-6T-100w-500CL-P85-125L-MAG	G00006-a3-T6-B1-Rm1-P1-L3	45°-6T-100w-500CL-P85-125L-MAG
G00006-a1-T7-B1-Rm1-P1-L3	15°-7T-100w-500CL-P85-125L-MAG	G00006-a2-T7-B1-Rm1-P1-L3	30°-7T-100w-500CL-P85-125L-MAG	G00006-a3-T7-B1-Rm1-P1-L3	45°-7T-100w-500CL-P85-125L-MAG
G00006-a1-T8-B1-Rm1-P1-L3	15°-8T-100w-500CL-P85-125L-MAG	G00006-a2-T8-B1-Rm1-P1-L3	30°-8T-100w-500CL-P85-125L-MAG	G00006-a3-T8-B1-Rm1-P1-L3	45°-8T-100w-500CL-P85-125L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a4-T1-B1-Rm1-P0-L3	60°-1T-100w-500CL-125L-MAG	G00006-a5-T1-B1-Rm1-P0-L3	75°-1T-100w-500CL-125L-MAG	G00006-a6-T1-B1-Rm1-P0-L3	90°-1T-100w-500CL-125L-MAG
G00006-a4-T2-B1-Rm1-P1-L3	60°-2T-100w-500CL-P85-125L-MAG	G00006-a5-T2-B1-Rm1-P1-L3	75°-2T-100w-500CL-P85-125L-MAG	G00006-a6-T2-B1-Rm1-P1-L3	90°-2T-100w-500CL-P85-125L-MAG
G00006-a4-T3-B1-Rm1-P1-L3	60°-3T-100w-500CL-P85-125L-MAG	G00006-a5-T3-B1-Rm1-P1-L3	75°-3T-100w-500CL-P85-125L-MAG	G00006-a6-T3-B1-Rm1-P1-L3	90°-3T-100w-500CL-P85-125L-MAG
G00006-a4-T4-B1-Rm1-P1-L3	60°-4T-100w-500CL-P85-125L-MAG	G00006-a5-T4-B1-Rm1-P1-L3	75°-4T-100w-500CL-P85-125L-MAG	G00006-a6-T4-B1-Rm1-P1-L3	90°-4T-100w-500CL-P85-125L-MAG
G00006-a4-T5-B1-Rm1-P1-L3	60°-5T-100w-500CL-P85-125L-MAG	G00006-a5-T5-B1-Rm1-P1-L3	75°-5T-100w-500CL-P85-125L-MAG	G00006-a6-T5-B1-Rm1-P1-L3	90°-5T-100w-500CL-P85-125L-MAG
G00006-a4-T6-B1-Rm1-P1-L3	60°-6T-100w-500CL-P85-125L-MAG	G00006-a5-T6-B1-Rm1-P1-L3	75°-6T-100w-500CL-P85-125L-MAG	G00006-a6-T6-B1-Rm1-P1-L3	90°-6T-100w-500CL-P85-125L-MAG
G00006-a4-T7-B1-Rm1-P1-L3	60°-7T-100w-500CL-P85-125L-MAG	G00006-a5-T7-B1-Rm1-P1-L3	75°-7T-100w-500CL-P85-125L-MAG	G00006-a6-T7-B1-Rm1-P1-L3	90°-7T-100w-500CL-P85-125L-MAG
G00006-a4-T8-B1-Rm1-P1-L3	60°-8T-100w-500CL-P85-125L-MAG	G00006-a5-T8-B1-Rm1-P1-L3	75°-8T-100w-500CL-P85-125L-MAG	G00006-a6-T8-B1-Rm1-P1-L3	90°-8T-100w-500CL-P85-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



SINGLE TRACK - G00006-a6-T1-B1-Rm1-P0-L0

TRACKS	W
1	100
2	185
3	270
4	355
5	440
6	525
7	610
8	695





MULTI TRACK - G00006-a6-T2-B1-Rm1-P1-L0

Rm = 500mm - MULTI TRACK - NO LEAD IN / LEAD OUT


$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a1-T1-B1-Rm1-P0-L0	15°-1T-100w-500CL-OL-MAG	G00006-a2-T1-B1-Rm1-P0-L0	30°-1T-100w-500CL-OL-MAG	G00006-a3-T1-B1-Rm1-P0-L0	45°-1T-100w-500CL-OL-MAG
G00006-a1-T2-B1-Rm1-P1-L0	15°-2T-100w-500CL-P85-OL-MAG	G00006-a2-T2-B1-Rm1-P1-L0	30°-2T-100w-500CL-P85-OL-MAG	G00006-a3-T2-B1-Rm1-P1-L0	45°-2T-100w-500CL-P85-OL-MAG
G00006-a1-T3-B1-Rm1-P1-L0	15°-3T-100w-500CL-P85-OL-MAG	G00006-a2-T3-B1-Rm1-P1-L0	30°-3T-100w-500CL-P85-OL-MAG	G00006-a3-T3-B1-Rm1-P1-L0	45°-3T-100w-500CL-P85-OL-MAG
G00006-a1-T4-B1-Rm1-P1-L0	15°-4T-100w-500CL-P85-OL-MAG	G00006-a2-T4-B1-Rm1-P1-L0	30°-4T-100w-500CL-P85-OL-MAG	G00006-a3-T4-B1-Rm1-P1-L0	45°-4T-100w-500CL-P85-OL-MAG
G00006-a1-T5-B1-Rm1-P1-L0	15°-5T-100w-500CL-P85-OL-MAG	G00006-a2-T5-B1-Rm1-P1-L0	30°-5T-100w-500CL-P85-OL-MAG	G00006-a3-T5-B1-Rm1-P1-L0	45°-5T-100w-500CL-P85-OL-MAG
G00006-a1-T6-B1-Rm1-P1-L0	15°-6T-100w-500CL-P85-OL-MAG	G00006-a2-T6-B1-Rm1-P1-L0	30°-6T-100w-500CL-P85-OL-MAG	G00006-a3-T6-B1-Rm1-P1-L0	45°-6T-100w-500CL-P85-OL-MAG
G00006-a1-T7-B1-Rm1-P1-L0	15°-7T-100w-500CL-P85-OL-MAG	G00006-a2-T7-B1-Rm1-P1-L0	30°-7T-100w-500CL-P85-OL-MAG	G00006-a3-T7-B1-Rm1-P1-L0	45°-7T-100w-500CL-P85-OL-MAG
G00006-a1-T8-B1-Rm1-P1-L0	15°-8T-100w-500CL-P85-OL-MAG	G00006-a2-T8-B1-Rm1-P1-L0	30°-8T-100w-500CL-P85-OL-MAG	G00006-a3-T8-B1-Rm1-P1-L0	45°-8T-100w-500CL-P85-OL-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a4-T1-B1-Rm1-P0-L0	60°-1T-100w-500CL-OL-MAG	G00006-a5-T1-B1-Rm1-P0-L0	75°-1T-100w-500CL-OL-MAG	G00006-a6-T1-B1-Rm1-P0-L0	90°-1T-100w-500CL-OL-MAG
G00006-a4-T2-B1-Rm1-P1-L0	60°-2T-100w-500CL-P85-OL-MAG	G00006-a5-T2-B1-Rm1-P1-L0	75°-2T-100w-500CL-P85-OL-MAG	G00006-a6-T2-B1-Rm1-P1-L0	90°-2T-100w-500CL-P85-OL-MAG
G00006-a4-T3-B1-Rm1-P1-L0	60°-3T-100w-500CL-P85-OL-MAG	G00006-a5-T3-B1-Rm1-P1-L0	75°-3T-100w-500CL-P85-OL-MAG	G00006-a6-T3-B1-Rm1-P1-L0	90°-3T-100w-500CL-P85-OL-MAG
G00006-a4-T4-B1-Rm1-P1-L0	60°-4T-100w-500CL-P85-OL-MAG	G00006-a5-T4-B1-Rm1-P1-L0	75°-4T-100w-500CL-P85-OL-MAG	G00006-a6-T4-B1-Rm1-P1-L0	90°-4T-100w-500CL-P85-OL-MAG
G00006-a4-T5-B1-Rm1-P1-L0	60°-5T-100w-500CL-P85-OL-MAG	G00006-a5-T5-B1-Rm1-P1-L0	75°-5T-100w-500CL-P85-OL-MAG	G00006-a6-T5-B1-Rm1-P1-L0	90°-5T-100w-500CL-P85-OL-MAG
G00006-a4-T6-B1-Rm1-P1-L0	60°-6T-100w-500CL-P85-OL-MAG	G00006-a5-T6-B1-Rm1-P1-L0	75°-6T-100w-500CL-P85-OL-MAG	G00006-a6-T6-B1-Rm1-P1-L0	90°-6T-100w-500CL-P85-OL-MAG
G00006-a4-T7-B1-Rm1-P1-L0	60°-7T-100w-500CL-P85-OL-MAG	G00006-a5-T7-B1-Rm1-P1-L0	75°-7T-100w-500CL-P85-OL-MAG	G00006-a6-T7-B1-Rm1-P1-L0	90°-7T-100w-500CL-P85-OL-MAG
G00006-a4-T8-B1-Rm1-P1-L0	60°-8T-100w-500CL-P85-OL-MAG	G00006-a5-T8-B1-Rm1-P1-L0	75°-8T-100w-500CL-P85-OL-MAG	G00006-a6-T8-B1-Rm1-P1-L0	90°-8T-100w-500CL-P85-OL-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



SINGLE TRACK - G00006-a6-T1-B1-Rm4-P0-L1

TRACKS	W
1	100
2	185
3	270
4	355
5	440
6	525
7	610
8	695



MULTI TRACK - G00006-a6-T2-B1-Rm4-P1-L1

Rm = 750mm - MULTI TRACK - 50mm LEAD IN / LEAD OUT

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a1-T1-B1-Rm4-P0-L1	15°-1T-100w-750CL-50L-MAG	G00006-a2-T1-B1-Rm4-P0-L1	30°-1T-100w-750CL-50L-MAG	G00006-a3-T1-B1-Rm4-P0-L1	45°-1T-100w-750CL-50L-MAG
G00006-a1-T2-B1-Rm4-P1-L1	15°-2T-100w-750CL-P85-50L-MAG	G00006-a2-T2-B1-Rm4-P1-L1	30°-2T-100w-750CL-P85-50L-MAG	G00006-a3-T2-B1-Rm4-P1-L1	45°-2T-100w-750CL-P85-50L-MAG
G00006-a1-T3-B1-Rm4-P1-L1	15°-3T-100w-750CL-P85-50L-MAG	G00006-a2-T3-B1-Rm4-P1-L1	30°-3T-100w-750CL-P85-50L-MAG	G00006-a3-T3-B1-Rm4-P1-L1	45°-3T-100w-750CL-P85-50L-MAG
G00006-a1-T4-B1-Rm4-P1-L1	15°-4T-100w-750CL-P85-50L-MAG	G00006-a2-T4-B1-Rm4-P1-L1	30°-4T-100w-750CL-P85-50L-MAG	G00006-a3-T4-B1-Rm4-P1-L1	45°-4T-100w-750CL-P85-50L-MAG
G00006-a1-T5-B1-Rm4-P1-L1	15°-5T-100w-750CL-P85-50L-MAG	G00006-a2-T5-B1-Rm4-P1-L1	30°-5T-100w-750CL-P85-50L-MAG	G00006-a3-T5-B1-Rm4-P1-L1	45°-5T-100w-750CL-P85-50L-MAG
G00006-a1-T6-B1-Rm4-P1-L1	15°-6T-100w-750CL-P85-50L-MAG	G00006-a2-T6-B1-Rm4-P1-L1	30°-6T-100w-750CL-P85-50L-MAG	G00006-a3-T6-B1-Rm4-P1-L1	45°-6T-100w-750CL-P85-50L-MAG
G00006-a1-T7-B1-Rm4-P1-L1	15°-7T-100w-750CL-P85-50L-MAG	G00006-a2-T7-B1-Rm4-P1-L1	30°-7T-100w-750CL-P85-50L-MAG	G00006-a3-T7-B1-Rm4-P1-L1	45°-7T-100w-750CL-P85-50L-MAG
G00006-a1-T8-B1-Rm4-P1-L1	15°-8T-100w-750CL-P85-50L-MAG	G00006-a2-T8-B1-Rm4-P1-L1	30°-8T-100w-750CL-P85-50L-MAG	G00006-a3-T8-B1-Rm4-P1-L1	45°-8T-100w-750CL-P85-50L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a4-T1-B1-Rm4-P0-L1	60°-1T-100w-750CL-50L-MAG	G00006-a5-T1-B1-Rm4-P0-L1	75°-1T-100w-750CL-50L-MAG	G00006-a6-T1-B1-Rm4-P0-L1	90°-1T-100w-750CL-50L-MAG
G00006-a4-T2-B1-Rm4-P1-L1	60°-2T-100w-750CL-P85-50L-MAG	G00006-a5-T2-B1-Rm4-P1-L1	75°-2T-100w-750CL-P85-50L-MAG	G00006-a6-T2-B1-Rm4-P1-L1	90°-2T-100w-750CL-P85-50L-MAG
G00006-a4-T3-B1-Rm4-P1-L1	60°-3T-100w-750CL-P85-50L-MAG	G00006-a5-T3-B1-Rm4-P1-L1	75°-3T-100w-750CL-P85-50L-MAG	G00006-a6-T3-B1-Rm4-P1-L1	90°-3T-100w-750CL-P85-50L-MAG
G00006-a4-T4-B1-Rm4-P1-L1	60°-4T-100w-750CL-P85-50L-MAG	G00006-a5-T4-B1-Rm4-P1-L1	75°-4T-100w-750CL-P85-50L-MAG	G00006-a6-T4-B1-Rm4-P1-L1	90°-4T-100w-750CL-P85-50L-MAG
G00006-a4-T5-B1-Rm4-P1-L1	60°-5T-100w-750CL-P85-50L-MAG	G00006-a5-T5-B1-Rm4-P1-L1	75°-5T-100w-750CL-P85-50L-MAG	G00006-a6-T5-B1-Rm4-P1-L1	90°-5T-100w-750CL-P85-50L-MAG
G00006-a4-T6-B1-Rm4-P1-L1	60°-6T-100w-750CL-P85-50L-MAG	G00006-a5-T6-B1-Rm4-P1-L1	75°-6T-100w-750CL-P85-50L-MAG	G00006-a6-T6-B1-Rm4-P1-L1	90°-6T-100w-750CL-P85-50L-MAG
G00006-a4-T7-B1-Rm4-P1-L1	60°-7T-100w-750CL-P85-50L-MAG	G00006-a5-T7-B1-Rm4-P1-L1	75°-7T-100w-750CL-P85-50L-MAG	G00006-a6-T7-B1-Rm4-P1-L1	90°-7T-100w-750CL-P85-50L-MAG
G00006-a4-T8-B1-Rm4-P1-L1	60°-8T-100w-750CL-P85-50L-MAG	G00006-a5-T8-B1-Rm4-P1-L1	75°-8T-100w-750CL-P85-50L-MAG	G00006-a6-T8-B1-Rm4-P1-L1	90°-8T-100w-750CL-P85-50L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



CHAINS/BELTS
PG. E801D - E901B



MATERIALS





TABLE OF
CONTENTS




BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)

WWW.IRP.CO.ZA



SINGLE TRACK - G00006-a6-T1-B1-Rm4-P0-L2

TRACKS	W
1	100
2	185
3	270
4	355
5	440
6	525
7	610
8	695





MULTI TRACK - G00006-a6-T2-B1-Rm4-P1-L2

Rm = 750mm - MULTI TRACK - 100mm LEAD IN / LEAD OUT


$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a1-T1-B1-Rm4-P0-L2	15°-1T-100w-750CL-100L-MAG	G00006-a2-T1-B1-Rm4-P0-L2	30°-1T-100w-750CL-100L-MAG	G00006-a3-T1-B1-Rm4-P0-L2	45°-1T-100w-750CL-100L-MAG
G00006-a1-T2-B1-Rm4-P1-L2	15°-2T-100w-750CL-P85-100L-MAG	G00006-a2-T2-B1-Rm4-P1-L2	30°-2T-100w-750CL-P85-100L-MAG	G00006-a3-T2-B1-Rm4-P1-L2	45°-2T-100w-750CL-P85-100L-MAG
G00006-a1-T3-B1-Rm4-P1-L2	15°-3T-100w-750CL-P85-100L-MAG	G00006-a2-T3-B1-Rm4-P1-L2	30°-3T-100w-750CL-P85-100L-MAG	G00006-a3-T3-B1-Rm4-P1-L2	45°-3T-100w-750CL-P85-100L-MAG
G00006-a1-T4-B1-Rm4-P1-L2	15°-4T-100w-750CL-P85-100L-MAG	G00006-a2-T4-B1-Rm4-P1-L2	30°-4T-100w-750CL-P85-100L-MAG	G00006-a3-T4-B1-Rm4-P1-L2	45°-4T-100w-750CL-P85-100L-MAG
G00006-a1-T5-B1-Rm4-P1-L2	15°-5T-100w-750CL-P85-100L-MAG	G00006-a2-T5-B1-Rm4-P1-L2	30°-5T-100w-750CL-P85-100L-MAG	G00006-a3-T5-B1-Rm4-P1-L2	45°-5T-100w-750CL-P85-100L-MAG
G00006-a1-T6-B1-Rm4-P1-L2	15°-6T-100w-750CL-P85-100L-MAG	G00006-a2-T6-B1-Rm4-P1-L2	30°-6T-100w-750CL-P85-100L-MAG	G00006-a3-T6-B1-Rm4-P1-L2	45°-6T-100w-750CL-P85-100L-MAG
G00006-a1-T7-B1-Rm4-P1-L2	15°-7T-100w-750CL-P85-100L-MAG	G00006-a2-T7-B1-Rm4-P1-L2	30°-7T-100w-750CL-P85-100L-MAG	G00006-a3-T7-B1-Rm4-P1-L2	45°-7T-100w-750CL-P85-100L-MAG
G00006-a1-T8-B1-Rm4-P1-L2	15°-8T-100w-750CL-P85-100L-MAG	G00006-a2-T8-B1-Rm4-P1-L2	30°-8T-100w-750CL-P85-100L-MAG	G00006-a3-T8-B1-Rm4-P1-L2	45°-8T-100w-750CL-P85-100L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a4-T1-B1-Rm4-P0-L2	60°-1T-100w-750CL-100L-MAG	G00006-a5-T1-B1-Rm4-P0-L2	75°-1T-100w-750CL-100L-MAG	G00006-a6-T1-B1-Rm4-P0-L2	90°-1T-100w-750CL-100L-MAG
G00006-a4-T2-B1-Rm4-P1-L2	60°-2T-100w-750CL-P85-100L-MAG	G00006-a5-T2-B1-Rm4-P1-L2	75°-2T-100w-750CL-P85-100L-MAG	G00006-a6-T2-B1-Rm4-P1-L2	90°-2T-100w-750CL-P85-100L-MAG
G00006-a4-T3-B1-Rm4-P1-L2	60°-3T-100w-750CL-P85-100L-MAG	G00006-a5-T3-B1-Rm4-P1-L2	75°-3T-100w-750CL-P85-100L-MAG	G00006-a6-T3-B1-Rm4-P1-L2	90°-3T-100w-750CL-P85-100L-MAG
G00006-a4-T4-B1-Rm4-P1-L2	60°-4T-100w-750CL-P85-100L-MAG	G00006-a5-T4-B1-Rm4-P1-L2	75°-4T-100w-750CL-P85-100L-MAG	G00006-a6-T4-B1-Rm4-P1-L2	90°-4T-100w-750CL-P85-100L-MAG
G00006-a4-T5-B1-Rm4-P1-L2	60°-5T-100w-750CL-P85-100L-MAG	G00006-a5-T5-B1-Rm4-P1-L2	75°-5T-100w-750CL-P85-100L-MAG	G00006-a6-T5-B1-Rm4-P1-L2	90°-5T-100w-750CL-P85-100L-MAG
G00006-a4-T6-B1-Rm4-P1-L2	60°-6T-100w-750CL-P85-100L-MAG	G00006-a5-T6-B1-Rm4-P1-L2	75°-6T-100w-750CL-P85-100L-MAG	G00006-a6-T6-B1-Rm4-P1-L2	90°-6T-100w-750CL-P85-100L-MAG
G00006-a4-T7-B1-Rm4-P1-L2	60°-7T-100w-750CL-P85-100L-MAG	G00006-a5-T7-B1-Rm4-P1-L2	75°-7T-100w-750CL-P85-100L-MAG	G00006-a6-T7-B1-Rm4-P1-L2	90°-7T-100w-750CL-P85-100L-MAG
G00006-a4-T8-B1-Rm4-P1-L2	60°-8T-100w-750CL-P85-100L-MAG	G00006-a5-T8-B1-Rm4-P1-L2	75°-8T-100w-750CL-P85-100L-MAG	G00006-a6-T8-B1-Rm4-P1-L2	90°-8T-100w-750CL-P85-100L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



SINGLE TRACK - G00006-a6-T1-B1-Rm4-P0-L3

TRACKS	W
1	100
2	185
3	270
4	355
5	440
6	525
7	610
8	695





MULTI TRACK - G00006-a6-T2-B1-Rm4-P1-L3

Rm = 750mm - MULTI TRACK - 125mm LEAD IN / LEAD OUT


α 15°		α 30°		α 45°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a1-T1-B1-Rm4-P0-L3	15°-1T-100w-750CL-125L-MAG	G00006-a2-T1-B1-Rm4-P0-L3	30°-1T-100w-750CL-125L-MAG	G00006-a3-T1-B1-Rm4-P0-L3	45°-1T-100w-750CL-125L-MAG
G00006-a1-T2-B1-Rm4-P1-L3	15°-2T-100w-750CL-P85-125L-MAG	G00006-a2-T2-B1-Rm4-P1-L3	30°-2T-100w-750CL-P85-125L-MAG	G00006-a3-T2-B1-Rm4-P1-L3	45°-2T-100w-750CL-P85-125L-MAG
G00006-a1-T3-B1-Rm4-P1-L3	15°-3T-100w-750CL-P85-125L-MAG	G00006-a2-T3-B1-Rm4-P1-L3	30°-3T-100w-750CL-P85-125L-MAG	G00006-a3-T3-B1-Rm4-P1-L3	45°-3T-100w-750CL-P85-125L-MAG
G00006-a1-T4-B1-Rm4-P1-L3	15°-4T-100w-750CL-P85-125L-MAG	G00006-a2-T4-B1-Rm4-P1-L3	30°-4T-100w-750CL-P85-125L-MAG	G00006-a3-T4-B1-Rm4-P1-L3	45°-4T-100w-750CL-P85-125L-MAG
G00006-a1-T5-B1-Rm4-P1-L3	15°-5T-100w-750CL-P85-125L-MAG	G00006-a2-T5-B1-Rm4-P1-L3	30°-5T-100w-750CL-P85-125L-MAG	G00006-a3-T5-B1-Rm4-P1-L3	45°-5T-100w-750CL-P85-125L-MAG
G00006-a1-T6-B1-Rm4-P1-L3	15°-6T-100w-750CL-P85-125L-MAG	G00006-a2-T6-B1-Rm4-P1-L3	30°-6T-100w-750CL-P85-125L-MAG	G00006-a3-T6-B1-Rm4-P1-L3	45°-6T-100w-750CL-P85-125L-MAG
G00006-a1-T7-B1-Rm4-P1-L3	15°-7T-100w-750CL-P85-125L-MAG	G00006-a2-T7-B1-Rm4-P1-L3	30°-7T-100w-750CL-P85-125L-MAG	G00006-a3-T7-B1-Rm4-P1-L3	45°-7T-100w-750CL-P85-125L-MAG
G00006-a1-T8-B1-Rm4-P1-L3	15°-8T-100w-750CL-P85-125L-MAG	G00006-a2-T8-B1-Rm4-P1-L3	30°-8T-100w-750CL-P85-125L-MAG	G00006-a3-T8-B1-Rm4-P1-L3	45°-8T-100w-750CL-P85-125L-MAG
α 60°		α 75°		α 90°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a4-T1-B1-Rm4-P0-L3	60°-1T-100w-750CL-125L-MAG	G00006-a5-T1-B1-Rm4-P0-L3	75°-1T-100w-750CL-125L-MAG	G00006-a6-T1-B1-Rm4-P0-L3	90°-1T-100w-750CL-125L-MAG
G00006-a4-T2-B1-Rm4-P1-L3	60°-2T-100w-750CL-P85-125L-MAG	G00006-a5-T2-B1-Rm4-P1-L3	75°-2T-100w-750CL-P85-125L-MAG	G00006-a6-T2-B1-Rm4-P1-L3	90°-2T-100w-750CL-P85-125L-MAG
G00006-a4-T3-B1-Rm4-P1-L3	60°-3T-100w-750CL-P85-125L-MAG	G00006-a5-T3-B1-Rm4-P1-L3	75°-3T-100w-750CL-P85-125L-MAG	G00006-a6-T3-B1-Rm4-P1-L3	90°-3T-100w-750CL-P85-125L-MAG
G00006-a4-T4-B1-Rm4-P1-L3	60°-4T-100w-750CL-P85-125L-MAG	G00006-a5-T4-B1-Rm4-P1-L3	75°-4T-100w-750CL-P85-125L-MAG	G00006-a6-T4-B1-Rm4-P1-L3	90°-4T-100w-750CL-P85-125L-MAG
G00006-a4-T5-B1-Rm4-P1-L3	60°-5T-100w-750CL-P85-125L-MAG	G00006-a5-T5-B1-Rm4-P1-L3	75°-5T-100w-750CL-P85-125L-MAG	G00006-a6-T5-B1-Rm4-P1-L3	90°-5T-100w-750CL-P85-125L-MAG
G00006-a4-T6-B1-Rm4-P1-L3	60°-6T-100w-750CL-P85-125L-MAG	G00006-a5-T6-B1-Rm4-P1-L3	75°-6T-100w-750CL-P85-125L-MAG	G00006-a6-T6-B1-Rm4-P1-L3	90°-6T-100w-750CL-P85-125L-MAG
G00006-a4-T7-B1-Rm4-P1-L3	60°-7T-100w-750CL-P85-125L-MAG	G00006-a5-T7-B1-Rm4-P1-L3	75°-7T-100w-750CL-P85-125L-MAG	G00006-a6-T7-B1-Rm4-P1-L3	90°-7T-100w-750CL-P85-125L-MAG
G00006-a4-T8-B1-Rm4-P1-L3	60°-8T-100w-750CL-P85-125L-MAG	G00006-a5-T8-B1-Rm4-P1-L3	75°-8T-100w-750CL-P85-125L-MAG	G00006-a6-T8-B1-Rm4-P1-L3	90°-8T-100w-750CL-P85-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



SINGLE TRACK - G00006-a6-T1-B1-Rm4-P0-L0

TRACKS	W
1	100
2	185
3	270
4	355
5	440
6	525
7	610
8	695





MULTI TRACK - G00006-a6-T2-B1-Rm4-P1-L0

Rm = 750mm - MULTI TRACK - NO LEAD IN / LEAD OUT


$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a1-T1-B1-Rm4-P0-L0	15°-1T-100w-750CL-OL-MAG	G00006-a2-T1-B1-Rm4-P0-L0	30°-1T-100w-750CL-OL-MAG	G00006-a3-T1-B1-Rm4-P0-L0	45°-1T-100w-750CL-OL-MAG
G00006-a1-T2-B1-Rm4-P1-L0	15°-2T-100w-750CL-P85-OL-MAG	G00006-a2-T2-B1-Rm4-P1-L0	30°-2T-100w-750CL-P85-OL-MAG	G00006-a3-T2-B1-Rm4-P1-L0	45°-2T-100w-750CL-P85-OL-MAG
G00006-a1-T3-B1-Rm4-P1-L0	15°-3T-100w-750CL-P85-OL-MAG	G00006-a2-T3-B1-Rm4-P1-L0	30°-3T-100w-750CL-P85-OL-MAG	G00006-a3-T3-B1-Rm4-P1-L0	45°-3T-100w-750CL-P85-OL-MAG
G00006-a1-T4-B1-Rm4-P1-L0	15°-4T-100w-750CL-P85-OL-MAG	G00006-a2-T4-B1-Rm4-P1-L0	30°-4T-100w-750CL-P85-OL-MAG	G00006-a3-T4-B1-Rm4-P1-L0	45°-4T-100w-750CL-P85-OL-MAG
G00006-a1-T5-B1-Rm4-P1-L0	15°-5T-100w-750CL-P85-OL-MAG	G00006-a2-T5-B1-Rm4-P1-L0	30°-5T-100w-750CL-P85-OL-MAG	G00006-a3-T5-B1-Rm4-P1-L0	45°-5T-100w-750CL-P85-OL-MAG
G00006-a1-T6-B1-Rm4-P1-L0	15°-6T-100w-750CL-P85-OL-MAG	G00006-a2-T6-B1-Rm4-P1-L0	30°-6T-100w-750CL-P85-OL-MAG	G00006-a3-T6-B1-Rm4-P1-L0	45°-6T-100w-750CL-P85-OL-MAG
G00006-a1-T7-B1-Rm4-P1-L0	15°-7T-100w-750CL-P85-OL-MAG	G00006-a2-T7-B1-Rm4-P1-L0	30°-7T-100w-750CL-P85-OL-MAG	G00006-a3-T7-B1-Rm4-P1-L0	45°-7T-100w-750CL-P85-OL-MAG
G00006-a1-T8-B1-Rm4-P1-L0	15°-8T-100w-750CL-P85-OL-MAG	G00006-a2-T8-B1-Rm4-P1-L0	30°-8T-100w-750CL-P85-OL-MAG	G00006-a3-T8-B1-Rm4-P1-L0	45°-8T-100w-750CL-P85-OL-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a4-T1-B1-Rm4-P0-L0	60°-1T-100w-750CL-OL-MAG	G00006-a5-T1-B1-Rm4-P0-L0	75°-1T-100w-750CL-OL-MAG	G00006-a6-T1-B1-Rm4-P0-L0	90°-1T-100w-750CL-OL-MAG
G00006-a4-T2-B1-Rm4-P1-L0	60°-2T-100w-750CL-P85-OL-MAG	G00006-a5-T2-B1-Rm4-P1-L0	75°-2T-100w-750CL-P85-OL-MAG	G00006-a6-T2-B1-Rm4-P1-L0	90°-2T-100w-750CL-P85-OL-MAG
G00006-a4-T3-B1-Rm4-P1-L0	60°-3T-100w-750CL-P85-OL-MAG	G00006-a5-T3-B1-Rm4-P1-L0	75°-3T-100w-750CL-P85-OL-MAG	G00006-a6-T3-B1-Rm4-P1-L0	90°-3T-100w-750CL-P85-OL-MAG
G00006-a4-T4-B1-Rm4-P1-L0	60°-4T-100w-750CL-P85-OL-MAG	G00006-a5-T4-B1-Rm4-P1-L0	75°-4T-100w-750CL-P85-OL-MAG	G00006-a6-T4-B1-Rm4-P1-L0	90°-4T-100w-750CL-P85-OL-MAG
G00006-a4-T5-B1-Rm4-P1-L0	60°-5T-100w-750CL-P85-OL-MAG	G00006-a5-T5-B1-Rm4-P1-L0	75°-5T-100w-750CL-P85-OL-MAG	G00006-a6-T5-B1-Rm4-P1-L0	90°-5T-100w-750CL-P85-OL-MAG
G00006-a4-T6-B1-Rm4-P1-L0	60°-6T-100w-750CL-P85-OL-MAG	G00006-a5-T6-B1-Rm4-P1-L0	75°-6T-100w-750CL-P85-OL-MAG	G00006-a6-T6-B1-Rm4-P1-L0	90°-6T-100w-750CL-P85-OL-MAG
G00006-a4-T7-B1-Rm4-P1-L0	60°-7T-100w-750CL-P85-OL-MAG	G00006-a5-T7-B1-Rm4-P1-L0	75°-7T-100w-750CL-P85-OL-MAG	G00006-a6-T7-B1-Rm4-P1-L0	90°-7T-100w-750CL-P85-OL-MAG
G00006-a4-T8-B1-Rm4-P1-L0	60°-8T-100w-750CL-P85-OL-MAG	G00006-a5-T8-B1-Rm4-P1-L0	75°-8T-100w-750CL-P85-OL-MAG	G00006-a6-T8-B1-Rm4-P1-L0	90°-8T-100w-750CL-P85-OL-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



SINGLE TRACK - G00006-a6-T1-B1-Rm6-P0-L1

TRACKS	W
1	100
2	185
3	270
4	355
5	440
6	525
7	610
8	695



MULTI TRACK - G00006-a6-T2-B1-Rm6-P1-L1

Rm = 1000mm - MULTI TRACK - 50mm LEAD IN / LEAD OUT

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a1-T1-B1-Rm6-P0-L1	15°-1T-100w-1000CL-50L-MAG	G00006-a2-T1-B1-Rm6-P0-L1	30°-1T-100w-1000CL-50L-MAG	G00006-a3-T1-B1-Rm6-P0-L1	45°-1T-100w-1000CL-50L-MAG
G00006-a1-T2-B1-Rm6-P1-L1	15°-2T-100w-1000CL-P85-50L-MAG	G00006-a2-T2-B1-Rm6-P1-L1	30°-2T-100w-1000CL-P85-50L-MAG	G00006-a3-T2-B1-Rm6-P1-L1	45°-2T-100w-1000CL-P85-50L-MAG
G00006-a1-T3-B1-Rm6-P1-L1	15°-3T-100w-1000CL-P85-50L-MAG	G00006-a2-T3-B1-Rm6-P1-L1	30°-3T-100w-1000CL-P85-50L-MAG	G00006-a3-T3-B1-Rm6-P1-L1	45°-3T-100w-1000CL-P85-50L-MAG
G00006-a1-T4-B1-Rm6-P1-L1	15°-4T-100w-1000CL-P85-50L-MAG	G00006-a2-T4-B1-Rm6-P1-L1	30°-4T-100w-1000CL-P85-50L-MAG	G00006-a3-T4-B1-Rm6-P1-L1	45°-4T-100w-1000CL-P85-50L-MAG
G00006-a1-T5-B1-Rm6-P1-L1	15°-5T-100w-1000CL-P85-50L-MAG	G00006-a2-T5-B1-Rm6-P1-L1	30°-5T-100w-1000CL-P85-50L-MAG	G00006-a3-T5-B1-Rm6-P1-L1	45°-5T-100w-1000CL-P85-50L-MAG
G00006-a1-T6-B1-Rm6-P1-L1	15°-6T-100w-1000CL-P85-50L-MAG	G00006-a2-T6-B1-Rm6-P1-L1	30°-6T-100w-1000CL-P85-50L-MAG	G00006-a3-T6-B1-Rm6-P1-L1	45°-6T-100w-1000CL-P85-50L-MAG
G00006-a1-T7-B1-Rm6-P1-L1	15°-7T-100w-1000CL-P85-50L-MAG	G00006-a2-T7-B1-Rm6-P1-L1	30°-7T-100w-1000CL-P85-50L-MAG	G00006-a3-T7-B1-Rm6-P1-L1	45°-7T-100w-1000CL-P85-50L-MAG
G00006-a1-T8-B1-Rm6-P1-L1	15°-8T-100w-1000CL-P85-50L-MAG	G00006-a2-T8-B1-Rm6-P1-L1	30°-8T-100w-1000CL-P85-50L-MAG	G00006-a3-T8-B1-Rm6-P1-L1	45°-8T-100w-1000CL-P85-50L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a4-T1-B1-Rm6-P0-L1	60°-1T-100w-1000CL-50L-MAG	G00006-a5-T1-B1-Rm6-P0-L1	75°-1T-100w-1000CL-50L-MAG	G00006-a6-T1-B1-Rm6-P0-L1	90°-1T-100w-1000CL-50L-MAG
G00006-a4-T2-B1-Rm6-P1-L1	60°-2T-100w-1000CL-P85-50L-MAG	G00006-a5-T2-B1-Rm6-P1-L1	75°-2T-100w-1000CL-P85-50L-MAG	G00006-a6-T2-B1-Rm6-P1-L1	90°-2T-100w-1000CL-P85-50L-MAG
G00006-a4-T3-B1-Rm6-P1-L1	60°-3T-100w-1000CL-P85-50L-MAG	G00006-a5-T3-B1-Rm6-P1-L1	75°-3T-100w-1000CL-P85-50L-MAG	G00006-a6-T3-B1-Rm6-P1-L1	90°-3T-100w-1000CL-P85-50L-MAG
G00006-a4-T4-B1-Rm6-P1-L1	60°-4T-100w-1000CL-P85-50L-MAG	G00006-a5-T4-B1-Rm6-P1-L1	75°-4T-100w-1000CL-P85-50L-MAG	G00006-a6-T4-B1-Rm6-P1-L1	90°-4T-100w-1000CL-P85-50L-MAG
G00006-a4-T5-B1-Rm6-P1-L1	60°-5T-100w-1000CL-P85-50L-MAG	G00006-a5-T5-B1-Rm6-P1-L1	75°-5T-100w-1000CL-P85-50L-MAG	G00006-a6-T5-B1-Rm6-P1-L1	90°-5T-100w-1000CL-P85-50L-MAG
G00006-a4-T6-B1-Rm6-P1-L1	60°-6T-100w-1000CL-P85-50L-MAG	G00006-a5-T6-B1-Rm6-P1-L1	75°-6T-100w-1000CL-P85-50L-MAG	G00006-a6-T6-B1-Rm6-P1-L1	90°-6T-100w-1000CL-P85-50L-MAG
G00006-a4-T7-B1-Rm6-P1-L1	60°-7T-100w-1000CL-P85-50L-MAG	G00006-a5-T7-B1-Rm6-P1-L1	75°-7T-100w-1000CL-P85-50L-MAG	G00006-a6-T7-B1-Rm6-P1-L1	90°-7T-100w-1000CL-P85-50L-MAG
G00006-a4-T8-B1-Rm6-P1-L1	60°-8T-100w-1000CL-P85-50L-MAG	G00006-a5-T8-B1-Rm6-P1-L1	75°-8T-100w-1000CL-P85-50L-MAG	G00006-a6-T8-B1-Rm6-P1-L1	90°-8T-100w-1000CL-P85-50L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



CHAINS/BELTS
PG. E801D - E901B



MATERIALS





TABLE OF
CONTENTS




BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)

WWW.IRP.CO.ZA



SINGLE TRACK - G00006-a6-T1-B1-Rm6-P0-L2

TRACKS	W
1	100
2	185
3	270
4	355
5	440
6	525
7	610
8	695





MULTI TRACK - G00006-a6-T2-B1-Rm6-P1-L2

Rm = 1000mm - MULTI TRACK - 100mm LEAD IN / LEAD OUT


$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a1-T1-B1-Rm6-P0-L2	15°-1T-100w-1000CL-100L-MAG	G00006-a2-T1-B1-Rm6-P0-L2	30°-1T-100w-1000CL-100L-MAG	G00006-a3-T1-B1-Rm6-P0-L2	45°-1T-100w-1000CL-100L-MAG
G00006-a1-T2-B1-Rm6-P1-L2	15°-2T-100w-1000CL-P85-100L-MAG	G00006-a2-T2-B1-Rm6-P1-L2	30°-2T-100w-1000CL-P85-100L-MAG	G00006-a3-T2-B1-Rm6-P1-L2	45°-2T-100w-1000CL-P85-100L-MAG
G00006-a1-T3-B1-Rm6-P1-L2	15°-3T-100w-1000CL-P85-100L-MAG	G00006-a2-T3-B1-Rm6-P1-L2	30°-3T-100w-1000CL-P85-100L-MAG	G00006-a3-T3-B1-Rm6-P1-L2	45°-3T-100w-1000CL-P85-100L-MAG
G00006-a1-T4-B1-Rm6-P1-L2	15°-4T-100w-1000CL-P85-100L-MAG	G00006-a2-T4-B1-Rm6-P1-L2	30°-4T-100w-1000CL-P85-100L-MAG	G00006-a3-T4-B1-Rm6-P1-L2	45°-4T-100w-1000CL-P85-100L-MAG
G00006-a1-T5-B1-Rm6-P1-L2	15°-5T-100w-1000CL-P85-100L-MAG	G00006-a2-T5-B1-Rm6-P1-L2	30°-5T-100w-1000CL-P85-100L-MAG	G00006-a3-T5-B1-Rm6-P1-L2	45°-5T-100w-1000CL-P85-100L-MAG
G00006-a1-T6-B1-Rm6-P1-L2	15°-6T-100w-1000CL-P85-100L-MAG	G00006-a2-T6-B1-Rm6-P1-L2	30°-6T-100w-1000CL-P85-100L-MAG	G00006-a3-T6-B1-Rm6-P1-L2	45°-6T-100w-1000CL-P85-100L-MAG
G00006-a1-T7-B1-Rm6-P1-L2	15°-7T-100w-1000CL-P85-100L-MAG	G00006-a2-T7-B1-Rm6-P1-L2	30°-7T-100w-1000CL-P85-100L-MAG	G00006-a3-T7-B1-Rm6-P1-L2	45°-7T-100w-1000CL-P85-100L-MAG
G00006-a1-T8-B1-Rm6-P1-L2	15°-8T-100w-1000CL-P85-100L-MAG	G00006-a2-T8-B1-Rm6-P1-L2	30°-8T-100w-1000CL-P85-100L-MAG	G00006-a3-T8-B1-Rm6-P1-L2	45°-8T-100w-1000CL-P85-100L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a4-T1-B1-Rm6-P0-L2	60°-1T-100w-1000CL-100L-MAG	G00006-a5-T1-B1-Rm6-P0-L2	75°-1T-100w-1000CL-100L-MAG	G00006-a6-T1-B1-Rm6-P0-L2	90°-1T-100w-1000CL-100L-MAG
G00006-a4-T2-B1-Rm6-P1-L2	60°-2T-100w-1000CL-P85-100L-MAG	G00006-a5-T2-B1-Rm6-P1-L2	75°-2T-100w-1000CL-P85-100L-MAG	G00006-a6-T2-B1-Rm6-P1-L2	90°-2T-100w-1000CL-P85-100L-MAG
G00006-a4-T3-B1-Rm6-P1-L2	60°-3T-100w-1000CL-P85-100L-MAG	G00006-a5-T3-B1-Rm6-P1-L2	75°-3T-100w-1000CL-P85-100L-MAG	G00006-a6-T3-B1-Rm6-P1-L2	90°-3T-100w-1000CL-P85-100L-MAG
G00006-a4-T4-B1-Rm6-P1-L2	60°-4T-100w-1000CL-P85-100L-MAG	G00006-a5-T4-B1-Rm6-P1-L2	75°-4T-100w-1000CL-P85-100L-MAG	G00006-a6-T4-B1-Rm6-P1-L2	90°-4T-100w-1000CL-P85-100L-MAG
G00006-a4-T5-B1-Rm6-P1-L2	60°-5T-100w-1000CL-P85-100L-MAG	G00006-a5-T5-B1-Rm6-P1-L2	75°-5T-100w-1000CL-P85-100L-MAG	G00006-a6-T5-B1-Rm6-P1-L2	90°-5T-100w-1000CL-P85-100L-MAG
G00006-a4-T6-B1-Rm6-P1-L2	60°-6T-100w-1000CL-P85-100L-MAG	G00006-a5-T6-B1-Rm6-P1-L2	75°-6T-100w-1000CL-P85-100L-MAG	G00006-a6-T6-B1-Rm6-P1-L2	90°-6T-100w-1000CL-P85-100L-MAG
G00006-a4-T7-B1-Rm6-P1-L2	60°-7T-100w-1000CL-P85-100L-MAG	G00006-a5-T7-B1-Rm6-P1-L2	75°-7T-100w-1000CL-P85-100L-MAG	G00006-a6-T7-B1-Rm6-P1-L2	90°-7T-100w-1000CL-P85-100L-MAG
G00006-a4-T8-B1-Rm6-P1-L2	60°-8T-100w-1000CL-P85-100L-MAG	G00006-a5-T8-B1-Rm6-P1-L2	75°-8T-100w-1000CL-P85-100L-MAG	G00006-a6-T8-B1-Rm6-P1-L2	90°-8T-100w-1000CL-P85-100L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



SINGLE TRACK - G00006-a6-T1-B1-Rm6-P0-L3

TRACKS	W
1	100
2	185
3	270
4	355
5	440
6	525
7	610
8	695





MULTI TRACK - G00006-a6-T2-B1-Rm6-P1-L3

Rm = 1000mm - MULTI TRACK - 125mm LEAD IN / LEAD OUT


$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a1-T1-B1-Rm6-P0-L3	15°-1T-100w-1000CL-125L-MAG	G00006-a2-T1-B1-Rm6-P0-L3	30°-1T-100w-1000CL-125L-MAG	G00006-a3-T1-B1-Rm6-P0-L3	45°-1T-100w-1000CL-125L-MAG
G00006-a1-T2-B1-Rm6-P1-L3	15°-2T-100w-1000CL-P85-125L-MAG	G00006-a2-T2-B1-Rm6-P1-L3	30°-2T-100w-1000CL-P85-125L-MAG	G00006-a3-T2-B1-Rm6-P1-L3	45°-2T-100w-1000CL-P85-125L-MAG
G00006-a1-T3-B1-Rm6-P1-L3	15°-3T-100w-1000CL-P85-125L-MAG	G00006-a2-T3-B1-Rm6-P1-L3	30°-3T-100w-1000CL-P85-125L-MAG	G00006-a3-T3-B1-Rm6-P1-L3	45°-3T-100w-1000CL-P85-125L-MAG
G00006-a1-T4-B1-Rm6-P1-L3	15°-4T-100w-1000CL-P85-125L-MAG	G00006-a2-T4-B1-Rm6-P1-L3	30°-4T-100w-1000CL-P85-125L-MAG	G00006-a3-T4-B1-Rm6-P1-L3	45°-4T-100w-1000CL-P85-125L-MAG
G00006-a1-T5-B1-Rm6-P1-L3	15°-5T-100w-1000CL-P85-125L-MAG	G00006-a2-T5-B1-Rm6-P1-L3	30°-5T-100w-1000CL-P85-125L-MAG	G00006-a3-T5-B1-Rm6-P1-L3	45°-5T-100w-1000CL-P85-125L-MAG
G00006-a1-T6-B1-Rm6-P1-L3	15°-6T-100w-1000CL-P85-125L-MAG	G00006-a2-T6-B1-Rm6-P1-L3	30°-6T-100w-1000CL-P85-125L-MAG	G00006-a3-T6-B1-Rm6-P1-L3	45°-6T-100w-1000CL-P85-125L-MAG
G00006-a1-T7-B1-Rm6-P1-L3	15°-7T-100w-1000CL-P85-125L-MAG	G00006-a2-T7-B1-Rm6-P1-L3	30°-7T-100w-1000CL-P85-125L-MAG	G00006-a3-T7-B1-Rm6-P1-L3	45°-7T-100w-1000CL-P85-125L-MAG
G00006-a1-T8-B1-Rm6-P1-L3	15°-8T-100w-1000CL-P85-125L-MAG	G00006-a2-T8-B1-Rm6-P1-L3	30°-8T-100w-1000CL-P85-125L-MAG	G00006-a3-T8-B1-Rm6-P1-L3	45°-8T-100w-1000CL-P85-125L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a4-T1-B1-Rm6-P0-L3	60°-1T-100w-1000CL-125L-MAG	G00006-a5-T1-B1-Rm6-P0-L3	75°-1T-100w-1000CL-125L-MAG	G00006-a6-T1-B1-Rm6-P0-L3	90°-1T-100w-1000CL-125L-MAG
G00006-a4-T2-B1-Rm6-P1-L3	60°-2T-100w-1000CL-P85-125L-MAG	G00006-a5-T2-B1-Rm6-P1-L3	75°-2T-100w-1000CL-P85-125L-MAG	G00006-a6-T2-B1-Rm6-P1-L3	90°-2T-100w-1000CL-P85-125L-MAG
G00006-a4-T3-B1-Rm6-P1-L3	60°-3T-100w-1000CL-P85-125L-MAG	G00006-a5-T3-B1-Rm6-P1-L3	75°-3T-100w-1000CL-P85-125L-MAG	G00006-a6-T3-B1-Rm6-P1-L3	90°-3T-100w-1000CL-P85-125L-MAG
G00006-a4-T4-B1-Rm6-P1-L3	60°-4T-100w-1000CL-P85-125L-MAG	G00006-a5-T4-B1-Rm6-P1-L3	75°-4T-100w-1000CL-P85-125L-MAG	G00006-a6-T4-B1-Rm6-P1-L3	90°-4T-100w-1000CL-P85-125L-MAG
G00006-a4-T5-B1-Rm6-P1-L3	60°-5T-100w-1000CL-P85-125L-MAG	G00006-a5-T5-B1-Rm6-P1-L3	75°-5T-100w-1000CL-P85-125L-MAG	G00006-a6-T5-B1-Rm6-P1-L3	90°-5T-100w-1000CL-P85-125L-MAG
G00006-a4-T6-B1-Rm6-P1-L3	60°-6T-100w-1000CL-P85-125L-MAG	G00006-a5-T6-B1-Rm6-P1-L3	75°-6T-100w-1000CL-P85-125L-MAG	G00006-a6-T6-B1-Rm6-P1-L3	90°-6T-100w-1000CL-P85-125L-MAG
G00006-a4-T7-B1-Rm6-P1-L3	60°-7T-100w-1000CL-P85-125L-MAG	G00006-a5-T7-B1-Rm6-P1-L3	75°-7T-100w-1000CL-P85-125L-MAG	G00006-a6-T7-B1-Rm6-P1-L3	90°-7T-100w-1000CL-P85-125L-MAG
G00006-a4-T8-B1-Rm6-P1-L3	60°-8T-100w-1000CL-P85-125L-MAG	G00006-a5-T8-B1-Rm6-P1-L3	75°-8T-100w-1000CL-P85-125L-MAG	G00006-a6-T8-B1-Rm6-P1-L3	90°-8T-100w-1000CL-P85-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



SINGLE TRACK - G00006-a6-T1-B1-Rm6-P0-L0

TRACKS	W
1	100
2	185
3	270
4	355
5	440
6	525
7	610
8	695





MULTI TRACK - G00006-a6-T2-B1-Rm6-P1-L0

Rm = 1000mm - MULTI TRACK - NO LEAD IN / LEAD OUT

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a1-T1-B1-Rm6-P0-L0	15°-1T-100w-1000CL-0L-MAG	G00006-a2-T1-B1-Rm6-P0-L0	30°-1T-100w-1000CL-0L-MAG	G00006-a3-T1-B1-Rm6-P0-L0	45°-1T-100w-1000CL-0L-MAG
G00006-a1-T2-B1-Rm6-P1-L0	15°-2T-100w-1000CL-P85-0L-MAG	G00006-a2-T2-B1-Rm6-P1-L0	30°-2T-100w-1000CL-P85-0L-MAG	G00006-a3-T2-B1-Rm6-P1-L0	45°-2T-100w-1000CL-P85-0L-MAG
G00006-a1-T3-B1-Rm6-P1-L0	15°-3T-100w-1000CL-P85-0L-MAG	G00006-a2-T3-B1-Rm6-P1-L0	30°-3T-100w-1000CL-P85-0L-MAG	G00006-a3-T3-B1-Rm6-P1-L0	45°-3T-100w-1000CL-P85-0L-MAG
G00006-a1-T4-B1-Rm6-P1-L0	15°-4T-100w-1000CL-P85-0L-MAG	G00006-a2-T4-B1-Rm6-P1-L0	30°-4T-100w-1000CL-P85-0L-MAG	G00006-a3-T4-B1-Rm6-P1-L0	45°-4T-100w-1000CL-P85-0L-MAG
G00006-a1-T5-B1-Rm6-P1-L0	15°-5T-100w-1000CL-P85-0L-MAG	G00006-a2-T5-B1-Rm6-P1-L0	30°-5T-100w-1000CL-P85-0L-MAG	G00006-a3-T5-B1-Rm6-P1-L0	45°-5T-100w-1000CL-P85-0L-MAG
G00006-a1-T6-B1-Rm6-P1-L0	15°-6T-100w-1000CL-P85-0L-MAG	G00006-a2-T6-B1-Rm6-P1-L0	30°-6T-100w-1000CL-P85-0L-MAG	G00006-a3-T6-B1-Rm6-P1-L0	45°-6T-100w-1000CL-P85-0L-MAG
G00006-a1-T7-B1-Rm6-P1-L0	15°-7T-100w-1000CL-P85-0L-MAG	G00006-a2-T7-B1-Rm6-P1-L0	30°-7T-100w-1000CL-P85-0L-MAG	G00006-a3-T7-B1-Rm6-P1-L0	45°-7T-100w-1000CL-P85-0L-MAG
G00006-a1-T8-B1-Rm6-P1-L0	15°-8T-100w-1000CL-P85-0L-MAG	G00006-a2-T8-B1-Rm6-P1-L0	30°-8T-100w-1000CL-P85-0L-MAG	G00006-a3-T8-B1-Rm6-P1-L0	45°-8T-100w-1000CL-P85-0L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a4-T1-B1-Rm6-P0-L0	60°-1T-100w-1000CL-0L-MAG	G00006-a5-T1-B1-Rm6-P0-L0	75°-1T-100w-1000CL-0L-MAG	G00006-a6-T1-B1-Rm6-P0-L0	90°-1T-100w-1000CL-0L-MAG
G00006-a4-T2-B1-Rm6-P1-L0	60°-2T-100w-1000CL-P85-0L-MAG	G00006-a5-T2-B1-Rm6-P1-L0	75°-2T-100w-1000CL-P85-0L-MAG	G00006-a6-T2-B1-Rm6-P1-L0	90°-2T-100w-1000CL-P85-0L-MAG
G00006-a4-T3-B1-Rm6-P1-L0	60°-3T-100w-1000CL-P85-0L-MAG	G00006-a5-T3-B1-Rm6-P1-L0	75°-3T-100w-1000CL-P85-0L-MAG	G00006-a6-T3-B1-Rm6-P1-L0	90°-3T-100w-1000CL-P85-0L-MAG
G00006-a4-T4-B1-Rm6-P1-L0	60°-4T-100w-1000CL-P85-0L-MAG	G00006-a5-T4-B1-Rm6-P1-L0	75°-4T-100w-1000CL-P85-0L-MAG	G00006-a6-T4-B1-Rm6-P1-L0	90°-4T-100w-1000CL-P85-0L-MAG
G00006-a4-T5-B1-Rm6-P1-L0	60°-5T-100w-1000CL-P85-0L-MAG	G00006-a5-T5-B1-Rm6-P1-L0	75°-5T-100w-1000CL-P85-0L-MAG	G00006-a6-T5-B1-Rm6-P1-L0	90°-5T-100w-1000CL-P85-0L-MAG
G00006-a4-T6-B1-Rm6-P1-L0	60°-6T-100w-1000CL-P85-0L-MAG	G00006-a5-T6-B1-Rm6-P1-L0	75°-6T-100w-1000CL-P85-0L-MAG	G00006-a6-T6-B1-Rm6-P1-L0	90°-6T-100w-1000CL-P85-0L-MAG
G00006-a4-T7-B1-Rm6-P1-L0	60°-7T-100w-1000CL-P85-0L-MAG	G00006-a5-T7-B1-Rm6-P1-L0	75°-7T-100w-1000CL-P85-0L-MAG	G00006-a6-T7-B1-Rm6-P1-L0	90°-7T-100w-1000CL-P85-0L-MAG
G00006-a4-T8-B1-Rm6-P1-L0	60°-8T-100w-1000CL-P85-0L-MAG	G00006-a5-T8-B1-Rm6-P1-L0	75°-8T-100w-1000CL-P85-0L-MAG	G00006-a6-T8-B1-Rm6-P1-L0	90°-8T-100w-1000CL-P85-0L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET





LEAD IN & OUT AVAILABLE IN
125mm - 100mm 50mm AND WITHOUT

Rm = 500mm - SINGLE TRACK

α 15°		α 30°		α 45°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a1-T1-B1-Rm1-P0-L0	15°-1T-100w-500CL-0L-MAG	G00006-a2-T1-B1-Rm1-P0-L0	30°-1T-100w-500CL-0L-MAG	G00006-a3-T1-B1-Rm1-P0-L0	45°-1T-100w-500CL-0L-MAG
G00006-a1-T1-B1-Rm1-P0-L1	15°-1T-100w-500CL-50L-MAG	G00006-a2-T1-B1-Rm1-P0-L1	30°-1T-100w-500CL-50L-MAG	G00006-a3-T1-B1-Rm1-P0-L1	45°-1T-100w-500CL-50L-MAG
G00006-a1-T1-B1-Rm1-P0-L2	15°-1T-100w-500CL-100L-MAG	G00006-a2-T1-B1-Rm1-P0-L2	30°-1T-100w-500CL-100L-MAG	G00006-a3-T1-B1-Rm1-P0-L2	45°-1T-100w-500CL-100L-MAG
G00006-a1-T1-B1-Rm1-P0-L3	15°-1T-100w-500CL-125L-MAG	G00006-a2-T1-B1-Rm1-P0-L3	30°-1T-100w-500CL-125L-MAG	G00006-a3-T1-B1-Rm1-P0-L3	45°-1T-100w-500CL-125L-MAG
α 60°		α 75°		α 90°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a4-T1-B1-Rm1-P0-L0	60°-1T-100w-500CL-0L-MAG	G00006-a5-T1-B1-Rm1-P0-L0	75°-1T-100w-500CL-0L-MAG	G00006-a6-T1-B1-Rm1-P0-L0	90°-1T-100w-500CL-0L-MAG
G00006-a4-T1-B1-Rm1-P0-L1	60°-1T-100w-500CL-50L-MAG	G00006-a5-T1-B1-Rm1-P0-L1	75°-1T-100w-500CL-50L-MAG	G00006-a6-T1-B1-Rm1-P0-L1	90°-1T-100w-500CL-50L-MAG
G00006-a4-T1-B1-Rm1-P0-L2	60°-1T-100w-500CL-100L-MAG	G00006-a5-T1-B1-Rm1-P0-L2	75°-1T-100w-500CL-100L-MAG	G00006-a6-T1-B1-Rm1-P0-L2	90°-1T-100w-500CL-100L-MAG
G00006-a4-T1-B1-Rm1-P0-L3	60°-1T-100w-500CL-125L-MAG	G00006-a5-T1-B1-Rm1-P0-L3	75°-1T-100w-500CL-125L-MAG	G00006-a6-T1-B1-Rm1-P0-L3	90°-1T-100w-500CL-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET





LEAD IN & OUT AVAILABLE IN
125mm - 100mm 50mm AND WITHOUT

Rm = 610mm - SINGLE TRACK

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a1-T1-B1-Rm2-P0-L0	15°-1T-100w-610CL-0L-MAG	G00006-a2-T1-B1-Rm2-P0-L0	30°-1T-100w-610CL-0L-MAG	G00006-a3-T1-B1-Rm2-P0-L0	45°-1T-100w-610CL-0L-MAG
G00006-a1-T1-B1-Rm2-P0-L1	15°-1T-100w-610CL-50L-MAG	G00006-a2-T1-B1-Rm2-P0-L1	30°-1T-100w-610CL-50L-MAG	G00006-a3-T1-B1-Rm2-P0-L1	45°-1T-100w-610CL-50L-MAG
G00006-a1-T1-B1-Rm2-P0-L2	15°-1T-100w-610CL-100L-MAG	G00006-a2-T1-B1-Rm2-P0-L2	30°-1T-100w-610CL-100L-MAG	G00006-a3-T1-B1-Rm2-P0-L2	45°-1T-100w-610CL-100L-MAG
G00006-a1-T1-B1-Rm2-P0-L3	15°-1T-100w-610CL-125L-MAG	G00006-a2-T1-B1-Rm2-P0-L3	30°-1T-100w-610CL-125L-MAG	G00006-a3-T1-B1-Rm2-P0-L3	45°-1T-100w-610CL-125L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a4-T1-B1-Rm2-P0-L0	60°-1T-100w-610CL-0L-MAG	G00006-a5-T1-B1-Rm2-P0-L0	75°-1T-100w-610CL-0L-MAG	G00006-a6-T1-B1-Rm2-P0-L0	90°-1T-100w-610CL-0L-MAG
G00006-a4-T1-B1-Rm2-P0-L1	60°-1T-100w-610CL-50L-MAG	G00006-a5-T1-B1-Rm2-P0-L1	75°-1T-100w-610CL-50L-MAG	G00006-a6-T1-B1-Rm2-P0-L1	90°-1T-100w-610CL-50L-MAG
G00006-a4-T1-B1-Rm2-P0-L2	60°-1T-100w-610CL-100L-MAG	G00006-a5-T1-B1-Rm2-P0-L2	75°-1T-100w-610CL-100L-MAG	G00006-a6-T1-B1-Rm2-P0-L2	90°-1T-100w-610CL-100L-MAG
G00006-a4-T1-B1-Rm2-P0-L3	60°-1T-100w-610CL-125L-MAG	G00006-a5-T1-B1-Rm2-P0-L3	75°-1T-100w-610CL-125L-MAG	G00006-a6-T1-B1-Rm2-P0-L3	90°-1T-100w-610CL-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET





LEAD IN & OUT AVAILABLE IN
125mm - 100mm 50mm AND WITHOUT

Rm = 750mm - SINGLE TRACK

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a1-T1-B1-Rm4-P0-L0	15°-1T-100w-750CL-0L-MAG	G00006-a2-T1-B1-Rm4-P0-L0	30°-1T-100w-750CL-0L-MAG	G00006-a3-T1-B1-Rm4-P0-L0	45°-1T-100w-750CL-0L-MAG
G00006-a1-T1-B1-Rm4-P0-L1	15°-1T-100w-750CL-50L-MAG	G00006-a2-T1-B1-Rm4-P0-L1	30°-1T-100w-750CL-50L-MAG	G00006-a3-T1-B1-Rm4-P0-L1	45°-1T-100w-750CL-50L-MAG
G00006-a1-T1-B1-Rm4-P0-L2	15°-1T-100w-750CL-100L-MAG	G00006-a2-T1-B1-Rm4-P0-L2	30°-1T-100w-750CL-100L-MAG	G00006-a3-T1-B1-Rm4-P0-L2	45°-1T-100w-750CL-100L-MAG
G00006-a1-T1-B1-Rm4-P0-L3	15°-1T-100w-750CL-125L-MAG	G00006-a2-T1-B1-Rm4-P0-L3	30°-1T-100w-750CL-125L-MAG	G00006-a3-T1-B1-Rm4-P0-L3	45°-1T-100w-750CL-125L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a4-T1-B1-Rm4-P0-L0	60°-1T-100w-750CL-0L-MAG	G00006-a5-T1-B1-Rm4-P0-L0	75°-1T-100w-750CL-0L-MAG	G00006-a6-T1-B1-Rm4-P0-L0	90°-1T-100w-750CL-0L-MAG
G00006-a4-T1-B1-Rm4-P0-L1	60°-1T-100w-750CL-50L-MAG	G00006-a5-T1-B1-Rm4-P0-L1	75°-1T-100w-750CL-50L-MAG	G00006-a6-T1-B1-Rm4-P0-L1	90°-1T-100w-750CL-50L-MAG
G00006-a4-T1-B1-Rm4-P0-L2	60°-1T-100w-750CL-100L-MAG	G00006-a5-T1-B1-Rm4-P0-L2	75°-1T-100w-750CL-100L-MAG	G00006-a6-T1-B1-Rm4-P0-L2	90°-1T-100w-750CL-100L-MAG
G00006-a4-T1-B1-Rm4-P0-L3	60°-1T-100w-750CL-125L-MAG	G00006-a5-T1-B1-Rm4-P0-L3	75°-1T-100w-750CL-125L-MAG	G00006-a6-T1-B1-Rm4-P0-L3	90°-1T-100w-750CL-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



LEAD IN & OUT AVAILABLE IN
125mm - 100mm 50mm AND WITHOUT

Rm = 860mm - SINGLE TRACK

α 15°		α 30°		α 45°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a1-T1-B1-Rm5-P0-L0	15°-1T-100w-860CL-0L-MAG	G00006-a2-T1-B1-Rm5-P0-L0	30°-1T-100w-860CL-0L-MAG	G00006-a3-T1-B1-Rm5-P0-L0	45°-1T-100w-860CL-0L-MAG
G00006-a1-T1-B1-Rm5-P0-L1	15°-1T-100w-860CL-50L-MAG	G00006-a2-T1-B1-Rm5-P0-L1	30°-1T-100w-860CL-50L-MAG	G00006-a3-T1-B1-Rm5-P0-L1	45°-1T-100w-860CL-50L-MAG
G00006-a1-T1-B1-Rm5-P0-L2	15°-1T-100w-860CL-100L-MAG	G00006-a2-T1-B1-Rm5-P0-L2	30°-1T-100w-860CL-100L-MAG	G00006-a3-T1-B1-Rm5-P0-L2	45°-1T-100w-860CL-100L-MAG
G00006-a1-T1-B1-Rm5-P0-L3	15°-1T-100w-860CL-125L-MAG	G00006-a2-T1-B1-Rm5-P0-L3	30°-1T-100w-860CL-125L-MAG	G00006-a3-T1-B1-Rm5-P0-L3	45°-1T-100w-860CL-125L-MAG
α 60°		α 75°		α 90°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a4-T1-B1-Rm5-P0-L0	60°-1T-100w-860CL-0L-MAG	G00006-a5-T1-B1-Rm5-P0-L0	75°-1T-100w-860CL-0L-MAG	G00006-a6-T1-B1-Rm5-P0-L0	90°-1T-100w-860CL-0L-MAG
G00006-a4-T1-B1-Rm5-P0-L1	60°-1T-100w-860CL-50L-MAG	G00006-a5-T1-B1-Rm5-P0-L1	75°-1T-100w-860CL-50L-MAG	G00006-a6-T1-B1-Rm5-P0-L1	90°-1T-100w-860CL-50L-MAG
G00006-a4-T1-B1-Rm5-P0-L2	60°-1T-100w-860CL-100L-MAG	G00006-a5-T1-B1-Rm5-P0-L2	75°-1T-100w-860CL-100L-MAG	G00006-a6-T1-B1-Rm5-P0-L2	90°-1T-100w-860CL-100L-MAG
G00006-a4-T1-B1-Rm5-P0-L3	60°-1T-100w-860CL-125L-MAG	G00006-a5-T1-B1-Rm5-P0-L3	75°-1T-100w-860CL-125L-MAG	G00006-a6-T1-B1-Rm5-P0-L3	90°-1T-100w-860CL-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



CHAINS/BELTS
PG. E801D - E901B





MATERIALS



TABLE OF
CONTENTS



BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)





LEAD IN & OUT AVAILABLE IN
125mm - 100mm 50mm AND WITHOUT

Rm = 1000mm - SINGLE TRACK


$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a1-T1-B1-Rm6-P0-L0	15°-1T-100w-1000CL-0L-MAG	G00006-a2-T1-B1-Rm6-P0-L0	30°-1T-100w-1000CL-0L-MAG	G00006-a3-T1-B1-Rm6-P0-L0	45°-1T-100w-1000CL-0L-MAG
G00006-a1-T1-B1-Rm6-P0-L1	15°-1T-100w-1000CL-50L-MAG	G00006-a2-T1-B1-Rm6-P0-L1	30°-1T-100w-1000CL-50L-MAG	G00006-a3-T1-B1-Rm6-P0-L1	45°-1T-100w-1000CL-50L-MAG
G00006-a1-T1-B1-Rm6-P0-L2	15°-1T-100w-1000CL-100L-MAG	G00006-a2-T1-B1-Rm6-P0-L2	30°-1T-100w-1000CL-100L-MAG	G00006-a3-T1-B1-Rm6-P0-L2	45°-1T-100w-1000CL-100L-MAG
G00006-a1-T1-B1-Rm6-P0-L3	15°-1T-100w-1000CL-125L-MAG	G00006-a2-T1-B1-Rm6-P0-L3	30°-1T-100w-1000CL-125L-MAG	G00006-a3-T1-B1-Rm6-P0-L3	45°-1T-100w-1000CL-125L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a4-T1-B1-Rm6-P0-L0	60°-1T-100w-1000CL-0L-MAG	G00006-a5-T1-B1-Rm6-P0-L0	75°-1T-100w-1000CL-0L-MAG	G00006-a6-T1-B1-Rm6-P0-L0	90°-1T-100w-1000CL-0L-MAG
G00006-a4-T1-B1-Rm6-P0-L1	60°-1T-100w-1000CL-50L-MAG	G00006-a5-T1-B1-Rm6-P0-L1	75°-1T-100w-1000CL-50L-MAG	G00006-a6-T1-B1-Rm6-P0-L1	90°-1T-100w-1000CL-50L-MAG
G00006-a4-T1-B1-Rm6-P0-L2	60°-1T-100w-1000CL-100L-MAG	G00006-a5-T1-B1-Rm6-P0-L2	75°-1T-100w-1000CL-100L-MAG	G00006-a6-T1-B1-Rm6-P0-L2	90°-1T-100w-1000CL-100L-MAG
G00006-a4-T1-B1-Rm6-P0-L3	60°-1T-100w-1000CL-125L-MAG	G00006-a5-T1-B1-Rm6-P0-L3	75°-1T-100w-1000CL-125L-MAG	G00006-a6-T1-B1-Rm6-P0-L3	90°-1T-100w-1000CL-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



SINGLE TRACK - G00006-a6-T1-B3-Rm1-P0-L1

TRACKS	W
1	111
2	196
3	281
4	366
5	451
6	536
7	621
8	706





MULTI TRACK - G00006-a6-T2-B3-Rm1-P1-L1

Rm = 500mm - MULTI TRACK - 50mm LEAD IN / LEAD OUT


$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a1-T1-B3-Rm1-P0-L1	15°-1T-111w-500CL-50L-MAG	G00006-a2-T1-B3-Rm1-P0-L1	30°-1T-111w-500CL-50L-MAG	G00006-a3-T1-B3-Rm1-P0-L1	45°-1T-111w-500CL-50L-MAG
G00006-a1-T2-B3-Rm1-P1-L1	15°-2T-111w-500CL-P85-50L-MAG	G00006-a2-T2-B3-Rm1-P1-L1	30°-2T-111w-500CL-P85-50L-MAG	G00006-a3-T2-B3-Rm1-P1-L1	45°-2T-111w-500CL-P85-50L-MAG
G00006-a1-T3-B3-Rm1-P1-L1	15°-3T-111w-500CL-P85-50L-MAG	G00006-a2-T3-B3-Rm1-P1-L1	30°-3T-111w-500CL-P85-50L-MAG	G00006-a3-T3-B3-Rm1-P1-L1	45°-3T-111w-500CL-P85-50L-MAG
G00006-a1-T4-B3-Rm1-P1-L1	15°-4T-111w-500CL-P85-50L-MAG	G00006-a2-T4-B3-Rm1-P1-L1	30°-4T-111w-500CL-P85-50L-MAG	G00006-a3-T4-B3-Rm1-P1-L1	45°-4T-111w-500CL-P85-50L-MAG
G00006-a1-T5-B3-Rm1-P1-L1	15°-5T-111w-500CL-P85-50L-MAG	G00006-a2-T5-B3-Rm1-P1-L1	30°-5T-111w-500CL-P85-50L-MAG	G00006-a3-T5-B3-Rm1-P1-L1	45°-5T-111w-500CL-P85-50L-MAG
G00006-a1-T6-B3-Rm1-P1-L1	15°-6T-111w-500CL-P85-50L-MAG	G00006-a2-T6-B3-Rm1-P1-L1	30°-6T-111w-500CL-P85-50L-MAG	G00006-a3-T6-B3-Rm1-P1-L1	45°-6T-111w-500CL-P85-50L-MAG
G00006-a1-T7-B3-Rm1-P1-L1	15°-7T-111w-500CL-P85-50L-MAG	G00006-a2-T7-B3-Rm1-P1-L1	30°-7T-111w-500CL-P85-50L-MAG	G00006-a3-T7-B3-Rm1-P1-L1	45°-7T-111w-500CL-P85-50L-MAG
G00006-a1-T8-B3-Rm1-P1-L1	15°-8T-111w-500CL-P85-50L-MAG	G00006-a2-T8-B3-Rm1-P1-L1	30°-8T-111w-500CL-P85-50L-MAG	G00006-a3-T8-B3-Rm1-P1-L1	45°-8T-111w-500CL-P85-50L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a4-T1-B3-Rm1-P0-L1	60°-1T-111w-500CL-50L-MAG	G00006-a5-T1-B3-Rm1-P0-L1	75°-1T-111w-500CL-50L-MAG	G00006-a6-T1-B3-Rm1-P0-L1	90°-1T-111w-500CL-50L-MAG
G00006-a4-T2-B3-Rm1-P1-L1	60°-2T-111w-500CL-P85-50L-MAG	G00006-a5-T2-B3-Rm1-P1-L1	75°-2T-111w-500CL-P85-50L-MAG	G00006-a6-T2-B3-Rm1-P1-L1	90°-2T-111w-500CL-P85-50L-MAG
G00006-a4-T3-B3-Rm1-P1-L1	60°-3T-111w-500CL-P85-50L-MAG	G00006-a5-T3-B3-Rm1-P1-L1	75°-3T-111w-500CL-P85-50L-MAG	G00006-a6-T3-B3-Rm1-P1-L1	90°-3T-111w-500CL-P85-50L-MAG
G00006-a4-T4-B3-Rm1-P1-L1	60°-4T-111w-500CL-P85-50L-MAG	G00006-a5-T4-B3-Rm1-P1-L1	75°-4T-111w-500CL-P85-50L-MAG	G00006-a6-T4-B3-Rm1-P1-L1	90°-4T-111w-500CL-P85-50L-MAG
G00006-a4-T5-B3-Rm1-P1-L1	60°-5T-111w-500CL-P85-50L-MAG	G00006-a5-T5-B3-Rm1-P1-L1	75°-5T-111w-500CL-P85-50L-MAG	G00006-a6-T5-B3-Rm1-P1-L1	90°-5T-111w-500CL-P85-50L-MAG
G00006-a4-T6-B3-Rm1-P1-L1	60°-6T-111w-500CL-P85-50L-MAG	G00006-a5-T6-B3-Rm1-P1-L1	75°-6T-111w-500CL-P85-50L-MAG	G00006-a6-T6-B3-Rm1-P1-L1	90°-6T-111w-500CL-P85-50L-MAG
G00006-a4-T7-B3-Rm1-P1-L1	60°-7T-111w-500CL-P85-50L-MAG	G00006-a5-T7-B3-Rm1-P1-L1	75°-7T-111w-500CL-P85-50L-MAG	G00006-a6-T7-B3-Rm1-P1-L1	90°-7T-111w-500CL-P85-50L-MAG
G00006-a4-T8-B3-Rm1-P1-L1	60°-8T-111w-500CL-P85-50L-MAG	G00006-a5-T8-B3-Rm1-P1-L1	75°-8T-111w-500CL-P85-50L-MAG	G00006-a6-T8-B3-Rm1-P1-L1	90°-8T-111w-500CL-P85-50L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



SINGLE TRACK - G00006-a6-T1-B3-Rm1-P0-L2

TRACKS	W
1	111
2	196
3	281
4	366
5	451
6	536
7	621
8	706





MULTI TRACK - G00006-a6-T2-B3-Rm1-P1-L2

Rm = 500mm - MULTI TRACK - 100mm LEAD IN / LEAD OUT


$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a1-T1-B3-Rm1-P0-L2	15°-1T-111w-500CL-100L-MAG	G00006-a2-T1-B3-Rm1-P0-L2	30°-1T-111w-500CL-100L-MAG	G00006-a3-T1-B3-Rm1-P0-L2	45°-1T-111w-500CL-100L-MAG
G00006-a1-T2-B3-Rm1-P1-L2	15°-2T-111w-500CL-P85-100L-MAG	G00006-a2-T2-B3-Rm1-P1-L2	30°-2T-111w-500CL-P85-100L-MAG	G00006-a3-T2-B3-Rm1-P1-L2	45°-2T-111w-500CL-P85-100L-MAG
G00006-a1-T3-B3-Rm1-P1-L2	15°-3T-111w-500CL-P85-100L-MAG	G00006-a2-T3-B3-Rm1-P1-L2	30°-3T-111w-500CL-P85-100L-MAG	G00006-a3-T3-B3-Rm1-P1-L2	45°-3T-111w-500CL-P85-100L-MAG
G00006-a1-T4-B3-Rm1-P1-L2	15°-4T-111w-500CL-P85-100L-MAG	G00006-a2-T4-B3-Rm1-P1-L2	30°-4T-111w-500CL-P85-100L-MAG	G00006-a3-T4-B3-Rm1-P1-L2	45°-4T-111w-500CL-P85-100L-MAG
G00006-a1-T5-B3-Rm1-P1-L2	15°-5T-111w-500CL-P85-100L-MAG	G00006-a2-T5-B3-Rm1-P1-L2	30°-5T-111w-500CL-P85-100L-MAG	G00006-a3-T5-B3-Rm1-P1-L2	45°-5T-111w-500CL-P85-100L-MAG
G00006-a1-T6-B3-Rm1-P1-L2	15°-6T-111w-500CL-P85-100L-MAG	G00006-a2-T6-B3-Rm1-P1-L2	30°-6T-111w-500CL-P85-100L-MAG	G00006-a3-T6-B3-Rm1-P1-L2	45°-6T-111w-500CL-P85-100L-MAG
G00006-a1-T7-B3-Rm1-P1-L2	15°-7T-111w-500CL-P85-100L-MAG	G00006-a2-T7-B3-Rm1-P1-L2	30°-7T-111w-500CL-P85-100L-MAG	G00006-a3-T7-B3-Rm1-P1-L2	45°-7T-111w-500CL-P85-100L-MAG
G00006-a1-T8-B3-Rm1-P1-L2	15°-8T-111w-500CL-P85-100L-MAG	G00006-a2-T8-B3-Rm1-P1-L2	30°-8T-111w-500CL-P85-100L-MAG	G00006-a3-T8-B3-Rm1-P1-L2	45°-8T-111w-500CL-P85-100L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a4-T1-B3-Rm1-P0-L2	60°-1T-111w-500CL-100L-MAG	G00006-a5-T1-B3-Rm1-P0-L2	75°-1T-111w-500CL-100L-MAG	G00006-a6-T1-B3-Rm1-P0-L2	90°-1T-111w-500CL-100L-MAG
G00006-a4-T2-B3-Rm1-P1-L2	60°-2T-111w-500CL-P85-100L-MAG	G00006-a5-T2-B3-Rm1-P1-L2	75°-2T-111w-500CL-P85-100L-MAG	G00006-a6-T2-B3-Rm1-P1-L2	90°-2T-111w-500CL-P85-100L-MAG
G00006-a4-T3-B3-Rm1-P1-L2	60°-3T-111w-500CL-P85-100L-MAG	G00006-a5-T3-B3-Rm1-P1-L2	75°-3T-111w-500CL-P85-100L-MAG	G00006-a6-T3-B3-Rm1-P1-L2	90°-3T-111w-500CL-P85-100L-MAG
G00006-a4-T4-B3-Rm1-P1-L2	60°-4T-111w-500CL-P85-100L-MAG	G00006-a5-T4-B3-Rm1-P1-L2	75°-4T-111w-500CL-P85-100L-MAG	G00006-a6-T4-B3-Rm1-P1-L2	90°-4T-111w-500CL-P85-100L-MAG
G00006-a4-T5-B3-Rm1-P1-L2	60°-5T-111w-500CL-P85-100L-MAG	G00006-a5-T5-B3-Rm1-P1-L2	75°-5T-111w-500CL-P85-100L-MAG	G00006-a6-T5-B3-Rm1-P1-L2	90°-5T-111w-500CL-P85-100L-MAG
G00006-a4-T6-B3-Rm1-P1-L2	60°-6T-111w-500CL-P85-100L-MAG	G00006-a5-T6-B3-Rm1-P1-L2	75°-6T-111w-500CL-P85-100L-MAG	G00006-a6-T6-B3-Rm1-P1-L2	90°-6T-111w-500CL-P85-100L-MAG
G00006-a4-T7-B3-Rm1-P1-L2	60°-7T-111w-500CL-P85-100L-MAG	G00006-a5-T7-B3-Rm1-P1-L2	75°-7T-111w-500CL-P85-100L-MAG	G00006-a6-T7-B3-Rm1-P1-L2	90°-7T-111w-500CL-P85-100L-MAG
G00006-a4-T8-B3-Rm1-P1-L2	60°-8T-111w-500CL-P85-100L-MAG	G00006-a5-T8-B3-Rm1-P1-L2	75°-8T-111w-500CL-P85-100L-MAG	G00006-a6-T8-B3-Rm1-P1-L2	90°-8T-111w-500CL-P85-100L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



SINGLE TRACK - G00006-a6-T1-B3-Rm1-P0-L3

TRACKS	W
1	111
2	196
3	281
4	366
5	451
6	536
7	621
8	706





MULTI TRACK - G00006-a6-T2-B3-Rm1-P1-L3

Rm = 500mm - MULTI TRACK - 125mm LEAD IN / LEAD OUT


$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a1-T1-B3-Rm1-P0-L3	15°-1T-111w-500CL-125L-MAG	G00006-a2-T1-B3-Rm1-P0-L3	30°-1T-111w-500CL-125L-MAG	G00006-a3-T1-B3-Rm1-P0-L3	45°-1T-111w-500CL-125L-MAG
G00006-a1-T2-B3-Rm1-P1-L3	15°-2T-111w-500CL-P85-125L-MAG	G00006-a2-T2-B3-Rm1-P1-L3	30°-2T-111w-500CL-P85-125L-MAG	G00006-a3-T2-B3-Rm1-P1-L3	45°-2T-111w-500CL-P85-125L-MAG
G00006-a1-T3-B3-Rm1-P1-L3	15°-3T-111w-500CL-P85-125L-MAG	G00006-a2-T3-B3-Rm1-P1-L3	30°-3T-111w-500CL-P85-125L-MAG	G00006-a3-T3-B3-Rm1-P1-L3	45°-3T-111w-500CL-P85-125L-MAG
G00006-a1-T4-B3-Rm1-P1-L3	15°-4T-111w-500CL-P85-125L-MAG	G00006-a2-T4-B3-Rm1-P1-L3	30°-4T-111w-500CL-P85-125L-MAG	G00006-a3-T4-B3-Rm1-P1-L3	45°-4T-111w-500CL-P85-125L-MAG
G00006-a1-T5-B3-Rm1-P1-L3	15°-5T-111w-500CL-P85-125L-MAG	G00006-a2-T5-B3-Rm1-P1-L3	30°-5T-111w-500CL-P85-125L-MAG	G00006-a3-T5-B3-Rm1-P1-L3	45°-5T-111w-500CL-P85-125L-MAG
G00006-a1-T6-B3-Rm1-P1-L3	15°-6T-111w-500CL-P85-125L-MAG	G00006-a2-T6-B3-Rm1-P1-L3	30°-6T-111w-500CL-P85-125L-MAG	G00006-a3-T6-B3-Rm1-P1-L3	45°-6T-111w-500CL-P85-125L-MAG
G00006-a1-T7-B3-Rm1-P1-L3	15°-7T-111w-500CL-P85-125L-MAG	G00006-a2-T7-B3-Rm1-P1-L3	30°-7T-111w-500CL-P85-125L-MAG	G00006-a3-T7-B3-Rm1-P1-L3	45°-7T-111w-500CL-P85-125L-MAG
G00006-a1-T8-B3-Rm1-P1-L3	15°-8T-111w-500CL-P85-125L-MAG	G00006-a2-T8-B3-Rm1-P1-L3	30°-8T-111w-500CL-P85-125L-MAG	G00006-a3-T8-B3-Rm1-P1-L3	45°-8T-111w-500CL-P85-125L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a4-T1-B3-Rm1-P0-L3	60°-1T-111w-500CL-125L-MAG	G00006-a5-T1-B3-Rm1-P0-L3	75°-1T-111w-500CL-125L-MAG	G00006-a6-T1-B3-Rm1-P0-L3	90°-1T-111w-500CL-125L-MAG
G00006-a4-T2-B3-Rm1-P1-L3	60°-2T-111w-500CL-P85-125L-MAG	G00006-a5-T2-B3-Rm1-P1-L3	75°-2T-111w-500CL-P85-125L-MAG	G00006-a6-T2-B3-Rm1-P1-L3	90°-2T-111w-500CL-P85-125L-MAG
G00006-a4-T3-B3-Rm1-P1-L3	60°-3T-111w-500CL-P85-125L-MAG	G00006-a5-T3-B3-Rm1-P1-L3	75°-3T-111w-500CL-P85-125L-MAG	G00006-a6-T3-B3-Rm1-P1-L3	90°-3T-111w-500CL-P85-125L-MAG
G00006-a4-T4-B3-Rm1-P1-L3	60°-4T-111w-500CL-P85-125L-MAG	G00006-a5-T4-B3-Rm1-P1-L3	75°-4T-111w-500CL-P85-125L-MAG	G00006-a6-T4-B3-Rm1-P1-L3	90°-4T-111w-500CL-P85-125L-MAG
G00006-a4-T5-B3-Rm1-P1-L3	60°-5T-111w-500CL-P85-125L-MAG	G00006-a5-T5-B3-Rm1-P1-L3	75°-5T-111w-500CL-P85-125L-MAG	G00006-a6-T5-B3-Rm1-P1-L3	90°-5T-111w-500CL-P85-125L-MAG
G00006-a4-T6-B3-Rm1-P1-L3	60°-6T-111w-500CL-P85-125L-MAG	G00006-a5-T6-B3-Rm1-P1-L3	75°-6T-111w-500CL-P85-125L-MAG	G00006-a6-T6-B3-Rm1-P1-L3	90°-6T-111w-500CL-P85-125L-MAG
G00006-a4-T7-B3-Rm1-P1-L3	60°-7T-111w-500CL-P85-125L-MAG	G00006-a5-T7-B3-Rm1-P1-L3	75°-7T-111w-500CL-P85-125L-MAG	G00006-a6-T7-B3-Rm1-P1-L3	90°-7T-111w-500CL-P85-125L-MAG
G00006-a4-T8-B3-Rm1-P1-L3	60°-8T-111w-500CL-P85-125L-MAG	G00006-a5-T8-B3-Rm1-P1-L3	75°-8T-111w-500CL-P85-125L-MAG	G00006-a6-T8-B3-Rm1-P1-L3	90°-8T-111w-500CL-P85-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



SINGLE TRACK - G00006-a6-T1-B3-Rm1-P0-L0

TRACKS	W
1	111
2	196
3	281
4	366
5	451
6	536
7	621
8	706





MULTI TRACK - G00006-a6-T2-B3-Rm1-P1-L0

Rm = 500mm - MULTI TRACK - NO LEAD IN / LEAD OUT

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a1-T1-B3-Rm1-P0-L0	15°-1T-111w-500CL-OL-MAG	G00006-a2-T1-B3-Rm1-P0-L0	30°-1T-111w-500CL-OL-MAG	G00006-a3-T1-B3-Rm1-P0-L0	45°-1T-111w-500CL-OL-MAG
G00006-a1-T2-B3-Rm1-P1-L0	15°-2T-111w-500CL-P85-OL-MAG	G00006-a2-T2-B3-Rm1-P1-L0	30°-2T-111w-500CL-P85-OL-MAG	G00006-a3-T2-B3-Rm1-P1-L0	45°-2T-111w-500CL-P85-OL-MAG
G00006-a1-T3-B3-Rm1-P1-L0	15°-3T-111w-500CL-P85-OL-MAG	G00006-a2-T3-B3-Rm1-P1-L0	30°-3T-111w-500CL-P85-OL-MAG	G00006-a3-T3-B3-Rm1-P1-L0	45°-3T-111w-500CL-P85-OL-MAG
G00006-a1-T4-B3-Rm1-P1-L0	15°-4T-111w-500CL-P85-OL-MAG	G00006-a2-T4-B3-Rm1-P1-L0	30°-4T-111w-500CL-P85-OL-MAG	G00006-a3-T4-B3-Rm1-P1-L0	45°-4T-111w-500CL-P85-OL-MAG
G00006-a1-T5-B3-Rm1-P1-L0	15°-5T-111w-500CL-P85-OL-MAG	G00006-a2-T5-B3-Rm1-P1-L0	30°-5T-111w-500CL-P85-OL-MAG	G00006-a3-T5-B3-Rm1-P1-L0	45°-5T-111w-500CL-P85-OL-MAG
G00006-a1-T6-B3-Rm1-P1-L0	15°-6T-111w-500CL-P85-OL-MAG	G00006-a2-T6-B3-Rm1-P1-L0	30°-6T-111w-500CL-P85-OL-MAG	G00006-a3-T6-B3-Rm1-P1-L0	45°-6T-111w-500CL-P85-OL-MAG
G00006-a1-T7-B3-Rm1-P1-L0	15°-7T-111w-500CL-P85-OL-MAG	G00006-a2-T7-B3-Rm1-P1-L0	30°-7T-111w-500CL-P85-OL-MAG	G00006-a3-T7-B3-Rm1-P1-L0	45°-7T-111w-500CL-P85-OL-MAG
G00006-a1-T8-B3-Rm1-P1-L0	15°-8T-111w-500CL-P85-OL-MAG	G00006-a2-T8-B3-Rm1-P1-L0	30°-8T-111w-500CL-P85-OL-MAG	G00006-a3-T8-B3-Rm1-P1-L0	45°-8T-111w-500CL-P85-OL-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a4-T1-B3-Rm1-P0-L0	60°-1T-111w-500CL-OL-MAG	G00006-a5-T1-B3-Rm1-P0-L0	75°-1T-111w-500CL-OL-MAG	G00006-a6-T1-B3-Rm1-P0-L0	90°-1T-111w-500CL-OL-MAG
G00006-a4-T2-B3-Rm1-P1-L0	60°-2T-111w-500CL-P85-OL-MAG	G00006-a5-T2-B3-Rm1-P1-L0	75°-2T-111w-500CL-P85-OL-MAG	G00006-a6-T2-B3-Rm1-P1-L0	90°-2T-111w-500CL-P85-OL-MAG
G00006-a4-T3-B3-Rm1-P1-L0	60°-3T-111w-500CL-P85-OL-MAG	G00006-a5-T3-B3-Rm1-P1-L0	75°-3T-111w-500CL-P85-OL-MAG	G00006-a6-T3-B3-Rm1-P1-L0	90°-3T-111w-500CL-P85-OL-MAG
G00006-a4-T4-B3-Rm1-P1-L0	60°-4T-111w-500CL-P85-OL-MAG	G00006-a5-T4-B3-Rm1-P1-L0	75°-4T-111w-500CL-P85-OL-MAG	G00006-a6-T4-B3-Rm1-P1-L0	90°-4T-111w-500CL-P85-OL-MAG
G00006-a4-T5-B3-Rm1-P1-L0	60°-5T-111w-500CL-P85-OL-MAG	G00006-a5-T5-B3-Rm1-P1-L0	75°-5T-111w-500CL-P85-OL-MAG	G00006-a6-T5-B3-Rm1-P1-L0	90°-5T-111w-500CL-P85-OL-MAG
G00006-a4-T6-B3-Rm1-P1-L0	60°-6T-111w-500CL-P85-OL-MAG	G00006-a5-T6-B3-Rm1-P1-L0	75°-6T-111w-500CL-P85-OL-MAG	G00006-a6-T6-B3-Rm1-P1-L0	90°-6T-111w-500CL-P85-OL-MAG
G00006-a4-T7-B3-Rm1-P1-L0	60°-7T-111w-500CL-P85-OL-MAG	G00006-a5-T7-B3-Rm1-P1-L0	75°-7T-111w-500CL-P85-OL-MAG	G00006-a6-T7-B3-Rm1-P1-L0	90°-7T-111w-500CL-P85-OL-MAG
G00006-a4-T8-B3-Rm1-P1-L0	60°-8T-111w-500CL-P85-OL-MAG	G00006-a5-T8-B3-Rm1-P1-L0	75°-8T-111w-500CL-P85-OL-MAG	G00006-a6-T8-B3-Rm1-P1-L0	90°-8T-111w-500CL-P85-OL-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



LEAD IN & OUT AVAILABLE IN
125mm - 100mm 50mm AND WITHOUT

Rm = 500mm - SINGLE TRACK

α 15°		α 30°		α 45°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a1-T1-B3-Rm1-P0-L0	15°-1T-111w-500CL-0L-MAG	G00006-a2-T1-B3-Rm1-P0-L0	30°-1T-111w-500CL-0L-MAG	G00006-a3-T1-B3-Rm1-P0-L0	45°-1T-111w-500CL-0L-MAG
G00006-a1-T1-B3-Rm1-P0-L1	15°-1T-111w-500CL-50L-MAG	G00006-a2-T1-B3-Rm1-P0-L1	30°-1T-111w-500CL-50L-MAG	G00006-a3-T1-B3-Rm1-P0-L1	45°-1T-111w-500CL-50L-MAG
G00006-a1-T1-B3-Rm1-P0-L2	15°-1T-111w-500CL-100L-MAG	G00006-a2-T1-B3-Rm1-P0-L2	30°-1T-111w-500CL-100L-MAG	G00006-a3-T1-B3-Rm1-P0-L2	45°-1T-111w-500CL-100L-MAG
G00006-a1-T1-B3-Rm1-P0-L3	15°-1T-111w-500CL-125L-MAG	G00006-a2-T1-B3-Rm1-P0-L3	30°-1T-111w-500CL-125L-MAG	G00006-a3-T1-B3-Rm1-P0-L3	45°-1T-111w-500CL-125L-MAG
α 60°		α 75°		α 90°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00006-a4-T1-B3-Rm1-P0-L0	60°-1T-111w-500CL-0L-MAG	G00006-a5-T1-B3-Rm1-P0-L0	75°-1T-111w-500CL-0L-MAG	G00006-a6-T1-B3-Rm1-P0-L0	90°-1T-111w-500CL-0L-MAG
G00006-a4-T1-B3-Rm1-P0-L1	60°-1T-111w-500CL-25L-MAG	G00006-a5-T1-B3-Rm1-P0-L1	75°-1T-111w-500CL-50L-MAG	G00006-a6-T1-B3-Rm1-P0-L1	90°-1T-111w-500CL-50L-MAG
G00006-a4-T1-B3-Rm1-P0-L2	60°-1T-111w-500CL-50L-MAG	G00006-a5-T1-B3-Rm1-P0-L2	75°-1T-111w-500CL-100L-MAG	G00006-a6-T1-B3-Rm1-P0-L2	90°-1T-111w-500CL-100L-MAG
G00006-a4-T1-B3-Rm1-P0-L3	60°-1T-111w-500CL-100L-MAG	G00006-a5-T1-B3-Rm1-P0-L3	75°-1T-111w-500CL-125L-MAG	G00006-a6-T1-B3-Rm1-P0-L3	90°-1T-111w-500CL-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET



CHAINS/BELTS
PG. E801D - E901B



MATERIALS



TABLE OF
CONTENTS



BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)