


G000008



HEAVY DUTY K325/K330 CORNER TRACKS / CURVES / BENDS MAGNETIC

MAGNETIC



The magnetic corner track is the most effective and reliable system for the table top conveyor design.

The magnets are carefully selected and positioned to provide the correct magnetic field to hold the chain on the corner track and this provides a flat carrying surface for the chain; thus, improving product stability and support for the product.



MATERIALS





TABLE OF
CONTENTS




BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)

WWW.IRP.CO.ZA



SINGLE TRACK - G00008-α6-T2-B1-Rm1-P1-L1

TRACKS	W
1	100
2	185
3	270
4	355
5	440
6	525
7	610
8	695



MULTI TRACK - G00008-α6-T2-B1-Rm1-P1-L1

Rm = 500mm - MULTI TRACK - 50mm LEAD IN / LEAD OUT

α 15°		α 30°		α 45°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-α1-T1-B1-Rm1-P0-L1	15°-1T-100w-500CL-50L-MAG	G00008-α2-T1-B1-Rm1-P0-L1	30°-1T-100w-500CL-50L-MAG	G00008-α3-T1-B1-Rm1-P0-L1	45°-1T-100w-500CL-50L-MAG
G00008-α1-T2-B1-Rm1-P1-L1	15°-2T-100w-500CL-P85-50L-MAG	G00008-α2-T2-B1-Rm1-P1-L1	30°-2T-100w-500CL-P85-50L-MAG	G00008-α3-T2-B1-Rm1-P1-L1	45°-2T-100w-500CL-P85-50L-MAG
G00008-α1-T3-B1-Rm1-P1-L1	15°-3T-100w-500CL-P85-50L-MAG	G00008-α2-T3-B1-Rm1-P1-L1	30°-3T-100w-500CL-P85-50L-MAG	G00008-α3-T3-B1-Rm1-P1-L1	45°-3T-100w-500CL-P85-50L-MAG
G00008-α1-T4-B1-Rm1-P1-L1	15°-4T-100w-500CL-P85-50L-MAG	G00008-α2-T4-B1-Rm1-P1-L1	30°-4T-100w-500CL-P85-50L-MAG	G00008-α3-T4-B1-Rm1-P1-L1	45°-4T-100w-500CL-P85-50L-MAG
G00008-α1-T5-B1-Rm1-P1-L1	15°-5T-100w-500CL-P85-50L-MAG	G00008-α2-T5-B1-Rm1-P1-L1	30°-5T-100w-500CL-P85-50L-MAG	G00008-α3-T5-B1-Rm1-P1-L1	45°-5T-100w-500CL-P85-50L-MAG
G00008-α1-T6-B1-Rm1-P1-L1	15°-6T-100w-500CL-P85-50L-MAG	G00008-α2-T6-B1-Rm1-P1-L1	30°-6T-100w-500CL-P85-50L-MAG	G00008-α3-T6-B1-Rm1-P1-L1	45°-6T-100w-500CL-P85-50L-MAG
G00008-α1-T7-B1-Rm1-P1-L1	15°-7T-100w-500CL-P85-50L-MAG	G00008-α2-T7-B1-Rm1-P1-L1	30°-7T-100w-500CL-P85-50L-MAG	G00008-α3-T7-B1-Rm1-P1-L1	45°-7T-100w-500CL-P85-50L-MAG
G00008-α1-T8-B1-Rm1-P1-L1	15°-8T-100w-500CL-P85-50L-MAG	G00008-α2-T8-B1-Rm1-P1-L1	30°-8T-100w-500CL-P85-50L-MAG	G00008-α3-T8-B1-Rm1-P1-L1	45°-8T-100w-500CL-P85-50L-MAG
α 60°		α 75°		α 90°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-α4-T1-B1-Rm1-P1-L1	60°-1T-100w-500CL-50L-MAG	G00008-α5-T1-B1-Rm1-P0-L1	75°-1T-100w-500CL-50L-MAG	G00008-α6-T1-B1-Rm1-P0-L1	90°-1T-100w-500CL-50L-MAG
G00008-α4-T2-B1-Rm1-P1-L1	60°-2T-100w-500CL-P85-50L-MAG	G00008-α5-T2-B1-Rm1-P1-L1	75°-2T-100w-500CL-P85-50L-MAG	G00008-α6-T2-B1-Rm1-P1-L1	90°-2T-100w-500CL-P85-50L-MAG
G00008-α4-T3-B1-Rm1-P1-L1	60°-3T-100w-500CL-P85-50L-MAG	G00008-α5-T3-B1-Rm1-P1-L1	75°-3T-100w-500CL-P85-50L-MAG	G00008-α6-T3-B1-Rm1-P1-L1	90°-3T-100w-500CL-P85-50L-MAG
G00008-α4-T4-B1-Rm1-P1-L1	60°-4T-100w-500CL-P85-50L-MAG	G00008-α5-T4-B1-Rm1-P1-L1	75°-4T-100w-500CL-P85-50L-MAG	G00008-α6-T4-B1-Rm1-P1-L1	90°-4T-100w-500CL-P85-50L-MAG
G00008-α4-T5-B1-Rm1-P1-L1	60°-5T-100w-500CL-P85-50L-MAG	G00008-α5-T5-B1-Rm1-P1-L1	75°-5T-100w-500CL-P85-50L-MAG	G00008-α6-T5-B1-Rm1-P1-L1	90°-5T-100w-500CL-P85-50L-MAG
G00008-α4-T6-B1-Rm1-P1-L1	60°-6T-100w-500CL-P85-50L-MAG	G00008-α5-T6-B1-Rm1-P1-L1	75°-6T-100w-500CL-P85-50L-MAG	G00008-α6-T6-B1-Rm1-P1-L1	90°-6T-100w-500CL-P85-50L-MAG
G00008-α4-T7-B1-Rm1-P1-L1	60°-7T-100w-500CL-P85-50L-MAG	G00008-α5-T7-B1-Rm1-P1-L1	75°-7T-100w-500CL-P85-50L-MAG	G00008-α6-T7-B1-Rm1-P1-L1	90°-7T-100w-500CL-P85-50L-MAG
G00008-α4-T8-B1-Rm1-P1-L1	60°-8T-100w-500CL-P85-50L-MAG	G00008-α5-T8-B1-Rm1-P1-L1	75°-8T-100w-500CL-P85-50L-MAG	G00008-α6-T8-B1-Rm1-P1-L1	90°-8T-100w-500CL-P85-50L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST | STANDARD ORDER QTY: PER SET



CHAINS/BELTS
PG. E801D - E802D



MATERIALS





TABLE OF
CONTENTS




BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)

WWW.IRP.CO.ZA



SINGLE TRACK - G00008-a6-T2-B1-Rm1-P1-L2

TRACKS	W
1	100
2	185
3	270
4	355
5	440
6	525
7	610
8	695





MULTI TRACK - G00008-a6-T2-B1-Rm1-P1-L2

Rm = 500mm - MULTI TRACK - 100mm LEAD IN / LEAD OUT


$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a1-T1-B1-Rm1-P0-L2	15°-1T-100w-500CL-100L-MAG	G00008-a2-T1-B1-Rm1-P0-L2	30°-1T-100w-500CL-100L-MAG	G00008-a3-T1-B1-Rm1-P0-L2	45°-1T-100w-500CL-100L-MAG
G00008-a1-T2-B1-Rm1-P1-L2	15°-2T-100w-500CL-P85-100L-MAG	G00008-a2-T2-B1-Rm1-P1-L2	30°-2T-100w-500CL-P85-100L-MAG	G00008-a3-T2-B1-Rm1-P1-L2	45°-2T-100w-500CL-P85-100L-MAG
G00008-a1-T3-B1-Rm1-P1-L2	15°-3T-100w-500CL-P85-100L-MAG	G00008-a2-T3-B1-Rm1-P1-L2	30°-3T-100w-500CL-P85-100L-MAG	G00008-a3-T3-B1-Rm1-P1-L2	45°-3T-100w-500CL-P85-100L-MAG
G00008-a1-T4-B1-Rm1-P1-L2	15°-4T-100w-500CL-P85-100L-MAG	G00008-a2-T4-B1-Rm1-P1-L2	30°-4T-100w-500CL-P85-100L-MAG	G00008-a3-T4-B1-Rm1-P1-L2	45°-4T-100w-500CL-P85-100L-MAG
G00008-a1-T5-B1-Rm1-P1-L2	15°-5T-100w-500CL-P85-100L-MAG	G00008-a2-T5-B1-Rm1-P1-L2	30°-5T-100w-500CL-P85-100L-MAG	G00008-a3-T5-B1-Rm1-P1-L2	45°-5T-100w-500CL-P85-100L-MAG
G00008-a1-T6-B1-Rm1-P1-L2	15°-6T-100w-500CL-P85-100L-MAG	G00008-a2-T6-B1-Rm1-P1-L2	30°-6T-100w-500CL-P85-100L-MAG	G00008-a3-T6-B1-Rm1-P1-L2	45°-6T-100w-500CL-P85-100L-MAG
G00008-a1-T7-B1-Rm1-P1-L2	15°-7T-100w-500CL-P85-100L-MAG	G00008-a2-T7-B1-Rm1-P1-L2	30°-7T-100w-500CL-P85-100L-MAG	G00008-a3-T7-B1-Rm1-P1-L2	45°-7T-100w-500CL-P85-100L-MAG
G00008-a1-T8-B1-Rm1-P1-L2	15°-8T-100w-500CL-P85-100L-MAG	G00008-a2-T8-B1-Rm1-P1-L2	30°-8T-100w-500CL-P85-100L-MAG	G00008-a3-T8-B1-Rm1-P1-L2	45°-8T-100w-500CL-P85-100L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a4-T1-B1-Rm1-P0-L2	60°-1T-100w-500CL-100L-MAG	G00008-a5-T1-B1-Rm1-P0-L2	75°-1T-100w-500CL-100L-MAG	G00008-a6-T1-B1-Rm1-P0-L2	90°-1T-100w-500CL-100L-MAG
G00008-a4-T2-B1-Rm1-P1-L2	60°-2T-100w-500CL-P85-100L-MAG	G00008-a5-T2-B1-Rm1-P1-L2	75°-2T-100w-500CL-P85-100L-MAG	G00008-a6-T2-B1-Rm1-P1-L2	90°-2T-100w-500CL-P85-100L-MAG
G00008-a4-T3-B1-Rm1-P1-L2	60°-3T-100w-500CL-P85-100L-MAG	G00008-a5-T3-B1-Rm1-P1-L2	75°-3T-100w-500CL-P85-100L-MAG	G00008-a6-T3-B1-Rm1-P1-L2	90°-3T-100w-500CL-P85-100L-MAG
G00008-a4-T4-B1-Rm1-P1-L2	60°-4T-100w-500CL-P85-100L-MAG	G00008-a5-T4-B1-Rm1-P1-L2	75°-4T-100w-500CL-P85-100L-MAG	G00008-a6-T4-B1-Rm1-P1-L2	90°-4T-100w-500CL-P85-100L-MAG
G00008-a4-T5-B1-Rm1-P1-L2	60°-5T-100w-500CL-P85-100L-MAG	G00008-a5-T5-B1-Rm1-P1-L2	75°-5T-100w-500CL-P85-100L-MAG	G00008-a6-T5-B1-Rm1-P1-L2	90°-5T-100w-500CL-P85-100L-MAG
G00008-a4-T6-B1-Rm1-P1-L2	60°-6T-100w-500CL-P85-100L-MAG	G00008-a5-T6-B1-Rm1-P1-L2	75°-6T-100w-500CL-P85-100L-MAG	G00008-a6-T6-B1-Rm1-P1-L2	90°-6T-100w-500CL-P85-100L-MAG
G00008-a4-T7-B1-Rm1-P1-L2	60°-7T-100w-500CL-P85-100L-MAG	G00008-a5-T7-B1-Rm1-P1-L2	75°-7T-100w-500CL-P85-100L-MAG	G00008-a6-T7-B1-Rm1-P1-L2	90°-7T-100w-500CL-P85-100L-MAG
G00008-a4-T8-B1-Rm1-P1-L2	60°-8T-100w-500CL-P85-100L-MAG	G00008-a5-T8-B1-Rm1-P1-L2	75°-8T-100w-500CL-P85-100L-MAG	G00008-a6-T8-B1-Rm1-P1-L2	90°-8T-100w-500CL-P85-100L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST | STANDARD ORDER QTY: PER SET



SINGLE TRACK - G00008-a6-T2-B1-Rm1-P1-L3

TRACKS	W
1	100
2	185
3	270
4	355
5	440
6	525
7	610
8	695



MULTI TRACK - G00008-a6-T2-B1-Rm1-P1-L3

Rm = 500mm - MULTI TRACK - 125mm LEAD IN / LEAD OUT

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a1-T1-B1-Rm1-P0-L3	15°-1T-100w-500CL-125L-MAG	G00008-a2-T1-B1-Rm1-P0-L3	30°-1T-100w-500CL-125L-MAG	G00008-a3-T1-B1-Rm1-P0-L3	45°-1T-100w-500CL-125L-MAG
G00008-a1-T2-B1-Rm1-P1-L3	15°-2T-100w-500CL-P85-125L-MAG	G00008-a2-T2-B1-Rm1-P1-L3	30°-2T-100w-500CL-P85-125L-MAG	G00008-a3-T2-B1-Rm1-P1-L3	45°-2T-100w-500CL-P85-125L-MAG
G00008-a1-T3-B1-Rm1-P1-L3	15°-3T-100w-500CL-P85-125L-MAG	G00008-a2-T3-B1-Rm1-P1-L3	30°-3T-100w-500CL-P85-125L-MAG	G00008-a3-T3-B1-Rm1-P1-L3	45°-3T-100w-500CL-P85-125L-MAG
G00008-a1-T4-B1-Rm1-P1-L3	15°-4T-100w-500CL-P85-125L-MAG	G00008-a2-T4-B1-Rm1-P1-L3	30°-4T-100w-500CL-P85-125L-MAG	G00008-a3-T4-B1-Rm1-P1-L3	45°-4T-100w-500CL-P85-125L-MAG
G00008-a1-T5-B1-Rm1-P1-L3	15°-5T-100w-500CL-P85-125L-MAG	G00008-a2-T5-B1-Rm1-P1-L3	30°-5T-100w-500CL-P85-125L-MAG	G00008-a3-T5-B1-Rm1-P1-L3	45°-5T-100w-500CL-P85-125L-MAG
G00008-a1-T6-B1-Rm1-P1-L3	15°-6T-100w-500CL-P85-125L-MAG	G00008-a2-T6-B1-Rm1-P1-L3	30°-6T-100w-500CL-P85-125L-MAG	G00008-a3-T6-B1-Rm1-P1-L3	45°-6T-100w-500CL-P85-125L-MAG
G00008-a1-T7-B1-Rm1-P1-L3	15°-7T-100w-500CL-P85-125L-MAG	G00008-a2-T7-B1-Rm1-P1-L3	30°-7T-100w-500CL-P85-125L-MAG	G00008-a3-T7-B1-Rm1-P1-L3	45°-7T-100w-500CL-P85-125L-MAG
G00008-a1-T8-B1-Rm1-P1-L3	15°-8T-100w-500CL-P85-125L-MAG	G00008-a2-T8-B1-Rm1-P1-L3	30°-8T-100w-500CL-P85-125L-MAG	G00008-a3-T8-B1-Rm1-P1-L3	45°-8T-100w-500CL-P85-125L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a4-T1-B1-Rm1-P0-L3	60°-1T-100w-500CL-125L-MAG	G00008-a5-T1-B1-Rm1-P0-L3	75°-1T-100w-500CL-125L-MAG	G00008-a6-T1-B1-Rm1-P0-L3	90°-1T-100w-500CL-125L-MAG
G00008-a4-T2-B1-Rm1-P1-L3	60°-2T-100w-500CL-P85-125L-MAG	G00008-a5-T2-B1-Rm1-P1-L3	75°-2T-100w-500CL-P85-125L-MAG	G00008-a6-T2-B1-Rm1-P1-L3	90°-2T-100w-500CL-P85-125L-MAG
G00008-a4-T3-B1-Rm1-P1-L3	60°-3T-100w-500CL-P85-125L-MAG	G00008-a5-T3-B1-Rm1-P1-L3	75°-3T-100w-500CL-P85-125L-MAG	G00008-a6-T3-B1-Rm1-P1-L3	90°-3T-100w-500CL-P85-125L-MAG
G00008-a4-T4-B1-Rm1-P1-L3	60°-4T-100w-500CL-P85-125L-MAG	G00008-a5-T4-B1-Rm1-P1-L3	75°-4T-100w-500CL-P85-125L-MAG	G00008-a6-T4-B1-Rm1-P1-L3	90°-4T-100w-500CL-P85-125L-MAG
G00008-a4-T5-B1-Rm1-P1-L3	60°-5T-100w-500CL-P85-125L-MAG	G00008-a5-T5-B1-Rm1-P1-L3	75°-5T-100w-500CL-P85-125L-MAG	G00008-a6-T5-B1-Rm1-P1-L3	90°-5T-100w-500CL-P85-125L-MAG
G00008-a4-T6-B1-Rm1-P1-L3	60°-6T-100w-500CL-P85-125L-MAG	G00008-a5-T6-B1-Rm1-P1-L3	75°-6T-100w-500CL-P85-125L-MAG	G00008-a6-T6-B1-Rm1-P1-L3	90°-6T-100w-500CL-P85-125L-MAG
G00008-a4-T7-B1-Rm1-P1-L3	60°-7T-100w-500CL-P85-125L-MAG	G00008-a5-T7-B1-Rm1-P1-L3	75°-7T-100w-500CL-P85-125L-MAG	G00008-a6-T7-B1-Rm1-P1-L3	90°-7T-100w-500CL-P85-125L-MAG
G00008-a4-T8-B1-Rm1-P1-L3	60°-8T-100w-500CL-P85-125L-MAG	G00008-a5-T8-B1-Rm1-P1-L3	75°-8T-100w-500CL-P85-125L-MAG	G00008-a6-T8-B1-Rm1-P1-L3	90°-8T-100w-500CL-P85-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST | STANDARD ORDER QTY: PER SET



CHAINS/BELTS
PG. E801D - E802D






MATERIALS



TABLE OF
CONTENTS




BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)



SINGLE TRACK - G00008-a6-T2-B1-Rm1-P1-L0

TRACKS	W
1	100
2	185
3	270
4	355
5	440
6	525
7	610
8	695



MULTI TRACK - G00008-a6-T2-B1-Rm1-P1-L0

Rm = 500mm - MULTI TRACK - NO LEAD IN / LEAD OUT

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a1-T1-B1-Rm1-P0-L0	15°-1T-100w-500CL-OL-MAG	G00008-a2-T1-B1-Rm1-P0-L0	30°-1T-100w-500CL-OL-MAG	G00008-a3-T1-B1-Rm1-P0-L0	45°-1T-100w-500CL-OL-MAG
G00008-a1-T2-B1-Rm1-P1-L0	15°-2T-100w-500CL-P85-OL-MAG	G00008-a2-T2-B1-Rm1-P1-L0	30°-2T-100w-500CL-P85-OL-MAG	G00008-a3-T2-B1-Rm1-P1-L0	45°-2T-100w-500CL-P85-OL-MAG
G00008-a1-T3-B1-Rm1-P1-L0	15°-3T-100w-500CL-P85-OL-MAG	G00008-a2-T3-B1-Rm1-P1-L0	30°-3T-100w-500CL-P85-OL-MAG	G00008-a3-T3-B1-Rm1-P1-L0	45°-3T-100w-500CL-P85-OL-MAG
G00008-a1-T4-B1-Rm1-P1-L0	15°-4T-100w-500CL-P85-OL-MAG	G00008-a2-T4-B1-Rm1-P1-L0	30°-4T-100w-500CL-P85-OL-MAG	G00008-a3-T4-B1-Rm1-P1-L0	45°-4T-100w-500CL-P85-OL-MAG
G00008-a1-T5-B1-Rm1-P1-L0	15°-5T-100w-500CL-P85-OL-MAG	G00008-a2-T5-B1-Rm1-P1-L0	30°-5T-100w-500CL-P85-OL-MAG	G00008-a3-T5-B1-Rm1-P1-L0	45°-5T-100w-500CL-P85-OL-MAG
G00008-a1-T6-B1-Rm1-P1-L0	15°-6T-100w-500CL-P85-OL-MAG	G00008-a2-T6-B1-Rm1-P1-L0	30°-6T-100w-500CL-P85-OL-MAG	G00008-a3-T6-B1-Rm1-P1-L0	45°-6T-100w-500CL-P85-OL-MAG
G00008-a1-T7-B1-Rm1-P1-L0	15°-7T-100w-500CL-P85-OL-MAG	G00008-a2-T7-B1-Rm1-P1-L0	30°-7T-100w-500CL-P85-OL-MAG	G00008-a3-T7-B1-Rm1-P1-L0	45°-7T-100w-500CL-P85-OL-MAG
G00008-a1-T8-B1-Rm1-P1-L0	15°-8T-100w-500CL-P85-OL-MAG	G00008-a2-T8-B1-Rm1-P1-L0	30°-8T-100w-500CL-P85-OL-MAG	G00008-a3-T8-B1-Rm1-P1-L0	45°-8T-100w-500CL-P85-OL-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a4-T1-B1-Rm1-P0-L0	60°-1T-100w-500CL-OL-MAG	G00008-a5-T1-B1-Rm1-P0-L0	75°-1T-100w-500CL-OL-MAG	G00008-a6-T1-B1-Rm1-P0-L0	90°-1T-100w-500CL-OL-MAG
G00008-a4-T2-B1-Rm1-P1-L0	60°-2T-100w-500CL-P85-OL-MAG	G00008-a5-T2-B1-Rm1-P1-L0	75°-2T-100w-500CL-P85-OL-MAG	G00008-a6-T2-B1-Rm1-P1-L0	90°-2T-100w-500CL-P85-OL-MAG
G00008-a4-T3-B1-Rm1-P1-L0	60°-3T-100w-500CL-P85-OL-MAG	G00008-a5-T3-B1-Rm1-P1-L0	75°-3T-100w-500CL-P85-OL-MAG	G00008-a6-T3-B1-Rm1-P1-L0	90°-3T-100w-500CL-P85-OL-MAG
G00008-a4-T4-B1-Rm1-P1-L0	60°-4T-100w-500CL-P85-OL-MAG	G00008-a5-T4-B1-Rm1-P1-L0	75°-4T-100w-500CL-P85-OL-MAG	G00008-a6-T4-B1-Rm1-P1-L0	90°-4T-100w-500CL-P85-OL-MAG
G00008-a4-T5-B1-Rm1-P1-L0	60°-5T-100w-500CL-P85-OL-MAG	G00008-a5-T5-B1-Rm1-P1-L0	75°-5T-100w-500CL-P85-OL-MAG	G00008-a6-T5-B1-Rm1-P1-L0	90°-5T-100w-500CL-P85-OL-MAG
G00008-a4-T6-B1-Rm1-P1-L0	60°-6T-100w-500CL-P85-OL-MAG	G00008-a5-T6-B1-Rm1-P1-L0	75°-6T-100w-500CL-P85-OL-MAG	G00008-a6-T6-B1-Rm1-P1-L0	90°-6T-100w-500CL-P85-OL-MAG
G00008-a4-T7-B1-Rm1-P1-L0	60°-7T-100w-500CL-P85-OL-MAG	G00008-a5-T7-B1-Rm1-P1-L0	75°-7T-100w-500CL-P85-OL-MAG	G00008-a6-T7-B1-Rm1-P1-L0	90°-7T-100w-500CL-P85-OL-MAG
G00008-a4-T8-B1-Rm1-P1-L0	60°-8T-100w-500CL-P85-OL-MAG	G00008-a5-T8-B1-Rm1-P1-L0	75°-8T-100w-500CL-P85-OL-MAG	G00008-a6-T8-B1-Rm1-P1-L0	90°-8T-100w-500CL-P85-OL-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST | STANDARD ORDER QTY: PER SET



CHAINS/BELTS
PG. E801D - E802D





MATERIALS



TABLE OF
CONTENTS




BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)



SINGLE TRACK - G00008-a6-T2-B1-Rm4-P1-L1

TRACKS	W
1	100
2	185
3	270
4	355
5	440
6	525
7	610
8	695




MULTI TRACK - G00008-a6-T2-B1-Rm4-P1-L1


Rm = 750mm - MULTI TRACK - 50mm LEAD IN / LEAD OUT

α 15°		α 30°		α 45°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a1-T1-B1-Rm4-P0-L1	15°-1T-100w-750CL-50L-MAG	G00008-a2-T1-B1-Rm4-P0-L1	30°-1T-100w-750CL-50L-MAG	G00008-a3-T1-B1-Rm4-P0-L1	45°-1T-100w-750CL-50L-MAG
G00008-a1-T2-B1-Rm4-P1-L1	15°-2T-100w-750CL-P85-50L-MAG	G00008-a2-T2-B1-Rm4-P1-L1	30°-2T-100w-750CL-P85-50L-MAG	G00008-a3-T2-B1-Rm4-P1-L1	45°-2T-100w-750CL-P85-50L-MAG
G00008-a1-T3-B1-Rm4-P1-L1	15°-3T-100w-750CL-P85-50L-MAG	G00008-a2-T3-B1-Rm4-P1-L1	30°-3T-100w-750CL-P85-50L-MAG	G00008-a3-T3-B1-Rm4-P1-L1	45°-3T-100w-750CL-P85-50L-MAG
G00008-a1-T4-B1-Rm4-P1-L1	15°-4T-100w-750CL-P85-50L-MAG	G00008-a2-T4-B1-Rm4-P1-L1	30°-4T-100w-750CL-P85-50L-MAG	G00008-a3-T4-B1-Rm4-P1-L1	45°-4T-100w-750CL-P85-50L-MAG
G00008-a1-T5-B1-Rm4-P1-L1	15°-5T-100w-750CL-P85-50L-MAG	G00008-a2-T5-B1-Rm4-P1-L1	30°-5T-100w-750CL-P85-50L-MAG	G00008-a3-T5-B1-Rm4-P1-L1	45°-5T-100w-750CL-P85-50L-MAG
G00008-a1-T6-B1-Rm4-P1-L1	15°-6T-100w-750CL-P85-50L-MAG	G00008-a2-T6-B1-Rm4-P1-L1	30°-6T-100w-750CL-P85-50L-MAG	G00008-a3-T6-B1-Rm4-P1-L1	45°-6T-100w-750CL-P85-50L-MAG
G00008-a1-T7-B1-Rm4-P1-L1	15°-7T-100w-750CL-P85-50L-MAG	G00008-a2-T7-B1-Rm4-P1-L1	30°-7T-100w-750CL-P85-50L-MAG	G00008-a3-T7-B1-Rm4-P1-L1	45°-7T-100w-750CL-P85-50L-MAG
G00008-a1-T8-B1-Rm4-P1-L1	15°-8T-100w-750CL-P85-50L-MAG	G00008-a2-T8-B1-Rm4-P1-L1	30°-8T-100w-750CL-P85-50L-MAG	G00008-a3-T8-B1-Rm4-P1-L1	45°-8T-100w-750CL-P85-50L-MAG
α 60°		α 75°		α 90°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a4-T1-B1-Rm4-P0-L1	60°-1T-100w-750CL-50L-MAG	G00008-a5-T1-B1-Rm4-P0-L1	75°-1T-100w-750CL-50L-MAG	G00008-a6-T1-B1-Rm4-P0-L1	90°-1T-100w-750CL-50L-MAG
G00008-a4-T2-B1-Rm4-P1-L1	60°-2T-100w-750CL-P85-50L-MAG	G00008-a5-T2-B1-Rm4-P1-L1	75°-2T-100w-750CL-P85-50L-MAG	G00008-a6-T2-B1-Rm4-P1-L1	90°-2T-100w-750CL-P85-50L-MAG
G00008-a4-T3-B1-Rm4-P1-L1	60°-3T-100w-750CL-P85-50L-MAG	G00008-a5-T3-B1-Rm4-P1-L1	75°-3T-100w-750CL-P85-50L-MAG	G00008-a6-T3-B1-Rm4-P1-L1	90°-3T-100w-750CL-P85-50L-MAG
G00008-a4-T4-B1-Rm4-P1-L1	60°-4T-100w-750CL-P85-50L-MAG	G00008-a5-T4-B1-Rm4-P1-L1	75°-4T-100w-750CL-P85-50L-MAG	G00008-a6-T4-B1-Rm4-P1-L1	90°-4T-100w-750CL-P85-50L-MAG
G00008-a4-T5-B1-Rm4-P1-L1	60°-5T-100w-750CL-P85-50L-MAG	G00008-a5-T5-B1-Rm4-P1-L1	75°-5T-100w-750CL-P85-50L-MAG	G00008-a6-T5-B1-Rm4-P1-L1	90°-5T-100w-750CL-P85-50L-MAG
G00008-a4-T6-B1-Rm4-P1-L1	60°-6T-100w-750CL-P85-50L-MAG	G00008-a5-T6-B1-Rm4-P1-L1	75°-6T-100w-750CL-P85-50L-MAG	G00008-a6-T6-B1-Rm4-P1-L1	90°-6T-100w-750CL-P85-50L-MAG
G00008-a4-T7-B1-Rm4-P1-L1	60°-7T-100w-750CL-P85-50L-MAG	G00008-a5-T7-B1-Rm4-P1-L1	75°-7T-100w-750CL-P85-50L-MAG	G00008-a6-T7-B1-Rm4-P1-L1	90°-7T-100w-750CL-P85-50L-MAG
G00008-a4-T8-B1-Rm4-P1-L1	60°-8T-100w-750CL-P85-50L-MAG	G00008-a5-T8-B1-Rm4-P1-L1	75°-8T-100w-750CL-P85-50L-MAG	G00008-a6-T8-B1-Rm4-P1-L1	90°-8T-100w-750CL-P85-50L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST | STANDARD ORDER QTY: PER SET



TRACKS	W
1	100
2	185
3	270
4	355
5	440
6	525
7	610
8	695





MULTI TRACK - G00008-α6-T2-B1-Rm4-P1-L2

Rm = 750mm - MULTI TRACK - 100mm LEAD IN / LEAD OUT					
α 15°		α 30°		α 45°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a1-T1-B1-Rm4-P0-L2	15°-1T-100w-750CL-100L-MAG	G00008-a2-T1-B1-Rm4-P0-L2	30°-1T-100w-750CL-100L-MAG	G00008-a3-T1-B1-Rm4-P0-L2	45°-1T-100w-750CL-100L-MAG
G00008-a1-T2-B1-Rm4-P1-L2	15°-2T-100w-750CL-P85-100L-MAG	G00008-a2-T2-B1-Rm4-P1-L2	30°-2T-100w-750CL-P85-100L-MAG	G00008-a3-T2-B1-Rm4-P1-L2	45°-2T-100w-750CL-P85-100L-MAG
G00008-a1-T3-B1-Rm4-P1-L2	15°-3T-100w-750CL-P85-100L-MAG	G00008-a2-T3-B1-Rm4-P1-L2	30°-3T-100w-750CL-P85-100L-MAG	G00008-a3-T3-B1-Rm4-P1-L2	45°-3T-100w-750CL-P85-100L-MAG
G00008-a1-T4-B1-Rm4-P1-L2	15°-4T-100w-750CL-P85-100L-MAG	G00008-a2-T4-B1-Rm4-P1-L2	30°-4T-100w-750CL-P85-100L-MAG	G00008-a3-T4-B1-Rm4-P1-L2	45°-4T-100w-750CL-P85-100L-MAG
G00008-a1-T5-B1-Rm4-P1-L2	15°-5T-100w-750CL-P85-100L-MAG	G00008-a2-T5-B1-Rm4-P1-L2	30°-5T-100w-750CL-P85-100L-MAG	G00008-a3-T5-B1-Rm4-P1-L2	45°-5T-100w-750CL-P85-100L-MAG
G00008-a1-T6-B1-Rm4-P1-L2	15°-6T-100w-750CL-P85-100L-MAG	G00008-a2-T6-B1-Rm4-P1-L2	30°-6T-100w-750CL-P85-100L-MAG	G00008-a3-T6-B1-Rm4-P1-L2	45°-6T-100w-750CL-P85-100L-MAG
G00008-a1-T7-B1-Rm4-P1-L2	15°-7T-100w-750CL-P85-100L-MAG	G00008-a2-T7-B1-Rm4-P1-L2	30°-7T-100w-750CL-P85-100L-MAG	G00008-a3-T7-B1-Rm4-P1-L2	45°-7T-100w-750CL-P85-100L-MAG
G00008-a1-T8-B1-Rm4-P1-L2	15°-8T-100w-750CL-P85-100L-MAG	G00008-a2-T8-B1-Rm4-P1-L2	30°-8T-100w-750CL-P85-100L-MAG	G00008-a3-T8-B1-Rm4-P1-L2	45°-8T-100w-750CL-P85-100L-MAG
α 60°		α 75°		α 90°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a4-T1-B1-Rm4-P0-L2	60°-1T-100w-750CL-100L-MAG	G00008-a5-T1-B1-Rm4- P0-L2	75°-1T-100w-750CL-100L-MAG	G00008-a6-T1-B1-Rm4-P0-L2	90°-1T-100w-750CL-100L-MAG
G00008-a4-T2-B1-Rm4-P1-L2	60°-2T-100w-750CL-P85-100L-MAG	G00008-a5-T2-B1-Rm4-P1-L2	75°-2T-100w-750CL-P85-100L-MAG	G00008-a6-T2-B1-Rm4-P1-L2	90°-2-T100w-750CL-P85-100L-MAG
G00008-a4-T3-B1-Rm4-P1-L2	60°-3T-100w-750CL-P85-100L-MAG	G00008-a5-T3-B1-Rm4-P1-L2	75°-3T-100w-750CL-P85-100L-MAG	G00008-a6-T3-B1-Rm4-P1-L2	90°-3T-100w-750CL-P85-100L-MAG
G00008-a4-T4-B1-Rm4-P1-L2	60°-4T-100w-750CL-P85-100L-MAG	G00008-a5-T4-B1-Rm4-P1-L2	75°-4T-100w-750CL-P85-100L-MAG	G00008-a6-T4-B1-Rm4-P1-L2	90°-4T-100w-750CL-P85-100L-MAG
G00008-a4-T5-B1-Rm4-P1-L2	60°-5T-100w-750CL-P85-100L-MAG	G00008-a5-T5-B1-Rm4-P1-L2	75°-5T-100w-750CL-P85-100L-MAG	G00008-a6-T5-B1-Rm4-P1-L2	90°-5T-100w-750CL-P85-100L-MAG
G00008-a4-T6-B1-Rm4-P1-L2	60°-6T-100w-750CL-P85-100L-MAG	G00008-a5-T6-B1-Rm4-P1-L2	75°-6T-100w-750CL-P85-100L-MAG	G00008-a6-T6-B1-Rm4-P1-L2	90°-6T-100w-750CL-P85-100L-MAG
G00008-a4-T7-B1-Rm4-P1-L2	60°-7T-100w-750CL-P85-100L-MAG	G00008-a5-T7-B1-Rm4-P1-L2	75°-7T-100w-750CL-P85-100L-MAG	G00008-a6-T7-B1-Rm4-P1-L2	90°-7T-100w-750CL-P85-100L-MAG
G00008-a4-T8-B1-Rm4-P1-L2	60°-8T-100w-750CL-P85-100L-MAG	G00008-a5-T8-B1-Rm4-P1-L2	75°-8T-100w-750CL-P85-100L-MAG	G00008-a6-T8-B1-Rm4-P1-L2	90°-8T-100w-750CL-P85-100L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST | STANDARD ORDER QTY: PER SET


BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)

WWW.IRP.CO.ZA



SINGLE TRACK - G00008-a6-T2-B1-Rm4-P1-L3

TRACKS	W
1	100
2	185
3	270
4	355
5	440
6	525
7	610
8	695





MULTI TRACK - G00008-a6-T2-B1-Rm4-P1-L3

Rm = 750mm - MULTI TRACK - 125mm LEAD IN / LEAD OUT


$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a1-T1-B1-Rm4-P0-L3	15°-1T-100w-500CL-125L-MAG	G00008-a2-T1-B1-Rm4-P0-L3	30°-1T-100w-500CL-125L-MAG	G00008-a3-T1-B1-Rm4-P0-L3	45°-1T-100w-500CL-125L-MAG
G00008-a1-T2-B1-Rm4-P1-L3	15°-2T-100w-500CL-P85-125L-MAG	G00008-a2-T2-B1-Rm4-P1-L3	30°-2T-100w-500CL-P85-125L-MAG	G00008-a3-T2-B1-Rm4-P1-L3	45°-2T-100w-500CL-P85-125L-MAG
G00008-a1-T3-B1-Rm4-P1-L3	15°-3T-100w-500CL-P85-125L-MAG	G00008-a2-T3-B1-Rm4-P1-L3	30°-3T-100w-500CL-P85-125L-MAG	G00008-a3-T3-B1-Rm4-P1-L3	45°-3T-100w-500CL-P85-125L-MAG
G00008-a1-T4-B1-Rm4-P1-L3	15°-4T-100w-500CL-P85-125L-MAG	G00008-a2-T4-B1-Rm4-P1-L3	30°-4T-100w-500CL-P85-125L-MAG	G00008-a3-T4-B1-Rm4-P1-L3	45°-4T-100w-500CL-P85-125L-MAG
G00008-a1-T5-B1-Rm4-P1-L3	15°-5T-100w-500CL-P85-125L-MAG	G00008-a2-T5-B1-Rm4-P1-L3	30°-5T-100w-500CL-P85-125L-MAG	G00008-a3-T5-B1-Rm4-P1-L3	45°-5T-100w-500CL-P85-125L-MAG
G00008-a1-T6-B1-Rm4-P1-L3	15°-6T-100w-500CL-P85-125L-MAG	G00008-a2-T6-B1-Rm4-P1-L3	30°-6T-100w-500CL-P85-125L-MAG	G00008-a3-T6-B1-Rm4-P1-L3	45°-6T-100w-500CL-P85-125L-MAG
G00008-a1-T7-B1-Rm4-P1-L3	15°-7T-100w-500CL-P85-125L-MAG	G00008-a2-T7-B1-Rm4-P1-L3	30°-7T-100w-500CL-P85-125L-MAG	G00008-a3-T7-B1-Rm4-P1-L3	45°-7T-100w-500CL-P85-125L-MAG
G00008-a1-T8-B1-Rm4-P1-L3	15°-8T-100w-500CL-P85-125L-MAG	G00008-a2-T8-B1-Rm4-P1-L3	30°-8T-100w-500CL-P85-125L-MAG	G00008-a3-T8-B1-Rm4-P1-L3	45°-8T-100w-500CL-P85-125L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a4-T1-B1-Rm4-P0-L3	60°-1T-100w-500CL-125L-MAG	G00008-a5-T1-B1-Rm4-P0-L3	75°-1T-100w-500CL-125L-MAG	G00008-a6-T1-B1-Rm4-P0-L3	90°-1T-100w-500CL-125L-MAG
G00008-a4-T2-B1-Rm4-P1-L3	60°-2T-100w-500CL-P85-125L-MAG	G00008-a5-T2-B1-Rm4-P1-L3	75°-2T-100w-500CL-P85-125L-MAG	G00008-a6-T2-B1-Rm4-P1-L3	90°-2T-100w-500CL-P85-125L-MAG
G00008-a4-T3-B1-Rm4-P1-L3	60°-3T-100w-500CL-P85-125L-MAG	G00008-a5-T3-B1-Rm4-P1-L3	75°-3T-100w-500CL-P85-125L-MAG	G00008-a6-T3-B1-Rm4-P1-L3	90°-3T-100w-500CL-P85-125L-MAG
G00008-a4-T4-B1-Rm4-P1-L3	60°-4T-100w-500CL-P85-125L-MAG	G00008-a5-T4-B1-Rm4-P1-L3	75°-4T-100w-500CL-P85-125L-MAG	G00008-a6-T4-B1-Rm4-P1-L3	90°-4T-100w-500CL-P85-125L-MAG
G00008-a4-T5-B1-Rm4-P1-L3	60°-5T-100w-500CL-P85-125L-MAG	G00008-a5-T5-B1-Rm4-P1-L3	75°-5T-100w-500CL-P85-125L-MAG	G00008-a6-T5-B1-Rm4-P1-L3	90°-5T-100w-500CL-P85-125L-MAG
G00008-a4-T6-B1-Rm4-P1-L3	60°-6T-100w-500CL-P85-125L-MAG	G00008-a5-T6-B1-Rm4-P1-L3	75°-6T-100w-500CL-P85-125L-MAG	G00008-a6-T6-B1-Rm4-P1-L3	90°-6T-100w-500CL-P85-125L-MAG
G00008-a4-T7-B1-Rm4-P1-L3	60°-7T-100w-500CL-P85-125L-MAG	G00008-a5-T7-B1-Rm4-P1-L3	75°-7T-100w-500CL-P85-125L-MAG	G00008-a6-T7-B1-Rm4-P1-L3	90°-7T-100w-500CL-P85-125L-MAG
G00008-a4-T8-B1-Rm4-P1-L3	60°-8T-100w-500CL-P85-125L-MAG	G00008-a5-T8-B1-Rm4-P1-L3	75°-8T-100w-500CL-P85-125L-MAG	G00008-a6-T8-B1-Rm4-P1-L3	90°-8T-100w-500CL-P85-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST | STANDARD ORDER QTY: PER SET



SINGLE TRACK - G00008-a6-T2-B1-Rm4-P1-L0

TRACKS	W
1	100
2	185
3	270
4	355
5	440
6	525
7	610
8	695



MULTI TRACK - G00008-a6-T2-B1-Rm4-P1-L0

Rm = 750mm - MULTI TRACK - NO LEAD IN / LEAD OUT

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a1-T1-B1-Rm4-P0-L0	15°-1T-100w-500CL-OL-MAG	G00008-a2-T1-B1-Rm4-P0-L0	30°-1T-100w-500CL-OL-MAG	G00008-a3-T1-B1-Rm4-P0-L0	45°-1T-100w-500CL-OL-MAG
G00008-a1-T2-B1-Rm4-P1-L0	15°-2T-100w-500CL-P85-OL-MAG	G00008-a2-T2-B1-Rm4-P1-L0	30°-2T-100w-500CL-P85-OL-MAG	G00008-a3-T2-B1-Rm4-P1-L0	45°-2T-100w-500CL-P85-OL-MAG
G00008-a1-T3-B1-Rm4-P1-L0	15°-3T-100w-500CL-P85-OL-MAG	G00008-a2-T3-B1-Rm4-P1-L0	30°-3T-100w-500CL-P85-OL-MAG	G00008-a3-T3-B1-Rm4-P1-L0	45°-3T-100w-500CL-P85-OL-MAG
G00008-a1-T4-B1-Rm4-P1-L0	15°-4T-100w-500CL-P85-OL-MAG	G00008-a2-T4-B1-Rm4-P1-L0	30°-4T-100w-500CL-P85-OL-MAG	G00008-a3-T4-B1-Rm4-P1-L0	45°-4T-100w-500CL-P85-OL-MAG
G00008-a1-T5-B1-Rm4-P1-L0	15°-5T-100w-500CL-P85-OL-MAG	G00008-a2-T5-B1-Rm4-P1-L0	30°-5T-100w-500CL-P85-OL-MAG	G00008-a3-T5-B1-Rm4-P1-L0	45°-5T-100w-500CL-P85-OL-MAG
G00008-a1-T6-B1-Rm4-P1-L0	15°-6T-100w-500CL-P85-OL-MAG	G00008-a2-T6-B1-Rm4-P1-L0	30°-6T-100w-500CL-P85-OL-MAG	G00008-a3-T6-B1-Rm4-P1-L0	45°-6T-100w-500CL-P85-OL-MAG
G00008-a1-T7-B1-Rm4-P1-L0	15°-7T-100w-500CL-P85-OL-MAG	G00008-a2-T7-B1-Rm4-P1-L0	30°-7T-100w-500CL-P85-OL-MAG	G00008-a3-T7-B1-Rm4-P1-L0	45°-7T-100w-500CL-P85-OL-MAG
G00008-a1-T8-B1-Rm4-P1-L0	15°-8T-100w-500CL-P85-OL-MAG	G00008-a2-T8-B1-Rm4-P1-L0	30°-8T-100w-500CL-P85-OL-MAG	G00008-a3-T8-B1-Rm4-P1-L0	45°-8T-100w-500CL-P85-OL-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a4-T1-B1-Rm4-P0-L0	60°-1T-100w-500CL-OL-MAG	G00008-a5-T1-B1-Rm4-P0-L0	75°-1T-100w-500CL-OL-MAG	G00008-a6-T1-B1-Rm4-P0-L0	90°-1T-100w-500CL-OL-MAG
G00008-a4-T2-B1-Rm4-P1-L0	60°-2T-100w-500CL-P85-OL-MAG	G00008-a5-T2-B1-Rm4-P1-L0	75°-2T-100w-500CL-P85-OL-MAG	G00008-a6-T2-B1-Rm4-P1-L0	90°-2T-100w-500CL-P85-OL-MAG
G00008-a4-T3-B1-Rm4-P1-L0	60°-3T-100w-500CL-P85-OL-MAG	G00008-a5-T3-B1-Rm4-P1-L0	75°-3T-100w-500CL-P85-OL-MAG	G00008-a6-T3-B1-Rm4-P1-L0	90°-3T-100w-500CL-P85-OL-MAG
G00008-a4-T4-B1-Rm4-P1-L0	60°-4T-100w-500CL-P85-OL-MAG	G00008-a5-T4-B1-Rm4-P1-L0	75°-4T-100w-500CL-P85-OL-MAG	G00008-a6-T4-B1-Rm4-P1-L0	90°-4T-100w-500CL-P85-OL-MAG
G00008-a4-T5-B1-Rm4-P1-L0	60°-5T-100w-500CL-P85-OL-MAG	G00008-a5-T5-B1-Rm4-P1-L0	75°-5T-100w-500CL-P85-OL-MAG	G00008-a6-T5-B1-Rm4-P1-L0	90°-5T-100w-500CL-P85-OL-MAG
G00008-a4-T6-B1-Rm4-P1-L0	60°-6T-100w-500CL-P85-OL-MAG	G00008-a5-T6-B1-Rm4-P1-L0	75°-6T-100w-500CL-P85-OL-MAG	G00008-a6-T6-B1-Rm4-P1-L0	90°-6T-100w-500CL-P85-OL-MAG
G00008-a4-T7-B1-Rm4-P1-L0	60°-7T-100w-500CL-P85-OL-MAG	G00008-a5-T7-B1-Rm4-P1-L0	75°-7T-100w-500CL-P85-OL-MAG	G00008-a6-T7-B1-Rm4-P1-L0	90°-7T-100w-500CL-P85-OL-MAG
G00008-a4-T8-B1-Rm4-P1-L0	60°-8T-100w-500CL-P85-OL-MAG	G00008-a5-T8-B1-Rm4-P1-L0	75°-8T-100w-500CL-P85-OL-MAG	G00008-a6-T8-B1-Rm4-P1-L0	90°-8T-100w-500CL-P85-OL-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST | STANDARD ORDER QTY: PER SET



CHAINS/BELTS
PG. E801D - E802D





MATERIALS



TABLE OF
CONTENTS




BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)



SINGLE TRACK - G00008-a6-T1-B1-Rm6-P0-L1

TRACKS	W
1	100
2	185
3	270
4	355
5	440
6	525
7	610
8	695



MULTI TRACK - G00008-a6-T2-B1-Rm6-P1-L1

Rm = 1000mm - MULTI TRACK - 50mm LEAD IN / LEAD OUT

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a1-T1-B1-Rm6-P0-L1	15°-1T-100w-1000CL-50L-MAG	G00008-a2-T1-B1-Rm6-P0-L1	30°-1T-100w-1000CL-50L-MAG	G00008-a3-T1-B1-Rm6-P0-L1	45°-1T-100w-1000CL-50L-MAG
G00008-a1-T2-B1-Rm6-P1-L1	15°-2T-100w-1000CL-P85-50L-MAG	G00008-a2-T2-B1-Rm6-P1-L1	30°-2T-100w-1000CL-P85-50L-MAG	G00008-a3-T2-B1-Rm6-P1-L1	45°-2T-100w-1000CL-P85-50L-MAG
G00008-a1-T3-B1-Rm6-P1-L1	15°-3T-100w-1000CL-P85-50L-MAG	G00008-a2-T3-B1-Rm6-P1-L1	30°-3T-100w-1000CL-P85-50L-MAG	G00008-a3-T3-B1-Rm6-P1-L1	45°-3T-100w-1000CL-P85-50L-MAG
G00008-a1-T4-B1-Rm6-P1-L1	15°-4T-100w-1000CL-P85-50L-MAG	G00008-a2-T4-B1-Rm6-P1-L1	30°-4T-100w-1000CL-P85-50L-MAG	G00008-a3-T4-B1-Rm6-P1-L1	45°-4T-100w-1000CL-P85-50L-MAG
G00008-a1-T5-B1-Rm6-P1-L1	15°-5T-100w-1000CL-P85-50L-MAG	G00008-a2-T5-B1-Rm6-P1-L1	30°-5T-100w-1000CL-P85-50L-MAG	G00008-a3-T5-B1-Rm6-P1-L1	45°-5T-100w-1000CL-P85-50L-MAG
G00008-a1-T6-B1-Rm6-P1-L1	15°-6T-100w-1000CL-P85-50L-MAG	G00008-a2-T6-B1-Rm6-P1-L1	30°-6T-100w-1000CL-P85-50L-MAG	G00008-a3-T6-B1-Rm6-P1-L1	45°-6T-100w-1000CL-P85-50L-MAG
G00008-a1-T7-B1-Rm6-P1-L1	15°-7T-100w-1000CL-P85-50L-MAG	G00008-a2-T7-B1-Rm6-P1-L1	30°-7T-100w-1000CL-P85-50L-MAG	G00008-a3-T7-B1-Rm6-P1-L1	45°-7T-100w-1000CL-P85-50L-MAG
G00008-a1-T8-B1-Rm6-P1-L1	15°-8T-100w-1000CL-P85-50L-MAG	G00008-a2-T8-B1-Rm6-P1-L1	30°-8T-100w-1000CL-P85-50L-MAG	G00008-a3-T8-B1-Rm6-P1-L1	45°-8T-100w-1000CL-P85-50L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a4-T1-B1-Rm6-P0-L1	60°-1T-100w-1000CL-50L-MAG	G00008-a5-T1-B1-Rm6-P0-L1	75°-1T-100w-1000CL-50L-MAG	G00008-a6-T1-B1-Rm6-P0-L1	90°-1T-100w-1000CL-50L-MAG
G00008-a4-T2-B1-Rm6-P1-L1	60°-2T-100w-1000CL-P85-50L-MAG	G00008-a5-T2-B1-Rm6-P1-L1	75°-2T-100w-1000CL-P85-50L-MAG	G00008-a6-T2-B1-Rm6-P1-L1	90°-2T-100w-1000CL-P85-50L-MAG
G00008-a4-T3-B1-Rm6-P1-L1	60°-3T-100w-1000CL-P85-50L-MAG	G00008-a5-T3-B1-Rm6-P1-L1	75°-3T-100w-1000CL-P85-50L-MAG	G00008-a6-T3-B1-Rm6-P1-L1	90°-3T-100w-1000CL-P85-50L-MAG
G00008-a4-T4-B1-Rm6-P1-L1	60°-4T-100w-1000CL-P85-50L-MAG	G00008-a5-T4-B1-Rm6-P1-L1	75°-4T-100w-1000CL-P85-50L-MAG	G00008-a6-T4-B1-Rm6-P1-L1	90°-4T-100w-1000CL-P85-50L-MAG
G00008-a4-T5-B1-Rm6-P1-L1	60°-5T-100w-1000CL-P85-50L-MAG	G00008-a5-T5-B1-Rm6-P1-L1	75°-5T-100w-1000CL-P85-50L-MAG	G00008-a6-T5-B1-Rm6-P1-L1	90°-5T-100w-1000CL-P85-50L-MAG
G00008-a4-T6-B1-Rm6-P1-L1	60°-6T-100w-1000CL-P85-50L-MAG	G00008-a5-T6-B1-Rm6-P1-L1	75°-6T-100w-1000CL-P85-50L-MAG	G00008-a6-T6-B1-Rm6-P1-L1	90°-6T-100w-1000CL-P85-50L-MAG
G00008-a4-T7-B1-Rm6-P1-L1	60°-7T-100w-1000CL-P85-50L-MAG	G00008-a5-T7-B1-Rm6-P1-L1	75°-7T-100w-1000CL-P85-50L-MAG	G00008-a6-T7-B1-Rm6-P1-L1	90°-7T-100w-1000CL-P85-50L-MAG
G00008-a4-T8-B1-Rm6-P1-L1	60°-8T-100w-1000CL-P85-50L-MAG	G00008-a5-T8-B1-Rm6-P1-L1	75°-8T-100w-1000CL-P85-50L-MAG	G00008-a6-T8-B1-Rm6-P1-L1	90°-8T-100w-1000CL-P85-50L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST | STANDARD ORDER QTY: PER SET



CHAINS/BELTS
PG. E801D - E802D



MATERIALS





TABLE OF
CONTENTS




BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)

WWW.IRP.CO.ZA



SINGLE TRACK - G00008-a6-T1-B1-Rm6-P0-L2

TRACKS	W
1	100
2	185
3	270
4	355
5	440
6	525
7	610
8	695





MULTI TRACK - G00008-a6-T2-B1-Rm6-P1-L2

Rm = 1000mm - MULTI TRACK - 100mm LEAD IN / LEAD OUT


$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a1-T1-B1-Rm6-P0-L2	15°-1T-100w-1000CL-100L-MAG	G00008-a2-T1-B1-Rm6-P0-L2	30°-1T-100w-1000CL-100L-MAG	G00008-a3-T1-B1-Rm6-P0-L2	45°-1T-100w-1000CL-100L-MAG
G00008-a1-T2-B1-Rm6-P1-L2	15°-2T-100w-1000CL-P85-100L-MAG	G00008-a2-T2-B1-Rm6-P1-L2	30°-2T-100w-1000CL-P85-100L-MAG	G00008-a3-T2-B1-Rm6-P1-L2	45°-2T-100w-1000CL-P85-100L-MAG
G00008-a1-T3-B1-Rm6-P1-L2	15°-3T-100w-1000CL-P85-100L-MAG	G00008-a2-T3-B1-Rm6-P1-L2	30°-3T-100w-1000CL-P85-100L-MAG	G00008-a3-T3-B1-Rm6-P1-L2	45°-3T-100w-1000CL-P85-100L-MAG
G00008-a1-T4-B1-Rm6-P1-L2	15°-4T-100w-1000CL-P85-100L-MAG	G00008-a2-T4-B1-Rm6-P1-L2	30°-4T-100w-1000CL-P85-100L-MAG	G00008-a3-T4-B1-Rm6-P1-L2	45°-4T-100w-1000CL-P85-100L-MAG
G00008-a1-T5-B1-Rm6-P1-L2	15°-5T-100w-1000CL-P85-100L-MAG	G00008-a2-T5-B1-Rm6-P1-L2	30°-5T-100w-1000CL-P85-100L-MAG	G00008-a3-T5-B1-Rm6-P1-L2	45°-5T-100w-1000CL-P85-100L-MAG
G00008-a1-T6-B1-Rm6-P1-L2	15°-6T-100w-1000CL-P85-100L-MAG	G00008-a2-T6-B1-Rm6-P1-L2	30°-6T-100w-1000CL-P85-100L-MAG	G00008-a3-T6-B1-Rm6-P1-L2	45°-6T-100w-1000CL-P85-100L-MAG
G00008-a1-T7-B1-Rm6-P1-L2	15°-7T-100w-1000CL-P85-100L-MAG	G00008-a2-T7-B1-Rm6-P1-L2	30°-7T-100w-1000CL-P85-100L-MAG	G00008-a3-T7-B1-Rm6-P1-L2	45°-7T-100w-1000CL-P85-100L-MAG
G00008-a1-T8-B1-Rm6-P1-L2	15°-8T-100w-1000CL-P85-100L-MAG	G00008-a2-T8-B1-Rm6-P1-L2	30°-8T-100w-1000CL-P85-100L-MAG	G00008-a3-T8-B1-Rm6-P1-L2	45°-8T-100w-1000CL-P85-100L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a4-T1-B1-Rm6-P0-L2	60°-1T-100w-1000CL-100L-MAG	G00008-a5-T1-B1-Rm6-P0-L2	75°-1T-100w-1000CL-100L-MAG	G00008-a6-T1-B1-Rm6-P0-L2	90°-1T-100w-1000CL-100L-MAG
G00008-a4-T2-B1-Rm6-P1-L2	60°-2T-100w-1000CL-P85-100L-MAG	G00008-a5-T2-B1-Rm6-P1-L2	75°-2T-100w-1000CL-P85-100L-MAG	G00008-a6-T2-B1-Rm6-P1-L2	90°-2T-100w-1000CL-P85-100L-MAG
G00008-a4-T3-B1-Rm6-P1-L2	60°-3T-100w-1000CL-P85-100L-MAG	G00008-a5-T3-B1-Rm6-P1-L2	75°-3T-100w-1000CL-P85-100L-MAG	G00008-a6-T3-B1-Rm6-P1-L2	90°-3T-100w-1000CL-P85-100L-MAG
G00008-a4-T4-B1-Rm6-P1-L2	60°-4T-100w-1000CL-P85-100L-MAG	G00008-a5-T4-B1-Rm6-P1-L2	75°-4T-100w-1000CL-P85-100L-MAG	G00008-a6-T4-B1-Rm6-P1-L2	90°-4T-100w-1000CL-P85-100L-MAG
G00008-a4-T5-B1-Rm6-P1-L2	60°-5T-100w-1000CL-P85-100L-MAG	G00008-a5-T5-B1-Rm6-P1-L2	75°-5T-100w-1000CL-P85-100L-MAG	G00008-a6-T5-B1-Rm6-P1-L2	90°-5T-100w-1000CL-P85-100L-MAG
G00008-a4-T6-B1-Rm6-P1-L2	60°-6T-100w-1000CL-P85-100L-MAG	G00008-a5-T6-B1-Rm6-P1-L2	75°-6T-100w-1000CL-P85-100L-MAG	G00008-a6-T6-B1-Rm6-P1-L2	90°-6T-100w-1000CL-P85-100L-MAG
G00008-a4-T7-B1-Rm6-P1-L2	60°-7T-100w-1000CL-P85-100L-MAG	G00008-a5-T7-B1-Rm6-P1-L2	75°-7T-100w-1000CL-P85-100L-MAG	G00008-a6-T7-B1-Rm6-P1-L2	90°-7T-100w-1000CL-P85-100L-MAG
G00008-a4-T8-B1-Rm6-P1-L2	60°-8T-100w-1000CL-P85-100L-MAG	G00008-a5-T8-B1-Rm6-P1-L2	75°-8T-100w-1000CL-P85-100L-MAG	G00008-a6-T8-B1-Rm6-P1-L2	90°-8T-100w-1000CL-P85-100L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST | STANDARD ORDER QTY: PER SET



SINGLE TRACK - G00008-a6-T1-B1-Rm6-P0-L3

TRACKS	W
1	100
2	185
3	270
4	355
5	440
6	525
7	610
8	695




MULTI TRACK - G00008-a6-T2-B1-Rm6-P1-L3

Rm = 1000mm - MULTI TRACK - 125mm LEAD IN / LEAD OUT

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a1-T1-B1-Rm6-P0-L3	15°-1T-100w-1000CL-125L-MAG	G00008-a2-T1-B1-Rm6-P0-L3	30°-1T-100w-1000CL-125L-MAG	G00008-a3-T1-B1-Rm6-P0-L3	45°-1T-100w-1000CL-125L-MAG
G00008-a1-T2-B1-Rm6-P1-L3	15°-2T-100w-1000CL-P85-125L-MAG	G00008-a2-T2-B1-Rm6-P1-L3	30°-2T-100w-1000CL-P85-125L-MAG	G00008-a3-T2-B1-Rm6-P1-L3	45°-2T-100w-1000CL-P85-125L-MAG
G00008-a1-T3-B1-Rm6-P1-L3	15°-3T-100w-1000CL-P85-125L-MAG	G00008-a2-T3-B1-Rm6-P1-L3	30°-3T-100w-1000CL-P85-125L-MAG	G00008-a3-T3-B1-Rm6-P1-L3	45°-3T-100w-1000CL-P85-125L-MAG
G00008-a1-T4-B1-Rm6-P1-L3	15°-4T-100w-1000CL-P85-125L-MAG	G00008-a2-T4-B1-Rm6-P1-L3	30°-4T-100w-1000CL-P85-125L-MAG	G00008-a3-T4-B1-Rm6-P1-L3	45°-4T-100w-1000CL-P85-125L-MAG
G00008-a1-T5-B1-Rm6-P1-L3	15°-5T-100w-1000CL-P85-125L-MAG	G00008-a2-T5-B1-Rm6-P1-L3	30°-5T-100w-1000CL-P85-125L-MAG	G00008-a3-T5-B1-Rm6-P1-L3	45°-5T-100w-1000CL-P85-125L-MAG
G00008-a1-T6-B1-Rm6-P1-L3	15°-6T-100w-1000CL-P85-125L-MAG	G00008-a2-T6-B1-Rm6-P1-L3	30°-6T-100w-1000CL-P85-125L-MAG	G00008-a3-T6-B1-Rm6-P1-L3	45°-6T-100w-1000CL-P85-125L-MAG
G00008-a1-T7-B1-Rm6-P1-L3	15°-7T-100w-1000CL-P85-125L-MAG	G00008-a2-T7-B1-Rm6-P1-L3	30°-7T-100w-1000CL-P85-125L-MAG	G00008-a3-T7-B1-Rm6-P1-L3	45°-7T-100w-1000CL-P85-125L-MAG
G00008-a1-T8-B1-Rm6-P1-L3	15°-8T-100w-1000CL-P85-125L-MAG	G00008-a2-T8-B1-Rm6-P1-L3	30°-8T-100w-1000CL-P85-125L-MAG	G00008-a3-T8-B1-Rm6-P1-L3	45°-8T-100w-1000CL-P85-125L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a4-T1-B1-Rm6-P0-L3	60°-1T-100w-1000CL-125L-MAG	G00008-a5-T1-B1-Rm6-P0-L3	75°-1T-100w-1000CL-125L-MAG	G00008-a6-T1-B1-Rm6-P0-L3	90°-1T-100w-1000CL-125L-MAG
G00008-a4-T2-B1-Rm6-P1-L3	60°-2T-100w-1000CL-P85-125L-MAG	G00008-a5-T2-B1-Rm6-P1-L3	75°-2T-100w-1000CL-P85-125L-MAG	G00008-a6-T2-B1-Rm6-P1-L3	90°-2T-100w-1000CL-P85-125L-MAG
G00008-a4-T3-B1-Rm6-P1-L3	60°-3T-100w-1000CL-P85-125L-MAG	G00008-a5-T3-B1-Rm6-P1-L3	75°-3T-100w-1000CL-P85-125L-MAG	G00008-a6-T3-B1-Rm6-P1-L3	90°-3T-100w-1000CL-P85-125L-MAG
G00008-a4-T4-B1-Rm6-P1-L3	60°-4T-100w-1000CL-P85-125L-MAG	G00008-a5-T4-B1-Rm6-P1-L3	75°-4T-100w-1000CL-P85-125L-MAG	G00008-a6-T4-B1-Rm6-P1-L3	90°-4T-100w-1000CL-P85-125L-MAG
G00008-a4-T5-B1-Rm6-P1-L3	60°-5T-100w-1000CL-P85-125L-MAG	G00008-a5-T5-B1-Rm6-P1-L3	75°-5T-100w-1000CL-P85-125L-MAG	G00008-a6-T5-B1-Rm6-P1-L3	90°-5T-100w-1000CL-P85-125L-MAG
G00008-a4-T6-B1-Rm6-P1-L3	60°-6T-100w-1000CL-P85-125L-MAG	G00008-a5-T6-B1-Rm6-P1-L3	75°-6T-100w-1000CL-P85-125L-MAG	G00008-a6-T6-B1-Rm6-P1-L3	90°-6T-100w-1000CL-P85-125L-MAG
G00008-a4-T7-B1-Rm6-P1-L3	60°-7T-100w-1000CL-P85-125L-MAG	G00008-a5-T7-B1-Rm6-P1-L3	75°-7T-100w-1000CL-P85-125L-MAG	G00008-a6-T7-B1-Rm6-P1-L3	90°-7T-100w-1000CL-P85-125L-MAG
G00008-a4-T8-B1-Rm6-P1-L3	60°-8T-100w-1000CL-P85-125L-MAG	G00008-a5-T8-B1-Rm6-P1-L3	75°-8T-100w-1000CL-P85-125L-MAG	G00008-a6-T8-B1-Rm6-P1-L3	90°-8T-100w-1000CL-P85-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST | STANDARD ORDER QTY: PER SET





MULTI TRACK - G00008-a6-T2-B1-Rm6-P1-L0

TRACKS	W
1	100
2	185
3	270
4	355
5	440
6	525
7	610
8	695

Rm = 1000mm - MULTI TRACK - NO LEAD IN / LEAD OUT					
α 15°		α 30°		α 45°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-α1-T1-B1-Rm6-P0-L0	15°-1T-100w-1000CL-0L-MAG	G00008-α2-T1-B1-Rm6-P0-L0	30°-1T-100w-1000CL-0L-MAG	G00008-α3-T1-B1-Rm6-P0-L0	45°-1T-100w-1000CL-0L-MAG
G00008-α1-T2-B1-Rm6-P1-L0	15°-2T-100w-1000CL-P85-0L-MAG	G00008-α2-T2-B1-Rm6-P1-L0	30°-2T-100w-1000CL-P85-0L-MAG	G00008-α3-T2-B1-Rm6-P1-L0	45°-2T-100w-1000CL-P85-0L-MAG
G00008-α1-T3-B1-Rm6-P1-L0	15°-3T-100w-1000CL-P85-0L-MAG	G00008-α2-T3-B1-Rm6-P1-L0	30°-3T-100w-1000CL-P85-0L-MAG	G00008-α3-T3-B1-Rm6-P1-L0	45°-3T-100w-1000CL-P85-0L-MAG
G00008-α1-T4-B1-Rm6-P1-L0	15°-4T-100w-1000CL-P85-0L-MAG	G00008-α2-T4-B1-Rm6-P1-L0	30°-4T-100w-1000CL-P85-0L-MAG	G00008-α3-T4-B1-Rm6-P1-L0	45°-4T-100w-1000CL-P85-0L-MAG
G00008-α1-T5-B1-Rm6-P1-L0	15°-5T-100w-1000CL-P85-0L-MAG	G00008-α2-T5-B1-Rm6-P1-L0	30°-5T-100w-1000CL-P85-0L-MAG	G00008-α3-T5-B1-Rm6-P1-L0	45°-5T-100w-1000CL-P85-0L-MAG
G00008-α1-T6-B1-Rm6-P1-L0	15°-6T-100w-1000CL-P85-0L-MAG	G00008-α2-T6-B1-Rm6-P1-L0	30°-6T-100w-1000CL-P85-0L-MAG	G00008-α3-T6-B1-Rm6-P1-L0	45°-6T-100w-1000CL-P85-0L-MAG
G00008-α1-T7-B1-Rm6-P1-L0	15°-7T-100w-1000CL-P85-0L-MAG	G00008-α2-T7-B1-Rm6-P1-L0	30°-7T-100w-1000CL-P85-0L-MAG	G00008-α3-T7-B1-Rm6-P1-L0	45°-7T-100w-1000CL-P85-0L-MAG
G00008-α1-T8-B1-Rm6-P1-L0	15°-8T-100w-1000CL-P85-0L-MAG	G00008-α2-T8-B1-Rm6-P1-L0	30°-8T-100w-1000CL-P85-0L-MAG	G00008-α3-T8-B1-Rm6-P1-L0	45°-8T-100w-1000CL-P85-0L-MAG
α 60°		α 75°		α 90°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-α4-T1-B1-Rm6-P0-L0	60°-1T-100w-1000CL-0L-MAG	G00008-α5-T1-B1-Rm6-P0-L0	75°-1T-100w-1000CL-0L-MAG	G00008-α6-T1-B1-Rm6-P0-L0	90°-1T-100w-1000CL-0L-MAG
G00008-α4-T2-B1-Rm6-P1-L0	60°-2T-100w-1000CL-P85-0L-MAG	G00008-α5-T2-B1-Rm6-P1-L0	75°-2T-100w-1000CL-P85-0L-MAG	G00008-α6-T2-B1-Rm6-P1-L0	90°-2T-100w-1000CL-P85-0L-MAG
G00008-α4-T3-B1-Rm6-P1-L0	60°-3T-100w-1000CL-P85-0L-MAG	G00008-α5-T3-B1-Rm6-P1-L0	75°-3T-100w-1000CL-P85-0L-MAG	G00008-α6-T3-B1-Rm6-P1-L0	90°-3T-100w-1000CL-P85-0L-MAG
G00008-α4-T4-B1-Rm6-P1-L0	60°-4T-100w-1000CL-P85-0L-MAG	G00008-α5-T4-B1-Rm6-P1-L0	75°-4T-100w-1000CL-P85-0L-MAG	G00008-α6-T4-B1-Rm6-P1-L0	90°-4T-100w-1000CL-P85-0L-MAG
G00008-α4-T5-B1-Rm6-P1-L0	60°-5T-100w-1000CL-P85-0L-MAG	G00008-α5-T5-B1-Rm6-P1-L0	75°-5T-100w-1000CL-P85-0L-MAG	G00008-α6-T5-B1-Rm6-P1-L0	90°-5T-100w-1000CL-P85-0L-MAG
G00008-α4-T6-B1-Rm6-P1-L0	60°-6T-100w-1000CL-P85-0L-MAG	G00008-α5-T6-B1-Rm6-P1-L0	75°-6T-100w-1000CL-P85-0L-MAG	G00008-α6-T6-B1-Rm6-P1-L0	90°-6T-100w-1000CL-P85-0L-MAG
G00008-α4-T7-B1-Rm6-P1-L0	60°-7T-100w-1000CL-P85-0L-MAG	G00008-α5-T7-B1-Rm6-P1-L0	75°-7T-100w-1000CL-P85-0L-MAG	G00008-α6-T7-B1-Rm6-P1-L0	90°-7T-100w-1000CL-P85-0L-MAG
G00008-α4-T8-B1-Rm6-P1-L0	60°-8T-100w-1000CL-P85-0L-MAG	G00008-α5-T8-B1-Rm6-P1-L0	75°-8T-100w-1000CL-P85-0L-MAG	G00008-α6-T8-B1-Rm6-P1-L0	90°-8T-100w-1000CL-P85-0L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST | STANDARD ORDER QTY: PER SET





LEAD IN & OUT AVAILABLE IN
 125mm - 100mm - 50mm AND WITHOUT

Rm = 500mm - SINGLE TRACK

α 15°		α 30°		α 45°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a1-T1-B1-Rm1-P0-L0	15°-1T-100w-500CL-0L-MAG	G00008-a2-T1-B1-Rm1-P0-L0	30°-1T-100w-500CL-0L-MAG	G00008-a3-T1-B1-Rm1-P0-L0	45°-1T-100w-500CL-0L-MAG
G00008-a1-T1-B1-Rm1-P0-L1	15°-1T-100w-500CL-50L-MAG	G00008-a2-T1-B1-Rm1-P0-L1	30°-1T-100w-500CL-50L-MAG	G00008-a3-T1-B1-Rm1-P0-L1	45°-1T-100w-500CL-50L-MAG
G00008-a1-T1-B1-Rm1-P0-L2	15°-1T-100w-500CL-100L-MAG	G00008-a2-T1-B1-Rm1-P0-L2	30°-1T-100w-500CL-100L-MAG	G00008-a3-T1-B1-Rm1-P0-L2	45°-1T-100w-500CL-100L-MAG
G00008-a1-T1-B1-Rm1-P0-L3	15°-1T-100w-500CL-125L-MAG	G00008-a2-T1-B1-Rm1-P0-L3	30°-1T-100w-500CL-125L-MAG	G00008-a3-T1-B1-Rm1-P0-L3	45°-1T-100w-500CL-125L-MAG
α 60°		α 75°		α 90°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a4-T1-B1-Rm1-P0-L0	60°-1T-100w-500CL-0L-MAG	G00008-a5-T1-B1-Rm1-P0-0	75°-1T-100w-500CL-0L-MAG	G00008-a6-T1-B1-Rm1-P0-L0	90°-1T-100w-500CL-0L-MAG
G00008-a4-T1-B1-Rm1-P0-L1	60°-1T-100w-500CL-50L-MAG	G00008-a5-T1-B1-Rm1-P0-L1	75°-1T-100w-500CL-50L-MAG	G00008-a6-T1-B1-Rm1-P0-L1	90°-1T-100w-500CL-50L-MAG
G00008-a4-T1-B1-Rm1-P0-L2	60°-1T-100w-500CL-100L-MAG	G00008-a5-T1-B1-Rm1-P0-L2	75°-1T-100w-500CL-100L-MAG	G00008-a6-T1-B1-Rm1-P0-L2	90°-1T-100w-500CL-100L-MAG
G00008-a4-T1-B1-Rm1-P0-L3	60°-1T-100w-500CL-125L-MAG	G00008-a5-T1-B1-Rm1-P0-L3	75°-1T-100w-500CL-125L-MAG	G00008-a6-T1-B1-Rm1-P0-L3	90°-1T-100w-500CL-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
 STANDARD ORDER QTY: PER SET





LEAD IN & OUT AVAILABLE IN
 125mm - 100mm - 50mm AND WITHOUT

Rm = 610mm - SINGLE TRACK

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a1-T1-B1-Rm2-P0-L0	15°-1T-100w-610CL-0L-MAG	G00008-a2-T1-B1-Rm2-P0-L0	30°-1T-100w-610CL-0L-MAG	G00008-a3-T1-B1-Rm2-P0-L0	45°-1T-100w-610CL-0L-MAG
G00008-a1-T1-B1-Rm2-P0-L1	15°-1T-100w-610CL-50L-MAG	G00008-a2-T1-B1-Rm2-P0-L1	30°-1T-100w-610CL-50L-MAG	G00008-a3-T1-B1-Rm2-P0-L1	45°-1T-100w-610CL-50L-MAG
G00008-a1-T1-B1-Rm2-P0-L2	15°-1T-100w-610CL-100L-MAG	G00008-a2-T1-B1-Rm2-P0-L2	30°-1T-100w-610CL-100L-MAG	G00008-a3-T1-B1-Rm2-P0-L2	45°-1T-100w-610CL-100L-MAG
G00008-a1-T1-B1-Rm2-P0-L3	15°-1T-100w-610CL-125L-MAG	G00008-a2-T1-B1-Rm2-P0-L3	30°-1T-100w-610CL-125L-MAG	G00008-a3-T1-B1-Rm2-P0-L3	45°-1T-100w-610CL-125L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a4-T1-B1-Rm2-P0-L0	60°-1T-100w-610CL-0L-MAG	G00008-a5-T1-B1-Rm2-P0-L0	75°-1T-100w-610CL-0L-MAG	G00008-a6-T1-B1-Rm2-P0-L0	90°-1T-100w-610CL-0L-MAG
G00008-a4-T1-B1-Rm2-P0-L1	60°-1T-100w-610CL-50L-MAG	G00008-a5-T1-B1-Rm2-P0-L1	75°-1T-100w-610CL-50L-MAG	G00008-a6-T1-B1-Rm2-P0-L1	90°-1T-100w-610CL-50L-MAG
G00008-a4-T1-B1-Rm2-P0-L2	60°-1T-100w-610CL-100L-MAG	G00008-a5-T1-B1-Rm2-P0-L2	75°-1T-100w-610CL-100L-MAG	G00008-a6-T1-B1-Rm2-P0-L2	90°-1T-100w-610CL-100L-MAG
G00008-a4-T1-B1-Rm2-P0-L3	60°-1T-100w-610CL-125L-MAG	G00008-a5-T1-B1-Rm2-P0-L3	75°-1T-100w-610CL-125L-MAG	G00008-a6-T1-B1-Rm2-P0-L3	90°-1T-100w-610CL-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
 STANDARD ORDER QTY: PER SET







LEAD IN & OUT AVAILABLE IN
 125mm - 100mm - 50mm AND WITHOUT

Rm = 750mm - SINGLE TRACK

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a1-T1-B1-Rm4-P0-L0	15°-1T-100w-750CL-0L-MAG	G00008-a2-T1-B1-Rm4-P0-L0	30°-1T-100w-750CL-0L-MAG	G00008-a3-T1-B1-Rm4-P0-L0	45°-1T-100w-750CL-0L-MAG
G00008-a1-T1-B1-Rm4-P0-L1	15°-1T-100w-750CL-50L-MAG	G00008-a2-T1-B1-Rm4-P0-L1	30°-1T-100w-750CL-50L-MAG	G00008-a3-T1-B1-Rm4-P0-L1	45°-1T-100w-750CL-50L-MAG
G00008-a1-T1-B1-Rm4-P0-L2	15°-1T-100w-750CL-100L-MAG	G00008-a2-T1-B1-Rm4-P0-L2	30°-1T-100w-750CL-100L-MAG	G00008-a3-T1-B1-Rm4-P0-L2	45°-1T-100w-750CL-100L-MAG
G00008-a1-T1-B1-Rm4-P0-L3	15°-1T-100w-750CL-125L-MAG	G00008-a2-T1-B1-Rm4-P0-L3	30°-1T-100w-750CL-125L-MAG	G00008-a3-T1-B1-Rm4-P0-L3	45°-1T-100w-750CL-125L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a4-T1-B1-Rm4-P0-L0	60°-1T-100w-750CL-0L-MAG	G00008-a5-T1-B1-Rm4-P0-L0	75°-1T-100w-750CL-0L-MAG	G00008-a6-T1-B1-Rm4-P0-L0	90°-1T-100w-750CL-0L-MAG
G00008-a4-T1-B1-Rm4-P0-L1	60°-1T-100w-750CL-50L-MAG	G00008-a5-T1-B1-Rm4-P0-L1	75°-1T-100w-750CL-50L-MAG	G00008-a6-T1-B1-Rm4-P0-L1	90°-1T-100w-750CL-50L-MAG
G00008-a4-T1-B1-Rm4-P0-L2	60°-1T-100w-750CL-100L-MAG	G00008-a5-T1-B1-Rm4-P0-L2	75°-1T-100w-750CL-100L-MAG	G00008-a6-T1-B1-Rm4-P0-L2	90°-1T-100w-750CL-100L-MAG
G00008-a4-T1-B1-Rm4-P0-L3	60°-1T-100w-750CL-125L-MAG	G00008-a5-T1-B1-Rm4-P0-L3	75°-1T-100w-750CL-125L-MAG	G00008-a6-T1-B1-Rm4-P0-L3	90°-1T-100w-750CL-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
 STANDARD ORDER QTY: PER SET





LEAD IN & OUT AVAILABLE IN
 125mm - 100mm - 50mm AND WITHOUT

Rm = 860mm - SINGLE TRACK

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a1-T1-B1-Rm5-P0-L0	15°-1T-100w-860CL-0L-MAG	G00008-a2-T1-B1-Rm5-P0-L0	30°-1T-100w-860CL-0L-MAG	G00008-a3-T1-B1-Rm5-P0-L0	45°-1T-100w-860CL-0L-MAG
G00008-a1-T1-B1-Rm5-P0-L1	15°-1T-100w-860CL-50L-MAG	G00008-a2-T1-B1-Rm5-P0-L1	30°-1T-100w-860CL-50L-MAG	G00008-a3-T1-B1-Rm5-P0-L1	45°-1T-100w-860CL-50L-MAG
G00008-a1-T1-B1-Rm5-P0-L2	15°-1T-100w-860CL-100L-MAG	G00008-a2-T1-B1-Rm5-P0-L2	30°-1T-100w-860CL-100L-MAG	G00008-a3-T1-B1-Rm5-P0-L2	45°-1T-100w-860CL-100L-MAG
G00008-a1-T1-B1-Rm5-P0-L3	15°-1T-100w-860CL-125L-MAG	G00008-a2-T1-B1-Rm5-P0-L3	30°-1T-100w-860CL-125L-MAG	G00008-a3-T1-B1-Rm5-P0-L3	45°-1T-100w-860CL-125L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a4-T1-B1-Rm5-P0-L0	60°-1T-100w-860CL-0L-MAG	G00008-a5-T1-B1-Rm5-P0-L0	75°-1T-100w-860CL-0L-MAG	G00008-a6-T1-B1-Rm5-P0-L0	90°-1T-100w-860CL-0L-MAG
G00008-a4-T1-B1-Rm5-P0-L1	60°-1T-100w-860CL-50L-MAG	G00008-a5-T1-B1-Rm5-P0-L1	75°-1T-100w-860CL-50L-MAG	G00008-a6-T1-B1-Rm5-P0-L1	90°-1T-100w-860CL-50L-MAG
G00008-a4-T1-B1-Rm5-P0-L2	60°-1T-100w-860CL-100L-MAG	G00008-a5-T1-B1-Rm5-P0-L2	75°-1T-100w-860CL-100L-MAG	G00008-a6-T1-B1-Rm5-P0-L2	90°-1T-100w-860CL-100L-MAG
G00008-a4-T1-B1-Rm5-P0-L3	60°-1T-100w-860CL-125L-MAG	G00008-a5-T1-B1-Rm5-P0-L3	75°-1T-100w-860CL-125L-MAG	G00008-a6-T1-B1-Rm5-P0-L3	90°-1T-100w-860CL-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
 STANDARD ORDER QTY: PER SET







LEAD IN & OUT AVAILABLE IN
 125mm - 100mm - 50mm AND WITHOUT

Rm = 1000mm - SINGLE TRACK


$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a1-T1-B1-Rm6-P0-L0	15°-1T-100w-1000CL-0L-MAG	G00008-a2-T1-B1-Rm6-P0-L0	30°-1T-100w-1000CL-0L-MAG	G00008-a3-T1-B1-Rm6-P0-L0	45°-1T-100w-1000CL-0L-MAG
G00008-a1-T1-B1-Rm6-P0-L1	15°-1T-100w-1000CL-50L-MAG	G00008-a2-T1-B1-Rm6-P0-L1	30°-1T-100w-1000CL-50L-MAG	G00008-a3-T1-B1-Rm6-P0-L1	45°-1T-100w-1000CL-50L-MAG
G00008-a1-T1-B1-Rm6-P0-L2	15°-1T-100w-1000CL-100L-MAG	G00008-a2-T1-B1-Rm6-P0-L2	30°-1T-100w-1000CL-100L-MAG	G00008-a3-T1-B1-Rm6-P0-L2	45°-1T-100w-1000CL-100L-MAG
G00008-a1-T1-B1-Rm6-P0-L3	15°-1T-100w-1000CL-125L-MAG	G00008-a2-T1-B1-Rm6-P0-L3	30°-1T-100w-1000CL-125L-MAG	G00008-a3-T1-B1-Rm6-P0-L3	45°-1T-100w-1000CL-125L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a4-T1-B1-Rm6-P0-L0	60°-1T-100w-1000CL-0L-MAG	G00008-a5-T1-B1-Rm6-P0-L0	75°-1T-100w-1000CL-0L-MAG	G00008-a6-T1-B1-Rm6-P0-L0	90°-1T-100w-1000CL-0L-MAG
G00008-a4-T1-B1-Rm6-P0-L1	60°-1T-100w-1000CL-50L-MAG	G00008-a5-T1-B1-Rm6-P0-L1	75°-1T-100w-1000CL-50L-MAG	G00008-a6-T1-B1-Rm6-P0-L1	90°-1T-100w-1000CL-50L-MAG
G00008-a4-T1-B1-Rm6-P0-L2	60°-1T-100w-1000CL-100L-MAG	G00008-a5-T1-B1-Rm6-P0-L2	75°-1T-100w-1000CL-100L-MAG	G00008-a6-T1-B1-Rm6-P0-L2	90°-1T-100w-1000CL-100L-MAG
G00008-a4-T1-B1-Rm6-P0-L3	60°-1T-100w-1000CL-125L-MAG	G00008-a5-T1-B1-Rm6-P0-L3	75°-1T-100w-1000CL-125L-MAG	G00008-a6-T1-B1-Rm6-P0-L3	90°-1T-100w-1000CL-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
 STANDARD ORDER QTY: PER SET



SINGLE TRACK - G00008-a6-T1-B3-Rm1-P0-L1

TRACKS	W
1	111
2	196
3	281
4	366
5	451
6	536
7	621
8	706




MULTI TRACK - G00008-a6-T2-B3-Rm1-P1-L1


Rm = 500mm - MULTI TRACK - 50mm LEAD IN / LEAD OUT

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a1-T1-B3-Rm1-P0-L1	15°-1T-111w-500CL-50L-MAG	G00008-a2-T1-B3-Rm1-P0-L1	30°-1T-111w-500CL-50L-MAG	G00008-a3-T1-B3-Rm1-P0-L1	45°-1T-111w-500CL-50L-MAG
G00008-a1-T2-B3-Rm1-P1-L1	15°-2T-111w-500CL-P85-50L-MAG	G00008-a2-T2-B3-Rm1-P1-L1	30°-2T-111w-500CL-P85-50L-MAG	G00008-a3-T2-B3-Rm1-P1-L1	45°-2T-111w-500CL-P85-50L-MAG
G00008-a1-T3-B3-Rm1-P1-L1	15°-3T-111w-500CL-P85-50L-MAG	G00008-a2-T3-B3-Rm1-P1-L1	30°-3T-111w-500CL-P85-50L-MAG	G00008-a3-T3-B3-Rm1-P1-L1	45°-3T-111w-500CL-P85-50L-MAG
G00008-a1-T4-B3-Rm1-P1-L1	15°-4T-111w-500CL-P85-50L-MAG	G00008-a2-T4-B3-Rm1-P1-L1	30°-4T-111w-500CL-P85-50L-MAG	G00008-a3-T4-B3-Rm1-P1-L1	45°-4T-111w-500CL-P85-50L-MAG
G00008-a1-T5-B3-Rm1-P1-L1	15°-5T-111w-500CL-P85-50L-MAG	G00008-a2-T5-B3-Rm1-P1-L1	30°-5T-111w-500CL-P85-50L-MAG	G00008-a3-T5-B3-Rm1-P1-L1	45°-5T-111w-500CL-P85-50L-MAG
G00008-a1-T6-B3-Rm1-P1-L1	15°-6T-111w-500CL-P85-50L-MAG	G00008-a2-T6-B3-Rm1-P1-L1	30°-6T-111w-500CL-P85-50L-MAG	G00008-a3-T6-B3-Rm1-P1-L1	45°-6T-111w-500CL-P85-50L-MAG
G00008-a1-T7-B3-Rm1-P1-L1	15°-7T-111w-500CL-P85-50L-MAG	G00008-a2-T7-B3-Rm1-P1-L1	30°-7T-111w-500CL-P85-50L-MAG	G00008-a3-T7-B3-Rm1-P1-L1	45°-7T-111w-500CL-P85-50L-MAG
G00008-a1-T8-B3-Rm1-P1-L1	15°-8T-111w-500CL-P85-50L-MAG	G00008-a2-T8-B3-Rm1-P1-L1	30°-8T-111w-500CL-P85-50L-MAG	G00008-a3-T8-B3-Rm1-P1-L1	45°-8T-111w-500CL-P85-50L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a4-T1-B3-Rm1-P0-L1	60°-1T-111w-500CL-50L-MAG	G00008-a5-T1-B3-Rm1-P0-L1	75°-1T-111w-500CL-50L-MAG	G00008-a6-T1-B3-Rm1-P0-L1	90°-1T-111w-500CL-50L-MAG
G00008-a4-T2-B3-Rm1-P1-L1	60°-2T-111w-500CL-P85-50L-MAG	G00008-a5-T2-B3-Rm1-P1-L1	75°-2T-111w-500CL-P85-50L-MAG	G00008-a6-T2-B3-Rm1-P1-L1	90°-2T-111w-500CL-P85-50L-MAG
G00008-a4-T3-B3-Rm1-P1-L1	60°-3T-111w-500CL-P85-50L-MAG	G00008-a5-T3-B3-Rm1-P1-L1	75°-3T-111w-500CL-P85-50L-MAG	G00008-a6-T3-B3-Rm1-P1-L1	90°-3T-111w-500CL-P85-50L-MAG
G00008-a4-T4-B3-Rm1-P1-L1	60°-4T-111w-500CL-P85-50L-MAG	G00008-a5-T4-B3-Rm1-P1-L1	75°-4T-111w-500CL-P85-50L-MAG	G00008-a6-T4-B3-Rm1-P1-L1	90°-4T-111w-500CL-P85-50L-MAG
G00008-a4-T5-B3-Rm1-P1-L1	60°-5T-111w-500CL-P85-50L-MAG	G00008-a5-T5-B3-Rm1-P1-L1	75°-5T-111w-500CL-P85-50L-MAG	G00008-a6-T5-B3-Rm1-P1-L1	90°-5T-111w-500CL-P85-50L-MAG
G00008-a4-T6-B3-Rm1-P1-L1	60°-6T-111w-500CL-P85-50L-MAG	G00008-a5-T6-B3-Rm1-P1-L1	75°-6T-111w-500CL-P85-50L-MAG	G00008-a6-T6-B3-Rm1-P1-L1	90°-6T-111w-500CL-P85-50L-MAG
G00008-a4-T7-B3-Rm1-P1-L1	60°-7T-111w-500CL-P85-50L-MAG	G00008-a5-T7-B3-Rm1-P1-L1	75°-7T-111w-500CL-P85-50L-MAG	G00008-a6-T7-B3-Rm1-P1-L1	90°-7T-111w-500CL-P85-50L-MAG
G00008-a4-T8-B3-Rm1-P1-L1	60°-8T-111w-500CL-P85-50L-MAG	G00008-a5-T8-B3-Rm1-P1-L1	75°-8T-111w-500CL-P85-50L-MAG	G00008-a6-T8-B3-Rm1-P1-L1	90°-8T-111w-500CL-P85-50L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST | STANDARD ORDER QTY: PER SET




TRACKS	W
1	111
2	196
3	281
4	366
5	451
6	536
7	621
8	706




Rm = 500mm - MULTI TRACK - 100mm LEAD IN / LEAD OUT

α 15°		α 30°		α 45°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a1-T1-B3-Rm1-P0-L2	15°-1T-111w-500CL-100L-MAG	G00008-a2-T1-B3-Rm1-P0-L2	30°-1T-111w-500CL-100L-MAG	G00008-a3-T1-B3-Rm1-P0-L2	45°-1T-111w-500CL-100L-MAG
G00008-a1-T2-B3-Rm1-P1-L2	15°-2T-111w-500CL-P85-100L-MAG	G00008-a2-T2-B3-Rm1-P1-L2	30°-2T-111w-500CL-P85-100L-MAG	G00008-a3-T2-B3-Rm1-P1-L2	45°-2T-111w-500CL-P85-100L-MAG
G00008-a1-T3-B3-Rm1-P1-L2	15°-3T-111w-500CL-P85-100L-MAG	G00008-a2-T3-B3-Rm1-P1-L2	30°-3T-111w-500CL-P85-100L-MAG	G00008-a3-T3-B3-Rm1-P1-L2	45°-3T-111w-500CL-P85-100L-MAG
G00008-a1-T4-B3-Rm1-P1-L2	15°-4T-111w-500CL-P85-100L-MAG	G00008-a2-T4-B3-Rm1-P1-L2	30°-4T-111w-500CL-P85-100L-MAG	G00008-a3-T4-B3-Rm1-P1-L2	45°-4T-111w-500CL-P85-100L-MAG
G00008-a1-T5-B3-Rm1-P1-L2	15°-5T-111w-500CL-P85-100L-MAG	G00008-a2-T5-B3-Rm1-P1-L2	30°-5T-111w-500CL-P85-100L-MAG	G00008-a3-T5-B3-Rm1-P1-L2	45°-5T-111w-500CL-P85-100L-MAG
G00008-a1-T6-B3-Rm1-P1-L2	15°-6T-111w-500CL-P85-100L-MAG	G00008-a2-T6-B3-Rm1-P1-L2	30°-6T-111w-500CL-P85-100L-MAG	G00008-a3-T6-B3-Rm1-P1-L2	45°-6T-111w-500CL-P85-100L-MAG
G00008-a1-T7-B3-Rm1-P1-L2	15°-7T-111w-500CL-P85-100L-MAG	G00008-a2-T7-B3-Rm1-P1-L2	30°-7T-111w-500CL-P85-100L-MAG	G00008-a3-T7-B3-Rm1-P1-L2	45°-7T-111w-500CL-P85-100L-MAG
G00008-a1-T8-B3-Rm1-P1-L2	15°-8T-111w-500CL-P85-100L-MAG	G00008-a2-T8-B3-Rm1-P1-L2	30°-8T-111w-500CL-P85-100L-MAG	G00008-a3-T8-B3-Rm1-P1-L2	45°-8T-111w-500CL-P85-100L-MAG
α 60°		α 75°		α 90°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a4-T1-B3-Rm1-P0-L2	60°-1T-111w-500CL-100L-MAG	G00008-a5-T1-B3-Rm1-P0-L2	75°-1T-111w-500CL-100L-MAG	G00008-a6-T1-B3-Rm1-P0-L2	90°-1T-111w-500CL-100L-MAG
G00008-a4-T2-B3-Rm1-P1-L2	60°-2T-111w-500CL-P85-100L-MAG	G00008-a5-T2-B3-Rm1-P1-L2	75°-2T-111w-500CL-P85-100L-MAG	G00008-a6-T2-B3-Rm1-P1-L2	90°-2T-111w-500CL-P85-100L-MAG
G00008-a4-T3-B3-Rm1-P1-L2	60°-3T-111w-500CL-P85-100L-MAG	G00008-a5-T3-B3-Rm1-P1-L2	75°-3T-111w-500CL-P85-100L-MAG	G00008-a6-T3-B3-Rm1-P1-L2	90°-3T-111w-500CL-P85-100L-MAG
G00008-a4-T4-B3-Rm1-P1-L2	60°-4T-111w-500CL-P85-100L-MAG	G00008-a5-T4-B3-Rm1-P1-L2	75°-4T-111w-500CL-P85-100L-MAG	G00008-a6-T4-B3-Rm1-P1-L2	90°-4T-111w-500CL-P85-100L-MAG
G00008-a4-T5-B3-Rm1-P1-L2	60°-5T-111w-500CL-P85-100L-MAG	G00008-a5-T5-B3-Rm1-P1-L2	75°-5T-111w-500CL-P85-100L-MAG	G00008-a6-T5-B3-Rm1-P1-L2	90°-5T-111w-500CL-P85-100L-MAG
G00008-a4-T6-B3-Rm1-P1-L2	60°-6T-111w-500CL-P85-100L-MAG	G00008-a5-T6-B3-Rm1-P1-L2	75°-6T-111w-500CL-P85-100L-MAG	G00008-a6-T6-B3-Rm1-P1-L2	90°-6T-111w-500CL-P85-100L-MAG
G00008-a4-T7-B3-Rm1-P1-L2	60°-7T-111w-500CL-P85-100L-MAG	G00008-a5-T7-B3-Rm1-P1-L2	75°-7T-111w-500CL-P85-100L-MAG	G00008-a6-T7-B3-Rm1-P1-L2	90°-7T-111w-500CL-P85-100L-MAG
G00008-a4-T8-B3-Rm1-P1-L2	60°-8T-111w-500CL-P85-100L-MAG	G00008-a5-T8-B3-Rm1-P1-L2	75°-8T-111w-500CL-P85-100L-MAG	G00008-a6-T8-B3-Rm1-P1-L2	90°-8T-111w-500CL-P85-100L-MAG

			
CHAINS/BELTS PG. E801D - E802D	MATERIALS	TABLE OF CONTENTS	BACK TO CORNER TRACKS: CURVES/BENDS INDEX (G)





TRACKS	W
1	111
2	196
3	281
4	366
5	451
6	536
7	621
8	706



Rm = 500mm - MULTI TRACK - 125mm LEAD IN / LEAD OUT


α 15°		α 30°		α 45°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a1-T1-B3-Rm1-P0-L3	15°-1T-111w-500CL-125L-MAG	G00008-a2-T1-B3-Rm1-P0-L3	30° - 1T-111w-500CL-125L-MAG	G00008-a3-T1-B3-Rm1-P0-L3	45°-1T-111w-500CL-125L-MAG
G00008-a1-T2-B3-Rm1-P1-L3	15°-2T-111w-500CL-P85-125L-MAG	G00008-a2-T2-B3-Rm1-P1-L3	30°-2T-111w-500CL-P85-125L-MAG	G00008-a3-T2-B3-Rm1-P1-L3	45°-2T-111w-500CL-P85-125L-MAG
G00008-a1-T3-B3-Rm1-P1-L3	15°-3T-111w-500CL-P85-125L-MAG	G00008-a2-T3-B3-Rm1-P1-L3	30°-3T-111w-500CL-P85-125L-MAG	G00008-a3-T3-B3-Rm1-P1-L3	45°-3T-111w-500CL-P85-125L-MAG
G00008-a1-T4-B3-Rm1-P1-L3	15°-4T-111w-500CL-P85-125L-MAG	G00008-a2-T4-B3-Rm1-P1-L3	30°-4T-111w-500CL-P85-125L-MAG	G00008-a3-T4-B3-Rm1-P1-L3	45°-4T-111w-500CL-P85-125L-MAG
G00008-a1-T5-B3-Rm1-P1-L3	15°-5T-111w-500CL-P85-125L-MAG	G00008-a2-T5-B3-Rm1-P1-L3	30°-5T-111w-500CL-P85-125L-MAG	G00008-a3-T5-B3-Rm1-P1-L3	45°-5T-111w-500CL-P85-125L-MAG
G00008-a1-T6-B3-Rm1-P1-L3	15°-6T-111w-500CL-P85-125L-MAG	G00008-a2-T6-B3-Rm1-P1-L3	30°-6T-111w-500CL-P85-125L-MAG	G00008-a3-T6-B3-Rm1-P1-L3	45°-6T-111w-500CL-P85-125L-MAG
G00008-a1-T7-B3-Rm1-P1-L3	15°-7T-111w-500CL-P85-125L-MAG	G00008-a2-T7-B3-Rm1-P1-L3	30°-7T-111w-500CL-P85-125L-MAG	G00008-a3-T7-B3-Rm1-P1-L3	45°-7T-111w-500CL-P85-125L-MAG
G00008-a1-T8-B3-Rm1-P1-L3	15°-8T-111w-500CL-P85-125L-MAG	G00008-a2-T8-B3-Rm1-P1-L3	30°-8T-111w-500CL-P85-125L-MAG	G00008-a3-T8-B3-Rm1-P1-L3	45°-8T-111w-500CL-P85-125L-MAG
α 60°		α 75°		α 90°	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a4-T1-B3-Rm1-P0-L3	60°-1T-111w-500CL-125L-MAG	G00008-a5-T1-B3-Rm1-P0-L3	75°-1T-111w-500CL-125L-MAG	G00008-a6-T1-B3-Rm1-P0-L3	90°-1T-111w-500CL-125L-MAG
G00008-a4-T2-B3-Rm1-P1-L3	60°-2T-111w-500CL-P85-125L-MAG	G00008-a5-T2-B3-Rm1-P1-L3	75°-2T-111w-500CL-P85-125L-MAG	G00008-a6-T2-B3-Rm1-P1-L3	90°-2T-111w-500CL-P85-125L-MAG
G00008-a4-T3-B3-Rm1-P1-L3	60°-3T-111w-500CL-P85-125L-MAG	G00008-a5-T3-B3-Rm1-P1-L3	75°-3T-111w-500CL-P85-125L-MAG	G00008-a6-T3-B3-Rm1-P1-L3	90°-3T-111w-500CL-P85-125L-MAG
G00008-a4-T4-B3-Rm1-P1-L3	60°-4T-111w-500CL-P85-125L-MAG	G00008-a5-T4-B3-Rm1-P1-L3	75°-4T-111w-500CL-P85-125L-MAG	G00008-a6-T4-B3-Rm1-P1-L3	90°-4T-111w-500CL-P85-125L-MAG
G00008-a4-T5-B3-Rm1-P1-L3	60°-5T-111w-500CL-P85-125L-MAG	G00008-a5-T5-B3-Rm1-P1-L3	75°-5T-111w-500CL-P85-125L-MAG	G00008-a6-T5-B3-Rm1-P1-L3	90°-5T-111w-500CL-P85-125L-MAG
G00008-a4-T6-B3-Rm1-P1-L3	60°-6T-111w-500CL-P85-125L-MAG	G00008-a5-T6-B3-Rm1-P1-L3	75°-6T-111w-500CL-P85-125L-MAG	G00008-a6-T6-B3-Rm1-P1-L3	90°-6T-111w-500CL-P85-125L-MAG
G00008-a4-T7-B3-Rm1-P1-L3	60°-7T-111w-500CL-P85-125L-MAG	G00008-a5-T7-B3-Rm1-P1-L3	75°-7T-111w-500CL-P85-125L-MAG	G00008-a6-T7-B3-Rm1-P1-L3	90°-7T-111w-500CL-P85-125L-MAG
G00008-a4-T8-B3-Rm1-P1-L3	60°-8T-111w-500CL-P85-125L-MAG	G00008-a5-T8-B3-Rm1-P1-L3	75°-8T-111w-500CL-P85-125L-MAG	G00008-a6-T8-B3-Rm1-P1-L3	90°-8T-111w-500CL-P85-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST | STANDARD ORDER QTY: PER SET



SINGLE TRACK - G00008-a6-T1-B3-Rm1-P0-L0

TRACKS	W
1	111
2	196
3	281
4	366
5	451
6	536
7	621
8	706



MULTI TRACK - G00008-a6-T2-B3-Rm1-P1-L0

Rm = 500mm - MULTI TRACK - NO LEAD IN / LEAD OUT

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a1-T1-B3-Rm1-P0-L0	15°-1T-111w-500CL-0L-MAG	G00008-a2-T1-B3-Rm1-P0-L0	30°-1T-111w-500CL-0L-MAG	G00008-a3-T1-B3-Rm1-P0-L0	45°-1T-111w-500CL-0L-MAG
G00008-a1-T2-B3-Rm1-P1-L0	15°-2T-111w-500CL-P85-0L-MAG	G00008-a2-T2-B3-Rm1-P1-L0	30°-2T-111w-500CL-P85-0L-MAG	G00008-a3-T2-B3-Rm1-P1-L0	45°-2T-111w-500CL-P85-0L-MAG
G00008-a1-T3-B3-Rm1-P1-L0	15°-3T-111w-500CL-P85-0L-MAG	G00008-a2-T3-B3-Rm1-P1-L0	30°-3T-111w-500CL-P85-0L-MAG	G00008-a3-T3-B3-Rm1-P1-L0	45°-3T-111w-500CL-P85-0L-MAG
G00008-a1-T4-B3-Rm1-P1-L0	15°-4T-111w-500CL-P85-0L-MAG	G00008-a2-T4-B3-Rm1-P1-L0	30°-4T-111w-500CL-P85-0L-MAG	G00008-a3-T4-B3-Rm1-P1-L0	45°-4T-111w-500CL-P85-0L-MAG
G00008-a1-T5-B3-Rm1-P1-L0	15°-5T-111w-500CL-P85-0L-MAG	G00008-a2-T5-B3-Rm1-P1-L0	30°-5T-111w-500CL-P85-0L-MAG	G00008-a3-T5-B3-Rm1-P1-L0	45°-5T-111w-500CL-P85-0L-MAG
G00008-a1-T6-B3-Rm1-P1-L0	15°-6T-111w-500CL-P85-0L-MAG	G00008-a2-T6-B3-Rm1-P1-L0	30°-6T-111w-500CL-P85-0L-MAG	G00008-a3-T6-B3-Rm1-P1-L0	45°-6T-111w-500CL-P85-0L-MAG
G00008-a1-T7-B3-Rm1-P1-L0	15°-7T-111w-500CL-P85-0L-MAG	G00008-a2-T7-B3-Rm1-P1-L0	30°-7T-111w-500CL-P85-0L-MAG	G00008-a3-T7-B3-Rm1-P1-L0	45°-7T-111w-500CL-P85-0L-MAG
G00008-a1-T8-B3-Rm1-P1-L0	15°-8T-111w-500CL-P85-0L-MAG	G00008-a2-T8-B3-Rm1-P1-L0	30°-8T-111w-500CL-P85-0L-MAG	G00008-a3-T8-B3-Rm1-P1-L0	45°-8T-111w-500CL-P85-0L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a4-T1-B3-Rm1-P0-L0	60°-1T-111w-500CL-0L-MAG	G00008-a5-T1-B3-Rm1-P0-L0	75°-1T-111w-500CL-0L-MAG	G00008-a6-T1-B3-Rm1-P0-L0	90°-1T-111w-500CL-0L-MAG
G00008-a4-T2-B3-Rm1-P1-L0	60°-2T-111w-500CL-P85-0L-MAG	G00008-a5-T2-B3-Rm1-P1-L0	75°-2T-111w-500CL-P85-0L-MAG	G00008-a6-T2-B3-Rm1-P1-L0	90°-2T-111w-500CL-P85-0L-MAG
G00008-a4-T3-B3-Rm1-P1-L0	60°-3T-111w-500CL-P85-0L-MAG	G00008-a5-T3-B3-Rm1-P1-L0	75°-3T-111w-500CL-P85-0L-MAG	G00008-a6-T3-B3-Rm1-P1-L0	90°-3T-111w-500CL-P85-0L-MAG
G00008-a4-T4-B3-Rm1-P1-L0	60°-4T-111w-500CL-P85-0L-MAG	G00008-a5-T4-B3-Rm1-P1-L0	75°-4T-111w-500CL-P85-0L-MAG	G00008-a6-T4-B3-Rm1-P1-L0	90°-4T-111w-500CL-P85-0L-MAG
G00008-a4-T5-B3-Rm1-P1-L0	60°-5T-111w-500CL-P85-0L-MAG	G00008-a5-T5-B3-Rm1-P1-L0	75°-5T-111w-500CL-P85-0L-MAG	G00008-a6-T5-B3-Rm1-P1-L0	90°-5T-111w-500CL-P85-0L-MAG
G00008-a4-T6-B3-Rm1-P1-L0	60°-6T-111w-500CL-P85-0L-MAG	G00008-a5-T6-B3-Rm1-P1-L0	75°-6T-111w-500CL-P85-0L-MAG	G00008-a6-T6-B3-Rm1-P1-L0	90°-6T-111w-500CL-P85-0L-MAG
G00008-a4-T7-B3-Rm1-P1-L0	60°-7T-111w-500CL-P85-0L-MAG	G00008-a5-T7-B3-Rm1-P1-L0	75°-7T-111w-500CL-P85-0L-MAG	G00008-a6-T7-B3-Rm1-P1-L0	90°-7T-111w-500CL-P85-0L-MAG
G00008-a4-T8-B3-Rm1-P1-L0	60°-8T-111w-500CL-P85-0L-MAG	G00008-a5-T8-B3-Rm1-P1-L0	75°-8T-111w-500CL-P85-0L-MAG	G00008-a6-T8-B3-Rm1-P1-L0	90°-8T-111w-500CL-P85-0L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST | STANDARD ORDER QTY: PER SET



CHAINS/BELTS
PG. E801D - E802D



MATERIALS





TABLE OF
CONTENTS



BACK TO CORNER TRACKS/
CURVES/BENDS INDEX (G)

WWW.IRP.CO.ZA



LEAD IN & OUT AVAILABLE IN
125mm - 100mm - 50mm AND WITHOUT

Rm = 500mm - SINGLE TRACK

$\alpha 15^\circ$		$\alpha 30^\circ$		$\alpha 45^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a1-T1-B3-Rm1-P0-L0	15°-1T-111w-500CL-0L-MAG	G00008-a2-T1-B3-Rm1-P0-L0	30°-1T-111w-500CL-0L-MAG	G00008-a3-T1-B3-Rm1-P0-L0	45°-1T-111w-500CL-0L-MAG
G00008-a1-T1-B3-Rm1-P0-L1	15°-1T-111w-500CL-50L-MAG	G00008-a2-T1-B3-Rm1-P0-L1	30°-1T-111w-500CL-50L-MAG	G00008-a3-T1-B3-Rm1-P0-L1	45°-1T-111w-500CL-50L-MAG
G00008-a1-T1-B3-Rm1-P0-L2	15°-1T-111w-500CL-100L-MAG	G00008-a2-T1-B3-Rm1-P0-L2	30°-1T-111w-500CL-100L-MAG	G00008-a3-T1-B3-Rm1-P0-L2	45°-1T-111w-500CL-100L-MAG
G00008-a1-T1-B3-Rm1-P0-L3	15°-1T-111w-500CL-125L-MAG	G00008-a2-T1-B3-Rm1-P0-L3	30°-1T-111w-500CL-125L-MAG	G00008-a3-T1-B3-Rm1-P0-L3	45°-1T-111w-500CL-125L-MAG
$\alpha 60^\circ$		$\alpha 75^\circ$		$\alpha 90^\circ$	
CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
G00008-a4-T1-B3-Rm1-P0-L0	60°-1T-111w-500CL-0L-MAG	G00008-a5-T1-B3-Rm1-P0-L0	75°-1T-111w-500CL-0L-MAG	G00008-a6-T1-B3-Rm1-P0-L0	90°-1T-111w-500CL-0L-MAG
G00008-a4-T1-B3-Rm1-P0-L1	60°-1T-111w-500CL-50L-MAG	G00008-a5-T1-B3-Rm1-P0-L1	75°-1T-111w-500CL-50L-MAG	G00008-a6-T1-B3-Rm1-P0-L1	90°-1T-111w-500CL-50L-MAG
G00008-a4-T1-B3-Rm1-P0-L2	60°-1T-111w-500CL-100L-MAG	G00008-a5-T1-B3-Rm1-P0-L2	75°-1T-111w-500CL-100L-MAG	G00008-a6-T1-B3-Rm1-P0-L2	90°-1T-111w-500CL-100L-MAG
G00008-a4-T1-B3-Rm1-P0-L3	60°-1T-111w-500CL-125L-MAG	G00008-a5-T1-B3-Rm1-P0-L3	75°-1T-111w-500CL-125L-MAG	G00008-a6-T1-B3-Rm1-P0-L3	90°-1T-111w-500CL-125L-MAG

NON STANDARD SIZES ARE AVAILABLE ON REQUEST.
STANDARD ORDER QTY: PER SET

